

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD 2	HOLD 3	HOLD 4						
A-B-C Klipper class															
BALTIC KLIPPER	(580) 463 708 518	661.636	165.00	4	1) 7.00 x 10.50	FC 55.535/574	A 52.395/535	A 52.621/544	A 48.099/486	1) 267FEU+9TEU OR 552TEU	2 CRANES x 40 mt	1) 21.5 knts @55.5 mt IFO380	1,975 mt IFO380	BOWTHRUSTER	
LIBERIA	(870) 783 158 899	7.118	25.00	4	2) 12.60 x 10.50	A <u>33.228/347</u> B <u>46.147/513</u>	B <u>48.154/547</u>	B <u>43.413/485</u>	2) 247FEU+9TEU OR 503TEU	2 CRANES x 8 mt	2) 2.6 mt IFO380	100 mt MDO	ICE CLASS IB		
A8VR5	(870) 773 155 842	15.693	14.091	16	3) 12.60 x 10.50	B 26.371/285	C 41.527/464	C 47.070/541	C 40.111/441	3) 247FEU+9TEU OR 434TEU		3) 6.5 mt IFO380		USDA FITTED	
9454759 2010	(31) 620 433 636	10.32	7.603	8	4) 12.60 x 10.50	C 22.852/238	D 35.690/372	D 34.403/403	D 34.023/343	4) 48FEU+12TEU OR 108TEU		4) 6 mt IFO380		CA PRE-PIPED	
master.balticklipper@seatradefleet.com						ttd: 137,986/1,444 ttd: 175,759/1,884 ttd: 182,245/2,035 ttd: 165,646/1,755									
ATLANTIC KLIPPER	(580) 435 385 511	661.530	165.00	4	1) 7.00 x 10.50	FC 55.656/574	A 52.410/535	A 52.659/544	A 48.111/486	1) 267FEU+9TEU OR 552TEU	2 CRANES x 40 mt	1) 21.5 knts @55.5 mt IFO380	1,975 mt IFO380	BOWTHRUSTER	
DUTCH	(870) 783 200 463	7.118	25.00	4	2) 12.60 x 10.50	A <u>33.217/347</u> B <u>46.162/513</u>	B <u>48.194/547</u>	B <u>43.367/485</u>	2) 247FEU+9TEU OR 503TEU	2 CRANES x 8 mt	2) 2.6 mt IFO380	100 mt MDO	ICE CLASS IB		
PCIU	(870) 773 157 169	15.693	14.091	16	3) 12.60 x 10.50	B 26.365/285	C 41.606/464	C 47.038/541	C 40.114/441	3) 247FEU+9TEU OR 434TEU		3) 6.5 mt IFO380		USDA FITTED	
9454761 2011	(31) 651 851 095	10.32	7.603	8	4) 12.60 x 10.50	C 22.541/238	D 35.636/372	D 34.397/403	D 34.027/343	4) 48FEU+12TEU OR 108TEU		4) 6.3 mt IFO380		CA PRE-PIPED	
master.atlanticklipper@seatradefleet.com						ttd: 137,779/1,444 ttd: 175,814/1,884 ttd: 182,288/2,035 ttd: 165,649/1,755									
Strait class															
LOMBOK STRAIT	(580) 463 791 020	626.011	167.00	4	1) 3.30 x 6.00	FC <u>47.441/555</u>	A 52.133/615	A 57.199/674	A 48.589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21 knts @59 mt IFO380	1,860 mt IFO380	BOWTHRUSTER	
LIBERIA	(870) 363 702 977	7.341	25.00	4	2) 3.30 x 6.00	A 27.797/328	B <u>45.853/543</u>	B <u>56.447/669</u>	B <u>48.239/572</u>	2) 200FEU OR 396TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED	
A8IO3	(870) 363 702 972	15.917	14.413	15	3) 3.30 x 6.00	B 14.693/174	C 38.542/441	C 57.100/653	C 43.309/496	3) 200FEU OR 396TEU		3) 8 mt IFO380		CA PLANT	
9204958 2002	(49) 152 549 276 21	10.00	7.536	8	4) 3.30 x 6.00	D 24.048/284	D 42.221/499	D 22.400/264	D 4) 2.25	4) 8 mt IFO380		4) 8 mt IFO380		MA PLANT	
master.lombokstrait@tritonfleet.net						ttd: 89,931/1,057 ttd: 160,576/1,883 ttd: 212,967/2,495 ttd: 162,537/1,905									
LUZON STRAIT	(580) 463 791 022	626.011	167.00	4	1) 3.30 x 6.00	FC <u>47.441/555</u>	A 52.133/615	A 57.199/674	A 48.589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21 knts @59 mt IFO380	1,860 mt IFO380	BOWTHRUSTER	
LIBERIA	(870) 363 702 946	7.341	25.00	4	2) 3.30 x 6.00	A 27.797/328	B <u>45.853/543</u>	B <u>56.447/669</u>	B <u>48.239/572</u>	2) 200FEU OR 396TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED	
A8IO4	(870) 363 702 941	15.917	14.413	15	3) 3.30 x 6.00	B 14.693/174	C 38.542/441	C 57.100/653	C 43.309/496	3) 200FEU OR 396TEU		3) 8 mt IFO380		CA PLANT	
9204960 2002	(49) 152 549 276 22	10.02	7.536	8	4) 3.30 x 6.00	D 24.048/284	D 42.221/499	D 22.400/264	D 4) 2.25	4) 6 mt IFO380		4) 6 mt IFO380		MA PLANT	
master.luzonstrait@tritonfleet.net						ttd: 89,931/1,057 ttd: 160,576/1,883 ttd: 212,967/2,495 ttd: 162,537/1,905									
Ocean class															
ATLANTIC REEFER	(580) 430 683 910	600.558	175.72	4	1) 8.10 x 6.00	A <u>35.432/399</u>	A 18.425/202	A 18.422/201	A 18.219/202	1) 51FEU OR 72TEU+15FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	955 mt IFO380	USDA FITTED	
DUTCH	(870) 783 154 643	6.870	22.60	4	2) 8.10 x 6.00	B 26.435/269	B 37.040/468	B 39.845/472	B 39.374/467	2) 48FEU OR 72TEU+12FEU	2 CRANES x 36 mt	2) 2 mt IFO380	60 mt MDO	CA PRE-PIPED	
PJCL	(870) 773 152 571	17.350	12.618	19	3) 8.10 x 6.00	C 17.273/183	C <u>38.134/453</u>	C <u>41.801/499</u>	C <u>41.631/479</u>	3) 170FEU OR 72TEU+12FEU	1 CRANE x 8 mt	3) 6 mt IFO380			
9179256 1998	(31) 620 493 150	9.72	7.624	8	4) 8.10 x 6.00	D 14.038/157	D 33.943/391	D 40.639/479	D 36.454/408	4) 5) 198		4) 6 mt IFO380			
master.atlanticreefer@seatradefleet.com						ttd: 93,178/1,008 ttd: 158,596/1,852 ttd: 181,717/2,124 ttd: 167,067/1,885									
PACIFIC REEFER	(580) 430 684 510	600.202	175.72	4	1) 8.10 x 6.00	A <u>35.352/398</u>	A 18.457/202	A 18.397/201	A 18.274/202	1) 51FEU OR 72TEU+15FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	1,165 mt IFO380	USDA FITTED	
DUTCH	(870) 773 159 697	6.869	22.60	4	2) 8.10 x 6.00	B 26.282/268	B 37.168/466	B 39.857/472	B 39.435/467	2) 48FEU OR 72TEU+12FEU	2 CRANES x 36 mt	2) 2 mt IFO380	60 mt MDO	CA PRE-PIPED	
PJVM	(870) 773 156 506	17.350	12.618	19	3) 8.10 x 6.00	C 17.316/181	C <u>38.015/453</u>	C <u>41.880/498</u>	C <u>41.655/480</u>	3) 48FEU OR 72TEU+12FEU	1 CRANE x 8 mt	3) 6 mt IFO380			
9179268 1999	(31) 653 445 603	9.72	7.624	8	4) 8.10 x 6.00	D 14.007/157	D 33.862/391	D 40.479/480	D 36.378/410	4) 5) 61		4) 6 mt IFO380			
master.pacificreefer@seatradefleet.com						ttd: 92,957/1,004 ttd: 158,569/1,851 ttd: 181,602/2,124 ttd: 167,074/1,888									
Hansa class															
HANSA STOCKHOLM	(580) 463 661 930	590.654	156.53	4	1) 9.30 x 7.60	A 49.979/578	A 41.565/494	A 37.255/445	A 42.730/497	1) 102FEU+2TEU OR 206TEU	4 CRANES x 18 mt or 2 x 35.4 mt IN TWIN	1) 21 knts @44.5 mt IFO380	1,385 mt IFO380	USDA FITTED	
LIBERIA	(870) 363 672 720	6.687	23.00	4	2) 12.50 x 7.60	B <u>42.456/444</u>	B <u>40.965/462</u>	B <u>38.740/450</u>	B <u>42.095/479</u>	2) 78FEU+2TEU OR 158TEU		2) 3.1 mt IFO380	75 mt MDO	CA PRE-PIPED	
ELUA3	(870) 363 672 710	12.942	10.842	16	3) 12.50 x 7.60	C 29.875/338	C 35.245/425	C 33.760/427	C 35.210/417	3) 78FEU+2TEU OR 158TEU		3) 7.4 mt IFO380			
8909070 1991	(49) 171 477 0987	9.53	6.381	8	4) 12.50 x 7.60	D 21.050/212	D 32.915/333	D 35.740/381	D 31.075/305	4) 38FEU+12TEU OR 84TEU		4) 6 mt IFO380			
stockholm@ies-raisting.de						ttd: 143,359/1,572 ttd: 150,690/1,714 ttd: 145,495/1,703 ttd: 151,110/1,698									

NAME FLAG CALL SIGN IMOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
HANSA LÜBECK LIBERIA ELUC5 8909068 1990	(580) 463 661 330 (870) 783 189 954 (870) 773 161 685 (49) 171 477 0985	590.654 6.687 12.942 9.53	156.53 23.00 10.842 6.381	4 4 16 8	1) 9.30 x 7.60 2) 12.50 x 7.60 3) 12.50 x 7.60 4) 12.50 x 7.60 2.20	A 49.979/578 B 42.455/444 C 29.875/338 D 21.050/212	A 41.565/494 B 40.965/462 C 35.245/425 D 32.915/333	A 37.255/445 B 38.740/450 C 33.760/427 D 35.740/381	A 42.730/497 B 42.095/479 C 35.210/417 D 31.075/305	1) 102FEU+2TEU OR 206TEU 2) 78FEU+2TEU OR 158TEU 3) 78FEU+2TEU OR 158TEU 4) 36FEU+12TEU OR 84TEU 5) 78	4 CRANES x 18 mt or 2 x 35.4 mt IN TWIN	1) 21 knts @44.5 mt IFO380 2) 3.1 mt IFO380 3) 7.4 mt IFO380 4) 6 mt IFO380	1,385 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
luebeck2@les-raisting.de						ttl: 143,359/1,572	ttl: 150,690/1,714	ttl: 145,495/1,703	ttl: 151,110/1,698					
HANSA VISBY LIBERIA ELWR5 8802090 1989	(580) 463 673 270 (870) 363 696 020 (870) 363 696 010 (49) 171 477 0983	587.974 6.653 12.942 9.53	156.53 23.00 10.842 6.381	4 4 16 8	1) 9.30 x 7.60 2) 12.50 x 7.60 3) 12.50 x 7.60 4) 12.50 x 7.60 2.20	A 49.804/576 B 42.315/442 C 29.875/338 D 21.050/212	A 41.390/492 B 40.685/458 C 34.960/422 D 32.665/330	A 37.255/445 B 38.530/447 C 33.585/425 D 35.560/379	A 42.730/497 B 41.780/475 C 34.960/413 D 30.830/302	1) 102FEU+2TEU OR 206TEU 2) 78FEU+2TEU OR 158TEU 3) 78FEU+2TEU OR 158TEU 4) 36FEU+12TEU OR 84TEU 5) 78	4 CRANES x 18 mt or 2 x 35.4 mt IN TWIN	1) 21 knts @44.5 mt IFO380 2) 3.1 mt IFO380 3) 7.4 mt IFO380 4) 6 mt IFO380	1,385 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
visby@les-raisting.de						ttl: 143,044/1,568	ttl: 149,700/1,702	ttl: 144,930/1,696	ttl: 150,300/1,687					
HANSA BREMEN LIBERIA ELW06 8802088 1989	(580) 463 679 640 (870) 783 182 170 (870) 773 183 339 (49) 171 477 0981	587.974 6.653 12.942 9.53	156.53 23.00 10.842 6.381	4 4 16 8	1) 9.30 x 7.60 2) 12.50 x 7.60 3) 12.50 x 7.60 4) 12.50 x 7.60 2.20	A 49.804/576 B 42.315/442 C 29.875/338 D 21.050/212	A 41.390/492 B 40.685/458 C 34.960/422 D 32.665/330	A 37.255/445 B 38.530/447 C 33.585/425 D 35.560/379	A 42.730/497 B 41.780/475 C 34.960/413 D 30.830/302	1) 102FEU+2TEU OR 206TEU 2) 78FEU+2TEU OR 158TEU 3) 78FEU+2TEU OR 158TEU 4) 36FEU+12TEU OR 84TEU 5) 78	4 CRANES x 18 mt or 2 x 35.4 mt IN TWIN	1) 21 knts @44.5 mt IFO380 2) 3.1 mt IFO380 3) 7.4 mt IFO380 4) 6 mt IFO380	1,385 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
bremen1@les-raisting.de						ttl: 143,044/1,568	ttl: 149,700/1,702	ttl: 144,930/1,696	ttl: 150,300/1,687					

Maxi Stream class

ROYAL KLIPPER DUTCH PCIH 9172959 2000	(580) 424 642 810 (870) 324 642 815 (870) 773 152 841 (31) 620 493 151	580.754 6.613 12.902 10.12	155.00 24.00 11.382 6.408	4 4 19 8	1) 8.00 x 10.60 2) 13.50 x 10.60 3) 13.50 x 10.60 4) 13.50 x 10.60 2.30	UPI 7.108/86 A 41.565/420 B 25.347/290 C 15.994/191 D 25.214/300	UPC 11.890/144 A 47.759/532 B 44.219/500 C 37.734/436 D 28.588/338	UPI 11.890/144 A 46.537/517 B 46.162/522 C 44.962/516 D 28.588/338	UPI 11.890/144 A 41.308/469 B 38.373/437 C 32.098/368 D 22.116/259	1) 207FEU OR 390TEU 2) 180FEU OR 240TEU+60FEU 3) 180FEU OR 240TEU+60FEU 4) 60FEU+12TEU OR 132TEU 5) 185	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @48 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1,865 mt IFO380 130 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.royalklipper@seatradefleet.com						ttl: 90,014/987	ttl: 166,816/1,912	ttl: 178,139/2,037	ttl: 145,785/1,677					
COMOROS STREAM LIBERIA A8IP4 9167801 2000	(580) 463 791 016 (870) 773 153 497 (49) 152 549 276 04	580.754 6.613 12.902 10.12	155.00 24.00 11.382 6.408	4 4 19 8	1) 8.00 x 10.60 2) 13.50 x 10.60 3) 13.50 x 10.60 4) 13.50 x 10.60 2.30	UPI 7.108/86 A 41.565/420 B 25.347/290 C 15.994/191 D 25.214/300	UPC 11.890/144 A 47.759/532 B 44.219/500 C 37.734/436 D 28.588/338	UPI 11.890/144 A 46.537/517 B 46.162/522 C 44.962/516 D 28.588/338	UPI 11.890/144 A 41.308/469 B 38.373/437 C 32.098/368 D 22.116/259	1) 207FEU OR 390TEU 2) 180FEU OR 240TEU+60FEU 3) 180FEU OR 240TEU+60FEU 4) 60FEU+12TEU OR 132TEU 5) 185	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @48 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1,865 mt IFO380 130 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.comorosstream@tritonfleet.net						ttl: 90,014/987	ttl: 166,816/1,912	ttl: 178,139/2,037	ttl: 145,785/1,677					

Chiquita

CHIQUITA ROSTOCK BAHAMAS C6VR5 9014767 1993	(580) 430 971 610 (870) 783 102 396 (870) 773 108 487 (32) 475 816 034	572.318 6.888 12.850 9.53	156.53 23.00 10.842 6.381	4 10 16 8	1) 9.30 x 7.60 2) 2 x 12.50 x 7.60 3) 3 x 12.50 x 7.60 4) 4 x 12.50 x 7.60 2.20	A 50.489/674 B 40.476/469 C 30.265/346 D 19.683/219	A 40.317/494 B 39.176/477 C 36.280/438 D 30.249/343	A 36.872/441 B 35.737/448 C 35.831/441 D 32.588/386	A 41.103/491 B 39.234/482 C 36.179/426 D 27.839/313	1) 144FEU+2TEU OR 290TEU 2) 78FEU OR 158TEU 3) 78FEU OR 158TEU 4) 36FEU 5) 102	4 CRANES x 18 mt or 2 x 36 mt IN TWIN	1) 21 knts @52 mt IFO380 2) 3.5 mt IFO380 3) 9 mt IFO380 4) 6 mt IFO380	1,390 mt IFO380 170 mt MDO	USDA FITTED CA PRE-PIPED
master.cros@dsmvessel.be						ttl: 140,913/1,708	ttl: 146,022/1,752	ttl: 141,028/1,716	ttl: 144,355/1,712					
CHIQUITA BREMEN BAHAMAS C6VR4 9014755 1992	(580) 430 907 510 (870) 330 907 512 (870) 330 907 510 (32) 475 816 029	572.318 6.888 12.850 9.53	156.53 23.00 10.842 6.381	4 10 16 8	1) 9.30 x 7.60 2) 2 x 12.50 x 7.60 3) 3 x 12.50 x 7.60 4) 4 x 12.50 x 7.60 2.20	A 50.489/674 B 40.476/469 C 30.265/346 D 19.683/219	A 40.317/494 B 39.176/477 C 36.280/438 D 30.249/343	A 36.872/441 B 35.737/448 C 35.831/441 D 32.588/386	A 41.103/491 B 39.234/482 C 36.179/426 D 27.839/313	1) 144FEU+2TEU OR 290TEU 2) 78FEU OR 158TEU 3) 78FEU OR 158TEU 4) 36FEU+12TEU OR 84TEU 5) 102	4 CRANES x 18 mt or 2 x 36 mt IN TWIN	1) 21 knts @52 mt IFO380 2) 3.5 mt IFO380 3) 9 mt IFO380 4) 6 mt IFO380	1,390 mt IFO380 170 mt MDO	USDA FITTED CA PRE-PIPED
C6VR4@globeemail.com						ttl: 140,913/1,708	ttl: 146,022/1,752	ttl: 141,028/1,716	ttl: 144,355/1,712					

Polar class

NAME FLAG CALL SIGN MOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPIRES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
POLARSTREAM	(580) 421 815 510	564.280	154.00	4	1) 12.60 x 8.00	FC <u>47.903/531</u>	A 44.313/477	A 44.154/488	A 47.669/531	1) 136FEU+8TEU OR 268TEU	2 CRANES x 36 mt	1) 20.5 knts @44 mt IFO380	1,440 mt IFO380	USDA FITTED
GERMANY	(870) 764 883 765	6.495	24.00	4	2) 12.60 x 8.00	A 32.927/316	B <u>35.603/429</u>	B <u>40.607/487</u>	B <u>40.771/490</u>	2) 109FEU+8TEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	90 mt MDO	CA PRE-PIPED
DBBR2	(870) 764 883 764	12.473	11.417	16	3) 12.60 x 8.00	A 17.106/206	C 30.780/384	C 38.446/482	C 36.148/434	3) 109FEU+8TEU OR 212TEU		3) 6 mt IFO380		
9189885 1999	(49) 152 549 276 26	9.90	5.966	8	4) 12.60 x 8.00	C 10.849/126	D 28.986/327	D 35.889/432	D 32.139/355	4) 42FEU OR 84TEU		4) 6 mt IFO380		
master.polarstream@tritonfleet.net						ttd: 108,785/1,179 ttd: 139,672/1,617 ttd: 159,096/1,889 ttd: 156,727/1,810								
POLARLIGHT	(580) 421 119 411	564.160	154.00	4	1) 12.60 x 8.00	FC <u>47.874/531</u>	A 44.313/477	A 44.154/488	A 47.649/531	1) 136FEU+8TEU OR 268TEU	2 CRANES x 36 mt	1) 20.5 knts @44 mt IFO380	1,420 mt IFO380	USDA FITTED
GERMANY	(870) 783 156 138	6.493	24.00	4	2) 12.60 x 8.00	A 32.999/317	B <u>35.601/428</u>	B <u>40.607/487</u>	B <u>40.743/490</u>	2) 109FEU+8TEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	90 mt MDO	CA PRE-PIPED
DBBQ2	(870) 773 153 608	12.473	11.417	16	3) 12.60 x 8.00	B 17.068/206	C 30.698/383	C 38.454/482	C 36.140/434	3) 109FEU+8TEU OR 212TEU		3) 6 mt IFO380		
9189873 1998	(49) 152 549 276 25	9.90	5.966	8	4) 12.60 x 8.00	C 10.880/126	D 28.986/327	D 35.855/432	D 32.139/355	4) 42FEU OR 84TEU		4) 6 mt IFO380		
master.polarlight@tritonfleet.net						ttd: 108,821/1,180 ttd: 139,598/1,615 ttd: 159,070/1,889 ttd: 156,671/1,810								
E- class														
ELSEBETH	(580) 463 791 017	549.326	151.99	4	1) 13.00 x 7.85	A <u>45.374/492</u>	A 43.828/465	A 45.092/480	A 44.964/477	1) 106FEU OR 212TEU	2 CRANES x 36 mt	1) 21 knts @44 mt IFO380	1,430 mt IFO380	USDA FITTED
LIBERIA	(870) 363 702 923	6.226	23.00	4	2) 13.00 x 7.85	B 26.896/308	B <u>37.552/438</u>	B <u>39.908/480</u>	B <u>39.649/475</u>	2) 106FEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
A8IO2	(870) 363 702 918	12.734	10.519	16	3) 13.00 x 7.85	C 20.150/213	C 31.874/379	C 38.691/476	C 33.811/418	3) 106FEU OR 212TEU		3) 5.5 mt IFO380		
9175901 1998	(49) 152 549 276 08	9.67	5.406	8	4) 13.00 x 7.85	D 8.608/105	D 26.139/280	D 37.124/431	D 29.666/308	4) 36FEU OR 72TEU		4) 6 mt IFO380		
master.elsebeth@tritonfleet.net						ttd: 101,028/1,118 ttd: 139,393/1,562 ttd: 160,815/1,867 ttd: 148,090/1,678								
EMERALD	(580) 463 791 015	548.718	151.99	4	1) 13.00 x 7.85	A <u>45.347/489</u>	A 43.758/463	A 45.055/480	A 44.964/478	1) 106FEU OR 212TEU	2 CRANES x 36 mt	1) 21 knts @44 mt IFO380	1,430 mt IFO380	USDA FITTED
LIBERIA	(870) 783 154 765	6.244	23.00	4	2) 13.00 x 7.85	B 25.886/307	B <u>37.490/435</u>	B <u>40.020/481</u>	B <u>39.529/474</u>	2) 106FEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
A8IP3	(870) 773 152 556	12.734	10.532	16	3) 13.00 x 7.85	C 20.176/215	C 30.996/380	C 38.722/476	C 35.026/432	3) 106FEU OR 212TEU		3) 5.5 mt IFO380		
9202857 2000	(49) 152 549 276 10	9.67	5.406	8	4) 13.00 x 7.85	D 8.608/107	D 26.242/283	D 37.203/434	D 29.678/309	4) 36FEU OR 72TEU		4) 6 mt IFO380		
master.emerald@tritonfleet.net						ttd: 100,017/1,118 ttd: 138,495/1,561 ttd: 161,009/1,871 ttd: 149,197/1,693								
ELVIRA	(580) 463 791 042	548.666	151.99	4	1) 13.00 x 7.85	A <u>45.265/488</u>	A 43.548/462	A 44.965/479	A 44.996/479	1) 106FEU OR 212TEU	2 CRANES x 36 mt	1) 21 knts @44 mt IFO380	1,430 mt IFO380	USDA FITTED
LIBERIA	(870) 783 157 552	6.244	23.00	4	2) 13.00 x 7.85	B 25.978/308	B <u>37.552/436</u>	B <u>39.924/480</u>	B <u>39.681/476</u>	2) 106FEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
A8IP2	(870) 773 154 783	12.734	10.532	16	3) 13.00 x 7.85	C 20.234/215	C 31.000/381	C 38.749/476	C 35.093/432	3) 106FEU OR 212TEU		3) 5.5 mt IFO380		
9202869 2000	(49) 152 549 276 09	9.67	5.406	8	4) 13.00 x 7.85	D 8.595/107	D 26.323/283	D 37.271/434	D 29.692/308	4) 36FEU OR 72TEU		4) 6 mt IFO380		
master.elvira@tritonfleet.net						ttd: 100,072/1,118 ttd: 138,223/1,562 ttd: 160,909/1,869 ttd: 149,462/1,695								
ESMERALDA	(580) 463 790 968	548.643	151.99	4	1) 13.00 x 7.85	A <u>45.415/491</u>	A 43.780/464	A 44.983/479	A 44.942/478	1) 106FEU OR 212TEU	2 CRANES x 36 mt	1) 21 knts @44 mt IFO380	1,430 mt IFO380	USDA FITTED
LIBERIA	(870) 764 860 724	6.243	23.00	4	2) 13.00 x 7.85	B 25.863/308	B <u>37.571/438</u>	B <u>39.937/480</u>	B <u>39.637/475</u>	2) 106FEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
A8IN8	(870) 764 860 723	12.734	10.532	16	3) 13.00 x 7.85	C 20.228/214	C 30.965/380	C 38.644/475	C 35.055/433	3) 106FEU OR 212TEU		3) 5.5 mt IFO380		
9181170 1999	(49) 152 549 276 12	9.67	5.406	8	4) 13.00 x 7.85	D 8.619/106	D 26.163/280	D 37.113/432	D 29.668/309	4) 36FEU OR 72TEU		4) 5.5 mt IFO380 AND 0.2 mt MDO		
master.esmeralda@tritonfleet.net						ttd: 100,125/1,119 ttd: 138,479/1,562 ttd: 160,737/1,866 ttd: 149,302/1,695								
Mermaid class														
PACIFIC MERMAID	(580) 463 791 599	540.572	141.80	4	1) 7.60 x 7.10	UPI 6.938/69	UPI 6.862/69	UPI 6.862/69	UPI 6.862/69	1) 73FEU OR 140TEU+13FEU	2 CRANES x 30 mt	1) 19 knts @33.5 mt IFO380	1,360 mt IFO380	USDA FITTED
LIBERIA	(870) 783 156 442	6.075	22.80	4	2) 7.60 x 7.10	A <u>37.211/416</u>	A 35.358/418	A 35.598/426	A 39.718/475	2) 65FEU OR 80TEU+9FEU	2 CRANES x 10 mt	2) 3 mt IFO380	75 mt MDO	CA PRE-PIPED
A&J5	(870) 773 153 849	10.461	9.820	20	3) 7.60 x 7.10	B 31.028/306	B <u>34.353/401</u>	B <u>35.770/429</u>	B <u>39.910/475</u>	3) 65FEU OR 80TEU+9FEU		3) 5.5 mt IFO380		
9045924 1992	(49) 152 549 276 24	8.82	3.538	8	4) 7.60 x 7.10	C 20.420/213	C 32.628/355	C 35.661/427	C 33.663/383	4) 65		4) 6 mt IFO380		
master.pacificmermaid@tritonfleet.net						ttd: 110,461/1,165 ttd: 134,774/1,512 ttd: 147,897/1,729 ttd: 147,440/1,669								
ATLANTIC MERMAID	(580) 463 791 560	540.026	141.80	4	1) 7.60 x 7.10	UPI 6.812/69	UPI 6.812/69	UPI 6.812/69	UPI 6.812/69	1) 73FEU OR 80TEU+9FEU	2 CRANES x 30 mt	1) 19 knts @33.5 mt IFO380	1,360 mt IFO380	USDA FITTED
LIBERIA	(870) 783 203 121	6.066	22.80	4	2) 7.60 x 7.10	A <u>37.278/415</u>	A 35.358/418	A 35.598/426	A 39.703/475	2) 49FEU OR 80TEU+9FEU	2 CRANES x 10 mt	2) 3 mt IFO380	75 mt MDO	CA PRE-PIPED
A&J3	(870) 773 159 496	10.461	9.829	20	3) 7.60 x 7.10	B 30.994/306	B <u>34.328/401</u>	B <u>35.770/429</u>	B <u>39.910/475</u>	3) 49FEU OR 80TEU+9FEU		3) 5.5 mt IFO380		
9045936 1992	(49) 152 549 276 01	8.82	3.538	8	4) 7.60 x 7.10	C 20.369/213	C 32.568/355	C 35.611/426	C 33.380/380	4) 49		4) 6 mt IFO380		
master.atlanticmermaid@tritonfleet.net						ttd: 110,314/1,164 ttd: 134,867/1,512 ttd: 147,797/1,728 ttd: 147,048/1,666								

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEFAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
TASMAN MERMAID LIBERIA A&J16 9045950 1993	(580) 463 791 479 (870) 783 203 339 (870) 773 159 661 (49) 152 549 276 54	539.670 6.068 10.457 8.82	141.80 22.80 9.829 3.538	4 4 20 8	1) 7.60 x 7.10 2) 7.60 x 7.10 3) 7.60 x 7.10 4) 7.60 x 7.10 2.20	UPI 6.812/69 A <u>37.069/415</u> B 31.056/306 C 20.420/213 D 14.864/161	UPI 6.812/69 A 35.186/417 B <u>34.353/401</u> C 32.628/355 D 25.801/269	UPI 6.812/69 A 35.459/425 B <u>35.770/429</u> C 35.661/427 D 34.006/378	UPI 6.812/69 A 39.572/475 B <u>39.910/475</u> C 33.380/380 D 27.287/267	1) 73FEU OR 80TEU+9FEU 2) 49FEU OR 80TEU+9FEU 3) 49FEU OR 80TEU+9FEU 4) 5) 49	2 CRANES x 30 mt 2 CRANES x 10 mt	1) 19 knts @33.5 mt IFO380 2) 3 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1,260 mt IFO380 165 mt MDO	USDA FITTED CA PRE-PIPED
master.tasmanmermaid@tritonfleet.net						ttl: 110,221/1,164	ttl: 134,780/1,511	ttl: 147,708/1,728	ttl: 146,961/1,666					
CARIBBEAN MERMAID LIBERIA A&JH5 9064229 1993	(580) 463 791 397 (870) 783 201 975 (870) 773 158 507 (49) 152 549 276 03	539.648 6.068 10.466 8.80	141.80 22.80 9.829 3.538	4 4 20 8	1) 7.60 x 7.10 2) 7.60 x 7.10 3) 7.60 x 7.10 4) 7.60 x 7.10 2.20	UPI 6.812/69 A <u>37.032/415</u> B 31.028/306 C 20.408/213 D 14.864/161	UPI 6.812/69 A 35.186/417 B <u>34.353/401</u> C 32.628/355 D 25.801/269	UPI 6.812/69 A 35.459/425 B <u>35.770/429</u> C 35.661/427 D 34.006/378	UPI 6.812/69 A 39.627/475 B <u>39.910/475</u> C 33.380/380 D 27.287/267	1) 73FEU OR 80TEU+9FEU 2) 49FEU OR 80TEU+9FEU 3) 49FEU OR 80TEU+9FEU 4) 5) 49	2 CRANES x 30 mt 2 CRANES x 10 mt	1) 19 knts @33.5 mt IFO380 2) 3 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1,270 mt IFO380 165 mt MDO	USDA FITTED CA PRE-PIPED
master.caribbeanmermaid@tritonfleet.net						ttl: 110,144/1,164	ttl: 134,780/1,511	ttl: 147,708/1,728	ttl: 147,016/1,666					
CORAL MERMAID LIBERIA A&J17 9045948 1992	(580) 463 791 498 (870) 783 201 784 (870) 773 158 343 (49) 152 549 276 05	539.634 6.066 10.461 8.82	141.80 22.80 9.829 3.538	4 4 20 8	1) 7.60 x 7.10 2) 7.60 x 7.10 3) 7.60 x 7.10 4) 7.60 x 7.10 2.20	UPI 6.812/69 A <u>37.003/414</u> B 30.994/306 C 20.369/213 D 14.861/161	UPI 6.812/69 A 35.186/417 B <u>34.353/401</u> C 32.628/355 D 25.801/269	UPI 6.812/69 A 35.459/425 B <u>35.770/429</u> C 35.661/427 D 34.006/378	UPI 6.812/69 A 39.718/475 B <u>39.910/475</u> C 33.380/380 D 27.287/267	1) 73FEU OR 80TEU+9FEU 2) 49FEU OR 80TEU+9FEU 3) 49FEU OR 80TEU+9FEU 4) 5) 49	2 CRANES x 30 mt 2 CRANES x 10 mt	1) 19 knts @33.5 mt IFO380 2) 3 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1,360 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.coralmermaid@tritonfleet.net						ttl: 110,039/1,163	ttl: 134,780/1,511	ttl: 147,708/1,728	ttl: 147,107/1,666					
Stream class														
TIMOR STREAM LIBERIA A8IN9 9172947 1998	(580) 463 791 033 (870) 783 205 185 (870) 773 231 594 (49) 152 549 276 58	535.112 6.004 11.013 9.27	150.00 22.00 9.307 4.983	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 43.652/421 B <u>27.992/299</u> C 22.644/246 D 25.198/300	A 42.215/476 B <u>38.163/441</u> C 37.649/423 D 25.198/300	A 41.312/463 B <u>38.663/446</u> C 39.816/463 D 28.406/332	A 44.439/508 B <u>41.080/463</u> C 38.007/414 D 25.876/308	1) 166FEU+11TEU OR 343TEU 2) 136FEU+10TEU OR 218TEU+32FEU 3) 136FEU+10TEU OR 218TEU+32FEU 4) 42TEU 5) 126	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @47 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,395 mt IFO380 110 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.timorstream@tritonfleet.net						ttl: 94,288/966	ttl: 143,225/1,640	ttl: 148,197/1,704	ttl: 149,402/1,693					
AGULHAS STREAM DUTCH PJKV 9158537 1998	(580) 430 635 410 (870) 763 646 964 (870) 763 646 963 (49) 152 549 276 00	535.109 6.004 11.048 9.27	150.00 22.00 9.298 4.983	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 43.651/421 B <u>27.992/299</u> C 22.644/246 D 25.198/300	A 42.215/476 B <u>38.163/441</u> C 37.649/423 D 25.198/300	A 41.311/463 B <u>38.663/446</u> C 39.816/463 D 28.405/332	A 44.439/508 B <u>41.080/463</u> C 38.007/414 D 25.876/308	1) 166FEU+11TEU OR 343TEU 2) 136FEU+10TEU OR 218TEU+32FEU 3) 136FEU+10TEU OR 218TEU+32FEU 4) 42TEU 5) 126	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @47 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,395 mt IFO380 110 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.agulhasstream@tritonfleet.net						ttl: 94,287/966	ttl: 143,225/1,640	ttl: 148,195/1,704	ttl: 149,402/1,693					
BENGUELA STREAM DUTCH PENR 9158549 1998	(580) 424 445 510 (870) 324 445 510 (31) 620 433 639	535.109 6.004 11.017 9.27	150.00 22.00 9.298 4.983	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 43.651/421 B <u>27.992/299</u> C 22.644/246 D 25.198/300	A 42.215/476 B <u>38.163/441</u> C 37.649/423 D 25.198/300	A 41.311/463 B <u>38.663/446</u> C 39.816/463 D 28.405/332	A 44.439/508 B <u>41.080/463</u> C 38.007/414 D 25.876/308	1) 166FEU+11TEU OR 343TEU 2) 136FEU+10TEU OR 218TEU+32FEU 3) 136FEU+10TEU OR 218TEU+32FEU 4) 42TEU 5) 126	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @47 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,395 mt IFO380 110 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.benguelastream@seadefleet.com						ttl: 94,287/966	ttl: 143,225/1,640	ttl: 148,195/1,704	ttl: 149,402/1,693					
KLIPPER STREAM DUTCH PHBO 9167796 1998	(580) 424 539 810 (870) 783 158 759 (870) 773 155 737 (31) 651 336 686	535.109 6.004 10.936 9.27	150.00 22.00 9.305 4.983	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 43.651/421 B <u>27.992/299</u> C 22.644/246 D 25.198/300	A 42.215/476 B <u>38.163/441</u> C 37.649/423 D 25.198/300	A 41.311/463 B <u>38.663/446</u> C 39.816/463 D 28.405/332	A 44.439/508 B <u>41.080/463</u> C 38.007/414 D 25.876/308	1) 166FEU+11TEU OR 343TEU 2) 136FEU+10TEU OR 218TEU+32FEU 3) 136FEU+10TEU OR 218TEU+32FEU 4) 42TEU 5) 126	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @47 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,730 mt IFO380 110 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.klipperstream@seadefleet.com						ttl: 94,287/966	ttl: 143,225/1,640	ttl: 148,195/1,704	ttl: 149,402/1,693					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEFAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
DISCOVERY BAY BAHAMAS C60P3 9143740 1997	(580) 430 978 510 (870) 764 682 848 (870) 764 682 847 (31) 622 557 860	534.246 5.922 10.100 8.82	143.00 22.00 8.924 4.685	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 42.203/424 B 29.372/306 C 23.456/249 D 30.413/321 2.20	A 39.136/457 B 36.548/434 C 36.766/416 D 36.284/394	A 39.260/455 B 38.302/443 C 35.422/392 D 28.986/292	A 40.847/449 B 38.540/437 C 35.422/392 D 28.986/292	1) 100FEU OR 152TEU+24FEU 2) 100FEU OR 152TEU+24FEU 3) 100FEU OR 152TEU+24FEU 4) 42TEU 5) 100	2 CRANES x 40 mt 2 CRANES x 10 mt	1) 20.5 knts @41 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5 mt IFO380	970 mt IFO380 120 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.discoverybay@seatradefleet.com						ttl: 95,031/977	ttl: 142,863/1,628	ttl: 152,557/1,748	ttl: 143,795/1,570					
Hope Bay class														
SOUTHERN BAY LIBERIA A8IO7 9152181 1997	(580) 463 790 988 (870) 783 202 552 (870) 773 159 031 (49) 152 549 276 52	535.093 5.924 9.809 8.29	143.00 22.00 8.879 4.366	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 42.429/428 B 29.213/306 C 22.990/246 D 30.130/320 2.20	A 39.574/449 B 36.656/430 C 36.675/417 D 30.130/320	A 39.396/452 B 37.167/436 C 38.484/453 D 35.290/393	A 43.979/471 B 38.662/439 C 35.464/392 D 28.685/290	1) 93FEU OR 138TEU+24FEU 2) 73FEU OR 110TEU+18FEU 3) 60FEU OR 96TEU+12FEU 4) 42TEU 5) 73	1 CRANE x 40 mt 8 DERRICKS x 6 mt or 4 x 6 mt IN UP	1) 19.5 knts @35.5 mt IFO380 2) 2 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,190 mt IFO380 110 mt MDO	USDA FITTED CA PRE-PIPED
master.southernbay@tritonfleet.net						ttl: 94,632/980	ttl: 143,334/1,616	ttl: 150,337/1,736	ttl: 146,790/1,592					
EASTERN BAY LIBERIA A8IO9 9143752 1997	(580) 463 791 037 (870) 783 205 207 (870) 773 231 611 (49) 152 549 276 07	533.899 5.915 9.662 8.29	143.00 22.00 8.917 4.366	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 42.407/430 B 29.513/307 C 22.668/246 D 29.838/313 2.20	A 39.164/449 B 37.204/430 C 36.823/416 D 29.838/313	A 39.685/452 B 37.220/434 C 38.437/455 D 35.333/395	A 43.104/471 B 38.585/439 C 35.465/390 D 28.453/288	1) 93FEU OR 138TEU+24FEU 2) 73FEU OR 110TEU+18FEU 3) 60FEU OR 96TEU+12FEU 4) 42TEU 5) 73	1 CRANE x 40 mt 8 DERRICKS x 6 mt or 4 x 6 mt IN UP	1) 19.5 knts @35.5 mt IFO380 2) 2 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,190 mt IFO380 110 mt MDO	USDA FITTED CA PRE-PIPED
master.easternbay@tritonfleet.net						ttl: 94,588/983	ttl: 143,029/1,608	ttl: 150,675/1,736	ttl: 145,607/1,588					
HOPE BAY DUTCH P.JQK 9135169 1996	(580) 430 630 310 (870) 783 201 856 (870) 773 158 404 (49) 152 549 276 16	531.764 5.939 9.639 8.29	143.00 22.00 8.896 4.365	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 42.735/429 B 29.571/307 C 22.518/242 D 30.487/321 2.20	A 38.758/450 B 37.434/432 C 36.540/415 D 30.487/321	A 39.063/454 B 36.003/436 C 38.621/455 D 35.420/413	A 42.329/471 B 38.704/439 C 35.284/390 D 28.297/286	1) 93FEU OR 138TEU+24FEU 2) 73FEU OR 110TEU+18FEU 3) 60FEU OR 96TEU+12FEU 4) 42TEU 5) 73	1 CRANE x 40 mt 8 DERRICKS x 6 mt or 4 x 6 mt IN UP	1) 19.5 knts @35.5 mt IFO380 2) 2 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,190 mt IFO380 110 mt MDO	USDA FITTED CA PRE-PIPED
master.hopebay@tritonfleet.net						ttl: 94,824/978	ttl: 143,219/1,618	ttl: 149,107/1,758	ttl: 144,614/1,586					
Fortuna/Mexican Bay														
MEXICAN BAY LIBERIA A&J9 9064839 1994	(580) 463 791 369 (870) 783 201 858 (870) 773 158 406 (49) 152 549 276 23	532.061 6.351 11.575 9.17	144.52 21.80 10.203 5.869	4 4 19 8	1) 8.10 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	A 35.229/389 B 26.690/309 C 19.508/229 D 17.949/214 2.20	A 17.123/186 B 31.962/402 C 33.912/404 D 29.247/362 E 28.711/326	A 17.257/187 B 32.901/416 C 35.563/437 D 32.761/421 E 35.063/424	A 17.035/184 B 32.215/408 C 34.858/427 D 26.616/330 E 27.461/298	1) 63FEU OR 126TEU 2) 44FEU OR 88TEU 3) 30FEU OR 60TEU 4) 5) 44	1 CRANE x 36 mt 3 CRANES x 8 mt	1) 19.2 knts @33.5 mt IFO380 2) 2 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1,400 mt IFO380 110 mt MDO	USDA FITTED CA PRE-PIPED
master.mexicanbay@tritonfleet.net						ttl: 99,376/1,141	ttl: 140,955/1,680	ttl: 153,545/1,885	ttl: 138,185/1,647					
FORTUNA BAY LIBERIA A&JH6 9067128 1993	(580) 463 791 395 (870) 761 118 340 (870) 761 118 339 (49) 152 549 276 14	532.061 6.351 11.585 9.17	144.52 21.80 10.203 5.869	4 4 19 8	1) 8.10 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	A 35.229/389 B 26.690/309 C 19.508/229 D 17.949/214 2.20	A 17.123/186 B 31.962/402 C 33.912/404 D 29.247/362 E 28.711/326	A 17.257/187 B 32.901/416 C 35.563/437 D 32.761/421 E 35.063/424	A 17.035/184 B 32.215/408 C 34.858/427 D 26.616/330 E 27.461/298	1) 63FEU OR 126TEU 2) 44FEU OR 88TEU 3) 30FEU OR 60TEU 4) 5) 44	1 CRANE x 36 mt 3 CRANES x 8 mt	1) 19.2 knts @33.5 mt IFO380 2) 2 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1,400 mt IFO380 110 mt MDO	USDA FITTED CA PRE-PIPED
master.fortunabay@tritonfleet.net						ttl: 99,376/1,141	ttl: 140,955/1,680	ttl: 153,545/1,885	ttl: 138,185/1,647					
Ivory class														
IVORY ACE BAHAMAS C6TN3 8813594 1990	(580) 431 170 410 (870) 783 153 881 (870) 773 152 052 8813594 1990	527.511 5.861 10.713 9.07	150.01 22.50 10.394 5.253	4 4 15 8	1) 13.00 x 8.90 2) 13.30 x 10.50 3) 13.30 x 10.50 4) 13.30 x 10.50 2.20	FC 38.994/377 A 26.843/261 B 17.061/179 D 27.810/314	A 43.324/443 B 35.445/417 C 31.716/379 D 27.810/314	A 44.030/459 B 38.687/462 C 38.274/461 D 36.586/436	A 45.570/465 B 37.377/445 C 34.894/414 D 30.900/349	1) 77FEU OR 138TEU 2) 56FEU OR 54TEU 3) 32FEU OR 28TEU 4) 54FEU OR 108TEU 5) 56	2 CRANES x 18 mt or 1 x 36 mt IN TWIN 2 CRANES x 8 mt	1) 20 knts @39.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,330 mt IFO380 80 mt MDO	USDA FITTED CA PRE-PIPED
master@ivoryace.amosconnect.com						ttl: 82,898/817	ttl: 138,295/1,553	ttl: 157,577/1,818	ttl: 148,741/1,673					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIDES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
EAGLE BAY GERMANY DDIG2 9038488 1992	(580) 421 177 010 (870) 783 201 703 (870) 773 158 286 (49) 152 549 276 06	527.422 5.853 10.621 9.06	150.01 22.50 10.402 5.265	4 4 15 8	1) 13.20 x 8.90 2) 13.20 x 10.50 3) 13.20 x 10.50 4) 13.20 x 10.50 2.20	FC <u>38.606/373</u> A 26.790/260 B <u>35.480/418</u> C 17.046/178 D 27.874/315	A 43.127/441 B <u>38.722/463</u> C 31.762/379 D 36.628/435	A 44.055/460 B <u>37.440/444</u> C 34.943/413 D 30.964/349	A 45.609/464 B <u>37.440/444</u> C 34.943/413 D 30.964/349	1) 72FEU OR 128TEU 2) 66FEU OR 54TEU 3) 38FEU OR 54TEU 4) 54FEU OR 108TEU 5) 55	1 CRANE x 36 mt 3 CRANES x 8 mt	1) 20 knts @39.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,300 mt IFO380 110 mt MDO	USDA FITTED CA PRE-PIPED
master.eaglebay@tritonfleet.net						ttd: 82,442/811	ttd: 138,243/1,553	ttd: 157,781/1,819	ttd: 148,956/1,670					
CONDOR BAY LIBERIA A8RD8 8921470 1990	(580) 463 703 239 (870) 783 155 980 (870) 773 153 546	527.401 5.856 10.742 9.07	150.01 22.50 10.405 5.253	4 4 15 8	1) 13.20 x 8.90 2) 13.20 x 10.50 3) 13.20 x 10.50 4) 13.20 x 10.50 2.20	FC <u>38.987/377</u> A 26.839/261 B <u>35.474/419</u> C 17.050/178 D 27.821/315	A 43.321/443 B <u>38.691/463</u> C 31.706/378 D 36.572/435	A 44.002/459 B <u>37.363/444</u> C 38.263/460 D 30.886/348	A 45.549/463 B <u>37.363/444</u> C 34.877/413 D 30.886/348	1) 77FEU OR 136TEU 2) 56FEU OR 54TEU 3) 32FEU OR 28TEU 4) 54FEU OR 108TEU 5) 51	2 CRANES x 18 mt or 1 x 36 mt IN TWIN 2 CRANES x 8 mt	1) 20 knts @39.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,300 mt IFO380 105 mt MDO	USDA FITTED CA PRE-PIPED
master@condorbay.amosconnect.com						ttd: 82,876/816	ttd: 138,322/1,555	ttd: 157,528/1,817	ttd: 148,675/1,668					
BUZZARD BAY LIBERIA A&JH8 9016662 1992	(580) 463 791 387 (870) 783 202 038 (870) 773 158 572 (49) 152 549 276 02	526.909 5.852 10.621 9.07	150.01 22.50 10.381 5.253	4 4 15 8	1) 13.20 x 8.90 2) 13.20 x 10.50 3) 13.20 x 10.50 4) 13.20 x 10.50 2.20	FC <u>38.910/376</u> A 26.769/261 B <u>35.463/419</u> C 17.022/178 D 27.800/314	A 43.183/442 B <u>38.613/462</u> C 31.713/378 D 36.516/434	A 43.914/459 B <u>37.402/444</u> C 38.264/460 D 30.865/348	A 45.503/463 B <u>37.402/444</u> C 34.972/414 D 30.865/348	1) 65FEU OR 74TEU+18FEU 2) 49FEU OR 42TEU+12FEU 3) 36FEU OR 16TEU+12FEU 4) 54FEU OR 108TEU 5) 54	1 CRANE x 35 mt 3 CRANES x 8 mt	1) 20 knts @39.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,355 mt IFO380 50 mt MDO	USDA FITTED
master.buzzardbay@tritonfleet.net						ttd: 82,701/815	ttd: 138,159/1,553	ttd: 157,307/1,815	ttd: 148,742/1,669					
HAWK BAY LIBERIA A&JH9 9016674 1992	(580) 463 791 393 (870) 761 119 871 (870) 761 119 870 (49) 171 553 7028	526.764 5.851 10.603 9.07	150.01 22.50 10.381 5.253	4 4 15 8	1) 13.20 x 8.90 2) 13.20 x 10.50 3) 13.20 x 10.50 4) 13.20 x 10.50 2.20	FC <u>38.822/375</u> A 26.772/261 B <u>35.464/419</u> C 16.993/178 D 27.779/314	A 43.042/440 B <u>38.640/462</u> C 31.710/379 D 36.513/434	A 43.960/459 B <u>37.384/444</u> C 38.271/461 D 30.887/348	A 45.574/464 B <u>37.384/444</u> C 34.944/413 D 30.887/348	1) 65FEU OR 74TEU+18FEU 2) 49FEU OR 42TEU+12FEU 3) 36FEU OR 16TEU+12FEU 4) 54FEU OR 108TEU 5) 54	1 CRANE x 35 mt 3 CRANES x 8 mt	1) 20 knts @39.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,360 mt IFO380 50 mt MDO	USDA FITTED
master.hawkbay@tritonfleet.net						ttd: 82,587/814	ttd: 137,995/1,552	ttd: 157,393/1,816	ttd: 148,789/1,669					
FALCON BAY LIBERIA A&J12 9070137 1993	(580) 463 791 371 (870) 761 117 417 (870) 761 117 416 (49) 152 549 276 13	525.925 5.839 10.532 9.06	150.01 22.50 10.374 5.253	4 4 15 8	1) 13.20 x 8.90 2) 13.20 x 10.50 3) 13.20 x 10.50 4) 13.20 x 10.50 2.20	FC <u>38.832/376</u> A 26.754/260 B <u>35.291/417</u> C 16.958/177 D 27.754/314	A 43.204/441 B <u>38.560/461</u> C 31.565/377 D 36.438/434	A 43.977/459 B <u>37.253/442</u> C 34.816/412 D 30.841/347	A 45.556/464 B <u>37.253/442</u> C 34.816/412 D 30.841/347	1) 77FEU OR 154TEU 2) 66FEU OR 92TEU 3) 66FEU OR 92TEU 4) 54FEU OR 108TEU 5) 46	2 CRANES x 35 mt 2 CRANES x 8 mt	1) 20 knts @39.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1,330 mt IFO380 80 mt MDO	USDA FITTED CA PRE-PIPED
master.falconbay@tritonfleet.net						ttd: 82,544/813	ttd: 137,814/1,549	ttd: 157,101/1,812	ttd: 148,466/1,665					
ATLANTIC ACANTHUS BAHAMAS C6ZG7 9189897 1999	(580) 431 100 830 (870) 331 100 121 (870) 773 188 945	504.511 5.759 11.788 9.18	144.52 21.80 9.649 5.349	4 4 16 8	1) 8.10 x 6.00 2) 8.10 x 6.60 3) 8.10 x 6.60 4) 8.10 x 6.60 2.20	A <u>35.388/379</u> B 27.011/302 C 20.256/229 D 17.494/210	A 35.942/401 B <u>35.862/428</u> C 30.424/355 D 29.071/320	A 36.223/407 B <u>35.605/423</u> C 34.748/416 D 35.736/417	A 36.081/406 B <u>35.605/423</u> C 32.344/372 D 28.185/293	1) 88FEU OR 120TEU+28FEU 2) 88FEU OR 120TEU+28FEU 3) 88FEU OR 120TEU+28FEU 4) 5) 80	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20 knts @34.5 mt IFO380 2) 2.5 mt IFO380 3) 6.5 mt IFO380 4) 7 mt IFO380	1,195 mt IFO380 110 mt MDO	USDA FITTED CA PRE-PIPED
atlantic.acanthus@gships.com						ttd: 100,149/1,120	ttd: 129,578/1,477	ttd: 142,569/1,668	ttd: 132,215/1,494					
WILD PEONY PANAMA 3FXS8 9191474 1998	(580) 435 704 110 (870) 764 149 113 (870) 764 149 112	499.900 5.749 10.110 8.72	149.92 22.10 9.859 5.124	4 4 16 8	1) 7.40 x 7.40 2) 7.40 x 7.40 3) 7.40 x 7.40 4) 7.40 x 7.40 2.20	A <u>37.036/409</u> B 20.393/246 C 16.664/177 D 10.510/127	A 39.449/439 B <u>36.358/429</u> C 29.019/356 D 24.920/268	A 41.378/461 B <u>38.947/463</u> C 36.694/452 D 34.813/399	A 40.816/453 B <u>38.264/455</u> C 29.600/367 D 25.039/248	1) 78FEU+4TEU OR 160TEU 2) 58FEU 3) 58FEU 4) 5) 58	2 CRANES x 35 mt 2 CRANES x 8 mt	1) 19.5 knts @33.7 mt IFO380 2) 2.3 mt IFO380 3) 6 mt IFO380 4) 5 mt IFO380		USDA FITTED CA PRE-PIPED
master.peony@norbulglw.co.uk						ttd: 84,603/959	ttd: 129,746/1,492	ttd: 151,832/1,775	ttd: 133,719/1,523					
WILD COSMOS PANAMA 3FJV8 9181132 1998	(580) 435 569 410 (870) 763 232 398 (870) 763 232 396	499.806 5.739 10.097 8.72	149.92 22.10 9.859 5.124	4 4 16 8	1) 7.40 x 7.40 2) 7.40 x 7.40 3) 7.40 x 7.40 4) 7.40 x 7.40 2.20	A <u>36.860/406</u> B 20.368/244 C 16.860/178 D 10.593/127	A 39.449/438 B <u>36.516/429</u> C 28.856/355 D 25.016/269	A 41.250/459 B <u>38.979/463</u> C 36.682/452 D 34.806/398	A 40.693/453 B <u>38.210/455</u> C 29.555/367 D 25.104/246	1) 78FEU+4TEU OR 160TEU 2) 58FEU 3) 58FEU 4) 5) 58	2 CRANES x 35 mt 2 CRANES x 8 mt	1) 19.5 knts @33.7 mt IFO380 2) 2.3 mt IFO380 3) 6 mt IFO380 4) 5 mt IFO380		USDA FITTED CA PRE-PIPED
master.cosmos@norbulglw.co.uk						ttd: 84,690/955	ttd: 129,837/1,491	ttd: 151,717/1,772	ttd: 133,562/1,521					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cmt) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cmt/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
WILD HEATHER PANAMA 3FMN8 9181144 1998	(580) 435 122 510 (870) 335 122 512 (870) 335 122 510	499.793 5.748 10.114 8.72	149.92 22.10 9.859 5.124	4 4 16 8	1) 7.40 x 7.40 2) 7.40 x 7.40 3) 7.40 x 7.40 4) 7.40 x 7.40 2.20	A <u>36.902/408</u> B <u>36.336/427</u> C <u>16.778/177</u> D <u>10.612/128</u> 2.20	A 39.508/439 B <u>36.336/427</u> C 29.066/357 D 24.973/269	A 41.279/461 B <u>38.971/463</u> C 36.620/453 D 34.767/398	A 40.861/453 B <u>38.118/455</u> C 29.560/368 D 25.061/246 2.20	1) 78FEU+4TEU OR 160TEU 2) 58FEU 3) 58FEU 4) 58 5) 58	2 CRANES x 35 mt 2 CRANES x 8 mt	1) 19.5 knts @33.7 mt IFO380 2) 2.3 mt IFO380 3) 6 mt IFO380 4) 5 mt IFO380	USDA FITTED CA PRE-PIPED	
master.heather@amosconnect.com						ttl: 84,673/959	ttl: 129,883/1,492	ttl: 151,637/1,775	ttl: 133,600/1,522					
FRIO HELLENIC PANAMA 3FVQB 9081679 1999	(580) 435 398 110 (870) 761 119 435 (870) 761 119 433	499.546 5.898 10.842 9.51	148.00 21.60 9.997 5.567	4 4 17 9	1) 13.50 x 8.00 2) 13.50 x 8.00 3) 13.50 x 8.00 4) 13.50 x 8.00 2.20	FC <u>45.346/480</u> A 31.996/373 B <u>24.156/278</u> C 13.032/152 D 8.829/95	A 36.870/407 B <u>31.890/395</u> C 31.467/385 D 27.229/340	A 36.128/402 B <u>31.820/398</u> C 31.572/396 D 31.325/390	A 37.894/420 B <u>32.668/407</u> C 23.662/290 D 23.662/290	1) 108FEU+18TEU OR 234TEU 2) 72FEU+14TEU OR 158TEU 3) 72FEU+14TEU OR 158TEU 4) 45FEU OR 90TEU 5) 72	4 CRANES x 20 mt or 2 x 38 mt IN TWIN	1) 20 knts @43 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 5 mt IFO380	1,175 mt IFO380 160 mt MDO	BOWTHRUSTER ICE CLASS IC USDA FITTED CA PRE-PIPED
3fvq8@globeemail.com						ttl: 123,359/1,378	ttl: 127,456/1,527	ttl: 130,845/1,586	ttl: 117,886/1,407					
TENO BERMUDA ZCBZ4 8616312 1987	(580) 431 022 910 (870) 761 323 011 (870) 761 322 999	479.796 5.611 11.067 9.22	145.50 22.60 10.298 4.853	4 4 16 8	1) 9.00 x 7.00 2) 9.00 x 7.00 3) 9.00 x 7.00 4) 9.00 x 7.00 2.20	A 40.742/466 B <u>28.677/340</u> C 20.686/251 D 18.363/214	A 36.262/399 B <u>33.266/389</u> C 29.977/358 D 25.782/305	A 33.271/367 B <u>31.346/370</u> C 30.944/369 D 28.936/342	A 34.890/393 B <u>32.422/390</u> C 30.551/366 D 23.780/292	1) 39FEU OR 66TEU 2) 39FEU OR 66TEU 3) 39FEU OR 66TEU 4) 66 5) 66	2 CRANES x 30 mt 2 CRANES x 10 mt 1 CONTAINER SPREADER 40FT x 0 mt	1) 18 knts @29 mt IFO380 2) 3.5 mt IFO380 AND 0.2 mt MDO 3) 7 mt IFO380 AND 0.2 mt MDO 4) 7 mt IFO380 AND 0.2 mt MDO	1,115 mt IFO380 70 mt MDO	USDA FITTED
teno@ipsignature2.net						ttl: 108,368/1,271	ttl: 125,287/1,451	ttl: 124,497/1,448	ttl: 121,644/1,441					
Santa class														
SANTA CATHARINA BAHAMAS CGRL4 9213777 2000	(580) 431 109 110 (870) 331 106 115 (870) 331 109 110 (31) 651 998 552	463.986 5.140 9.566 9.27	143.00 21.80 8.597 4.737	4 4 14 8	1) 7.00 x 8.00 2) 12.60 x 8.00 3) 12.60 x 8.00 4) 12.60 x 8.00 2.20	A <u>24.553/247</u> B 16.700/186 C 30.233/342 D 23.324/231	A 40.289/425 B <u>35.049/406</u> C 37.879/449 D 34.794/380	A 41.142/444 B <u>38.217/446</u> C 37.879/449 D 34.794/380	A 40.528/445 B <u>38.176/454</u> C 35.043/396 D 28.059/289	1) 118FEU OR 227TEU 2) 111FEU OR 150TEU+24FEU 3) 111FEU OR 150TEU+24FEU 4) 38FEU+6TEU OR 78TEU 5) 135	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 20 knts @41.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380 AND 0.2 mt MDO	1,440 mt IFO380 120 mt MDO	BOWTHRUSTER ICE CLASS IA USDA FITTED CA PRE-PIPED
master.santacatharina@seatrdefleet.com						ttl: 41,253/433	ttl: 128,895/1,404	ttl: 152,032/1,719	ttl: 141,806/1,584					
SANTA MARIA LIBERIA A8IN7 9194957 1999	(580) 463 790 994 (870) 764 860 361 (870) 764 860 360 (49) 152 549 276 51	463.963 5.140 9.534 9.27	143.00 21.80 8.507 4.734	4 4 14 8	1) 7.00 x 8.00 2) 12.60 x 8.00 3) 12.60 x 8.00 4) 12.60 x 8.00 2.20	A <u>24.541/247</u> B 16.658/186 C 30.175/342 D 23.529/231	A 40.290/425 B <u>35.018/406</u> C 37.888/449 D 34.826/380	A 41.140/444 B <u>38.217/446</u> C 37.888/449 D 34.826/380	A 40.549/445 B <u>38.172/454</u> C 34.980/396 D 27.980/289	1) 128FEU OR 236TEU 2) 120FEU OR 156TEU+42FEU 3) 120FEU OR 156TEU+42FEU 4) 38FEU+6TEU OR 78TEU 5) 135	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 20 knts @41.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380 AND 0.2 mt MDO	1,440 mt IFO380 120 mt MDO	BOWTHRUSTER ICE CLASS IA USDA FITTED CA PRE-PIPED
master.santamaria@tritonfleet.net						ttl: 41,199/433	ttl: 129,012/1,404	ttl: 152,071/1,719	ttl: 141,681/1,584					
SANTA LUCIA LIBERIA A8IP5 9194921 1999	(580) 463 791 031 (870) 761 136 958 (870) 761 136 957 (49) 152 549 276 50	463.652 5.140 9.566 9.27	143.00 21.80 8.507 4.734	4 4 14 8	1) 7.00 x 8.00 2) 12.60 x 8.00 3) 12.60 x 8.00 4) 12.60 x 8.00 2.20	A <u>24.531/247</u> B 16.355/186 C 30.173/342 D 23.559/231	A 40.286/425 B <u>35.053/406</u> C 37.808/449 D 34.847/380	A 41.140/444 B <u>38.217/446</u> C 37.808/449 D 34.847/380	A 40.549/445 B <u>38.192/454</u> C 34.945/396 D 27.997/289	1) 128FEU OR 236TEU 2) 120FEU OR 156TEU+42FEU 3) 120FEU OR 156TEU+42FEU 4) 38FEU+6TEU OR 78TEU 5) 135	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 20 knts @41.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380 AND 0.2 mt MDO	1,440 mt IFO380 120 mt MDO	BOWTHRUSTER ICE CLASS IA USDA FITTED CA PRE-PIPED
master.santalucia@tritonfleet.net						ttl: 40,886/433	ttl: 129,071/1,404	ttl: 152,012/1,719	ttl: 141,683/1,584					
COLD STREAM DUTCH PJRH 9051791 1994	(580) 430 621 610 (870) 783 156 302 (870) 773 153 745 (31) 651 081 462	456.785 5.217 10.086 9.32	140.00 22.00 8.414 4.542	4 4 15 9	1) 7.00 x 11.00 2) 7.00 x 11.00 3) 7.00 x 11.00 4) 7.00 x 11.00 2.20	A <u>36.050/352</u> B <u>24.246/264</u> C 15.413/159 D 21.236/254	A 37.941/431 B <u>34.930/411</u> C 33.080/389 D 21.236/254	A 35.880/409 B <u>33.565/398</u> C 34.333/412 D 25.347/303	A 38.024/434 B <u>34.945/399</u> C 31.960/364 D 19.826/237	1) 117FEU+12TEU OR 238TEU 2) 114FEU+8TEU OR 180TEU 3) 114FEU+8TEU OR 180TEU 4) 57TEU 5) 106	4 CRANES x 20 mt or 2 x 40 mt IN TWIN	1) 20.5 knts @42 mt IFO380 2) 1.5 mt IFO380 3) 3.5 mt IFO380 4) 4.5 mt IFO380	1,045 mt IFO380 135 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.coldstream@seatrdefleet.com						ttl: 75,718/775	ttl: 127,187/1,485	ttl: 129,125/1,522	ttl: 124,755/1,434					
Spring class														
SPRING BEAR LIBERIA A8OC5 8220383 1984	(580) 463 701 150 (870) 783 155 092 (870) 773 152 906 (31) 623 093 340	466.871 5.543 9.472 8.62	152.00 24.00 12.615 4.253	4 7 16 8	1) 22.68 x 16.45 2) 2 x 18.34 x 9.60 3) 2 x 18.34 x 9.60 4) 2 x 18.34 x 9.60 2.20	A 37.854/416 B <u>25.893/327</u> C 14.991/178 D 8.217/101	A 38.203/413 B <u>31.236/396</u> C 29.382/357 D 16.553/205	A 38.507/413 B <u>32.288/408</u> C 34.241/415 D 32.264/399	A 38.369/414 B <u>32.500/409</u> C 32.656/398 D 23.717/294	1) 106FEU+96TEU OR 300TEU 2) 80FEU+6TEU OR 122TEU 3) 80FEU+6TEU OR 122TEU 4) 58FEU+8TEU OR 124TEU 5) 88	4 CRANES x 16 mt or 2 x 32 mt IN TWIN	1) 18 knts @34 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1,465 mt IFO380 210 mt MDO	USDA FITTED
master.springbear@seatrdefleet.com						ttl: 86,955/1,022	ttl: 115,374/1,371	ttl: 137,300/1,635	ttl: 127,242/1,515					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS EMPTIES ON DECK LADEN ON DECK 3) SELF-SUSTAINED LADEN 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/2 CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD 2	HOLD 3	HOLD 4						
SPRING PANDA	(580) 424 418 720	461.816	150.69	4	1) 22.43 x 14.00	A 33.549/369	A 37.752/415	A 38.352/415	A 38.422/415	1) 102FEU+98TEU OR 294TEU	4 CRANES x 16 mt or 2 x 32 mt IN TWIN	1) 18 knts @34 mt IFO380	1,610 mt IFO380	USDA FITTED	
DUTCH	(870) 783 156 899	5.534	24.00	7	2) 2 x 18.03 x 9.50	B 21.507/270	B 30.230/382	B 32.843/413	B 32.702/413	2) 79FEU+23TEU OR 123TEU		2) 2.5 mt IFO380	105 mt MDO		
PHOQ	(870) 773 154 242	10.140	12.111	16	3) 2 x 18.03 x 9.50	C 11.831/146	C 27.193/336	C 33.726/416	C 32.490/405	3) 79FEU+23TEU OR 123TEU		3) 5.5 mt IFO380			
8213653 1984	(31) 651 081 550	8.62	4.717	8	4) 2 x 18.03 x 9.50	D 8.793/111	D 21.755/272	D 33.302/415	D 27.369/341	4) 64FEU OR 128TEU		4) 6 mt IFO380			
master.springpanda@seatrdefleet.com						ttd: 75,680/896 ttd: 116,930/1,405 ttd: 138,223/1,659 ttd: 130,983/1,574									
SPRING BOK	(580) 424 441 610	461.106	150.69	4	1) 22.43 x 14.00	A 33.373/369	A 37.610/415	A 38.387/414	A 38.281/415	1) 89FEU+86TEU OR 263TEU+4FEU	4 CRANES x 16 mt or 2 x 32 mt IN TWIN	1) 18 knts @34 mt IFO380	1,635 mt IFO380	USDA FITTED	
DUTCH	(870) 783 156 837	5.535	24.00	7	2) 2 x 18.03 x 9.50	B 21.507/272	B 30.150/383	B 32.772/413	B 32.419/412	2) 55FEU+5TEU OR 111TEU+2FEU		2) 2.5 mt IFO380	55 mt MDO		
PBFM	(870) 773 154 196	10.113	12.113	16	3) 2 x 18.03 x 9.50	C 11.936/146	C 27.440/337	C 33.902/416	C 32.560/405	3) 55FEU+5TEU OR 111TEU+2FEU		3) 5.5 mt IFO380			
8213677 1984	(31) 610 941 217	8.62	4.733	8	4) 2 x 18.03 x 9.50	D 8.970/112	D 21.472/270	D 33.090/416	D 27.228/340	4) 64FEU OR 128TEU		4) 6 mt IFO380			
master.springbok@seatrdefleet.com						ttd: 75,786/899 ttd: 116,681/1,405 ttd: 138,151/1,659 ttd: 130,488/1,572									
SPRING BOB	(580) 424 491 510	460.895	150.69	4	1) 22.43 x 14.00	A 33.549/369	A 37.681/415	A 38.352/415	A 38.140/415	1) 102FEU+98TEU OR 294TEU	4 CRANES x 16 mt or 2 x 32 mt IN TWIN	1) 18 knts @34 mt IFO380	1,610 mt IFO380	USDA FITTED	
DUTCH	(870) 784 869 568	5.540	24.00	7	2) 2 x 18.03 x 9.50	B 21.825/274	B 30.583/383	B 32.506/413	B 32.454/413	2) 79FEU+23TEU OR 123TEU		2) 2.5 mt IFO380	105 mt MDO		
PCBT	(870) 784 869 567	10.098	12.111	16	3) 2 x 18.03 x 9.50	C 12.007/147	C 26.804/336	C 33.902/415	C 32.666/406	3) 79FEU+23TEU OR 123TEU		3) 5.5 mt IFO380			
8213665 1984	(31) 620 493 152	8.63	4.717	8	4) 2 x 18.03 x 9.50	D 8.899/112	D 21.366/270	D 32.949/416	D 27.122/341	4) 64FEU OR 128TEU		4) 6 mt IFO380			
master.springbob@seatrdefleet.com						ttd: 76,280/902 ttd: 116,434/1,404 ttd: 137,799/1,659 ttd: 130,382/1,575									
SPRING DRAGON	(580) 463 791 585	454.207	152.30	4	1) 21.45 x 16.38	A 33.983/378	A 37.667/415	A 37.589/415	A 37.423/414	1) 88FEU+12TEU OR 252TEU	4 CRANES x 16 mt or 2 x 32 mt IN TWIN	1) 18 knts @34 mt IFO380	1,205 mt IFO380	USDA FITTED	
LIBERIA	(870) 784 648 140	5.414	24.00	7	2) 2 x 18.20 x 9.45	B 21.856/266	B 30.392/382	B 32.804/413	B 32.680/410	2) 80FEU+6TEU OR 90TEU		2) 2.5 mt IFO380	235 mt MDO		
A&JQ2	(870) 784 648 139	9.906	12.438	16	3) 2 x 18.20 x 9.45	C 11.827/143	C 26.620/321	C 34.273/415	C 32.617/393	3) 80FEU+6TEU OR 90TEU		3) 5.5 mt IFO380			
8220436 1984		8.62	4.795	8	4) 2 x 18.20 x 9.45	D 6.699/82	D 20.038/250	D 33.026/410	D 24.713/307	4) 62FEU OR 128TEU		4) 6 mt IFO380			
charterers.springdragon@amosconnect.com						ttd: 74,365/869 ttd: 114,717/1,368 ttd: 137,692/1,653 ttd: 127,433/1,524									
SPRING DELI	(580) 430 657 410	453.088	152.30	4	1) 21.45 x 16.38	A 34.026/378	A 37.356/414	A 37.444/415	A 37.568/415	1) 104FEU+88TEU OR 300TEU	4 CRANES x 16 mt or 2 x 32 mt IN TWIN	1) 18 knts @34 mt IFO380	1,300 mt IFO380	USDA FITTED	
DUTCH	(870) 781 115 773	5.410	24.00	7	2) 2 x 18.20 x 9.45	B 21.824/267	B 30.304/382	B 32.832/413	B 32.606/411	2) 80FEU+24TEU OR 158TEU		2) 2.5 mt IFO380	135 mt MDO		
PJFF	(870) 781 115 772	9.891	12.783	16	3) 2 x 18.20 x 9.45	C 11.841/143	C 26.398/318	C 34.322/415	C 32.440/392	3) 84FEU+24TEU OR 158TEU		3) 5.5 mt IFO380			
8220424 1984	(31) 622 605 518	8.62	4.245	8	4) 2 x 18.20 x 9.45	D 6.671/82	D 20.136/250	D 32.836/409	D 24.484/306	4) 62FEU OR 124TEU		4) 6 mt IFO380			
master.springdeli@seatrdefleet.com						ttd: 74,362/870 ttd: 114,194/1,364 ttd: 137,434/1,652 ttd: 127,098/1,524									
Emperor Penguin Class															
PERUVIAN REEFER	(580) 431 195 710	442.528	140.50	4	1) 12.60 x 5.40	A 39.058/394	A 37.151/340	A 37.433/343	A 42.695/411	1) 64FEU OR 148TEU	2 CRANES x 36 mt	1) 20.5 knts @38.5 mt IFO380	1,540 mt IFO380	BOWTHRUSTER	
BAHAMAS	(870) 784 945 020	4.776	19.70	4	2) 12.60 x 10.60	B 27.016/299	B 27.051/332	B 27.828/344	B 27.369/340	2) 42FEU OR 148TEU	2 CRANES x 8 mt	2) Shaft generator + 1.8 mt IFO380	165 mt MGO	USDA FITTED	
CGUM3	(870) 784 945 018	11.095	7.944	15	3) 12.60 x 10.60	C 21.789/226	C 27.828/312	C 29.735/343	C 27.863/314	3) 42FEU OR 148TEU	1 CONTAINER SPREADER 40FT x 32 mt	3) Shaft generator + 3.6 mt IFO380			
8917572 1992	(30) 693 691 21 38	9.61	4.632	8	4) 12.60 x 10.60	D 23.661/258	D 29.453/334	D 16.598/185	D 16.598/185	4) 54FEU OR 108TEU	1 CONTAINER SPREADER 20FT x 25 mt	4) 5.2 mt MGO			
peruvian.reefer@gtships.com						ttd: 87,863/919 ttd: 115,691/1,242 ttd: 124,449/1,364 ttd: 114,525/1,250									
SCANDINAVIAN REEFER	(580) 431 195 510	434.238	140.50	4	1) 12.60 x 5.40	A 37.851/394	A 34.790/340	A 35.072/343	A 40.334/411	1) 70FEU OR 124TEU	2 CRANES x 36 mt	1) 20.5 knts @38.5 mt IFO380	1,540 mt IFO380	BOWTHRUSTER	
BAHAMAS	(870) 784 944 996	4.776	19.70	4	2) 12.60 x 10.60	B 27.016/299	B 27.051/332	B 27.828/344	B 27.369/340	2) 42FEU OR 96TEU	2 CRANES x 8 mt	2) Shaft generator + 1.8 mt IFO380	165 mt MGO	USDA FITTED	
CGUL9	(870) 784 944 994	11.054	7.944	15	3) 12.60 x 10.60	C 21.789/226	C 27.828/312	C 29.735/343	C 27.863/314	3) 42FEU OR 96TEU	1 CONTAINER SPREADER 40FT x 32 mt	3) Shaft generator + 3.6 mt IFO380			
8917560 1992	(30) 695 633 0064	9.61	4.632	8	4) 12.60 x 10.60	D 23.661/258	D 29.453/334	D 16.598/185	D 16.598/185	4) 54FEU OR 108TEU	1 CONTAINER SPREADER 20FT x 25 mt	4) 5.2 mt MGO			
scandinavian.reefer@gtships.com						ttd: 86,656/919 ttd: 113,330/1,242 ttd: 122,088/1,364 ttd: 112,164/1,250									
CHILEAN REEFER	(580) 431 195 610	439.201	140.50	4	1) 12.60 x 5.40	A 38.572/394	A 36.204/340	A 36.486/343	A 41.748/411	1) 71FEU OR 156TEU	2 CRANES x 36 mt	1) 20.5 knts @38.5 mt IFO380	1,540 mt IFO380	BOWTHRUSTER	
BAHAMAS	(870) 784 945 036	4.776	19.72	4	2) 12.60 x 10.60	B 27.016/299	B 27.051/332	B 27.828/344	B 27.369/340	2) 42FEU OR 96TEU	2 CRANES x 8 mt	2) Shaft generator + 1.8 mt IFO380	165 mt MGO		
CGUM2	(870) 784 945 034	11.095	7.944	15	3) 12.60 x 10.60	C 21.789/226	C 27.828/312	C 29.735/343	C 27.863/314	3) 42FEU OR 96TEU	1 CONTAINER SPREADER 40FT x 32 mt	3) Shaft generator + 3.6 mt IFO380			
8917546 1992	(30) 695 633 00 71	9.61	4.632	8	4) 12.60 x 10.60	D 23.661/258	D 29.453/334	D 16.598/185	D 16.598/185	4) 54FEU OR 108TEU	1 CONTAINER SPREADER 20FT x 25 mt	4) 5.2 mt MGO			
chilean.reefer@gtships.com						ttd: 87,377/919 ttd: 114,744/1,242 ttd: 123,502/1,364 ttd: 113,578/1,250									
Large Bays															

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ ME CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
RUNAWAY BAY BAHAMAS C6PX2 9019640 1992	(580) 430 857 210 (870) 764 618 998 (870) 764 618 996 (31) 651 513 344	516.227 5.852 11.579 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34.068/350 B <u>22.700/210</u> C 12.377/142 D 11.890/140 2.20	UPI 8.706/104 A 35.501/427 B <u>33.719/377</u> C 31.079/371 D 27.817/288	UPI 8.593/104 A 37.219/454 B <u>38.627/434</u> C 38.729/457 D 35.837/409	UPI 8.251/104 A 36.030/438 B <u>36.816/409</u> C 32.770/378 D 25.498/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 3) 4) 4) 5) 29	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	790 mt IFO380 100 mt MDO	USDA FITTED
master.runawaybay@seatradefleet.com						ttl: 81,035/842	ttl: 136,822/1,567	ttl: 159,005/1,858	ttl: 139,365/1,584					
ACONCAGUA BAY LIBERIA A8KY9 9019652 1992	(580) 463 792 396 (870) 764 682 658 (870) 764 682 660 (31) 622 557 852	512.361 5.894 11.581 9.42	148.50 20.60 9.074 5.844	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34.096/364 B <u>22.703/211</u> C 12.401/145 D 11.750/142 2.20	UPI 8.815/109 A 36.070/429 B <u>33.005/378</u> C 30.961/368 D 25.941/285	UPI 8.833/103 A 37.515/458 B <u>37.100/437</u> C 38.387/461 D 35.763/412	UPI 8.739/103 A 36.205/442 B <u>36.090/412</u> C 32.513/381 D 25.474/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 3) 4) 4) 5) 19	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	835 mt IFO380 100 mt MDO	USDA FITTED
master.aconcaguabay@seatradefleet.com						ttl: 80,950/862	ttl: 134,792/1,569	ttl: 157,598/1,871	ttl: 139,021/1,593					
HUMBOLDT BAY LIBERIA A8OL4 8907888 1990	(580) 463 701 316 (870) 764 817 073 (870) 764 817 072 (31) 620 493 147	508.551 5.854 11.633 9.42	148.50 20.63 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33.896/341 B <u>22.686/210</u> C 13.148/145 D 11.417/133 2.20	UPI 8.835/106 A 35.221/432 B <u>32.716/379</u> C 31.691/376 D 26.853/288	UPI 8.421/103 A 37.304/455 B <u>36.663/434</u> C 38.211/458 D 36.115/407	UPI 8.294/105 A 35.055/440 B <u>34.789/410</u> C 33.177/382 D 24.159/251	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO 5) 5)	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	860 mt IFO380 100 mt MDO	USDA FITTED
master.humboldtбай@seatradefleet.com						ttl: 81,047/829	ttl: 135,316/1,581	ttl: 156,714/1,857	ttl: 135,474/1,588					
HIMALAYA BAY LIBERIA A8OL7 8908193 1990	(580) 463 703 219 (870) 764 880 850 (870) 764 880 848	502.586 5.857 11.595 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33.546/348 B <u>21.644/207</u> C 11.949/143 D 11.058/140 2.20	UPI 8.783/106 A 34.658/427 B <u>32.125/375</u> C 31.215/367 D 26.168/289	UPI 8.400/106 A 37.293/457 B <u>36.726/436</u> C 38.368/460 D 35.531/413	UPI 8.342/104 A 35.079/440 B <u>34.561/410</u> C 32.767/379 D 24.373/251	1) 14TEU 2) 14TEU 3) 3) 4) 4) 5) 14	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	790 mt IFO380 160 mt MDO	USDA FITTED
himalayabay@tuh-fleet.de						ttl: 78,197/838	ttl: 132,949/1,564	ttl: 156,318/1,872	ttl: 135,122/1,584					
FUJI BAY LIBERIA A8OL6 8920141 1990	(580) 463 701 537 (870) 764 837 714 (870) 764 836 798 (31) 651 081 458	502.514 5.858 11.540 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33.333/350 B <u>21.737/206</u> C 12.056/141 D 10.934/135 2.20	UPI 8.402/101 A 34.447/421 B <u>32.335/377</u> C 31.075/369 D 25.970/286	UPI 8.541/103 A 37.115/460 B <u>36.526/438</u> C 38.431/462 D 35.368/414	UPI 8.541/103 A 35.258/443 B <u>35.107/417</u> C 32.878/379 D 24.460/252	1) 14TEU 2) 14TEU 3) 3) 4) 4) 5) 14	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	860 mt IFO380 100 mt MDO	USDA FITTED
master.fujibay@seatradefleet.com						ttl: 78,060/832	ttl: 132,229/1,554	ttl: 155,981/1,877	ttl: 136,244/1,594					
WIND FROST LIBERIA A8OL3 8807662 1989	(580) 463 701 543 (870) 764 828 858 (870) 777 117 34	495.343 5.852 11.540 9.42	148.50 20.60 9.072 5.835	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34.209/354 B <u>19.600/209</u> C 12.236/140 D 10.130/131 2.20	UPI 8.097/103 A 35.562/438 B <u>32.346/378</u> C 30.920/373 D 25.812/286	UPI 8.097/103 A 36.927/455 B <u>35.643/435</u> C 37.493/458 D 34.645/411	UPI 8.097/103 A 35.637/439 B <u>34.001/410</u> C 32.680/377 D 23.211/249	1) 1) 2) 2) 3) 3) 4) 4) 5) 5)	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	715 mt IFO380 205 mt MDO	USDA FITTED
A8OL3@globeemail.com						ttl: 76,175/834	ttl: 132,737/1,578	ttl: 152,805/1,862	ttl: 133,626/1,578					
NAGOYA BAY PANAMA 3EDJ4 8217611 1983	(580) 437 158 810 (870) 764 650 369 (870) 764 650 368	490.178 5.808 12.181 9.82	150.49 22.01 9.755 5.925	4 4 16 8	1) 10.60 x 9.00 2) 10.60 x 9.00 3) 10.60 x 9.00 4) 10.60 x 9.00 2.20	A 33.100/325 B <u>25.312/256</u> C 16.500/203 D 11.881/149	A 39.196/407 B <u>31.083/367</u> C 27.445/332 D 22.581/250	A 41.339/445 B <u>35.330/436</u> C 34.560/436 D 34.218/407	A 40.766/440 B <u>34.483/412</u> C 33.000/407 D 29.384/331	1) 8FEU OR 16TEU 2) 8FEU OR 16TEU 3) 3) 4) 4) 5) 20	8 DERRICKS x 5.5 mt or 4 x 4.5 mt IN UP	1) 17.5 knts @29 mt IFO380 2) 1.5 mt IFO380 AND 1 mt MDO 3) 3 mt IFO380 AND 2 mt MDO 4) 2.5 mt IFO380 AND 2 mt MDO	1,245 mt IFO380 250 mt MDO	USDA FITTED
charterers.nagoyabay@amosconnect.com						ttl: 86,793/933	ttl: 120,305/1,356	ttl: 145,447/1,724	ttl: 137,633/1,595					
EVEREST BAY LIBERIA A8KZ3 8911073 1989	(580) 463 792 240 (870) 764 681 437 (870) 764 681 436 (31) 651 294 346	449.201 5.219 9.887 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6.457/70 A <u>25.494/277</u> B 18.572/201 C 15.629/179 D 26.063/285	UPI 7.737/85 A 32.634/401 B <u>31.630/373</u> C 30.027/353 D 29.021/339	UPI 7.777/85 A 29.856/370 B <u>29.492/350</u> C 30.775/371 D 29.021/339	UPI 7.824/85 A 31.808/395 B <u>31.858/374</u> C 31.956/369 D 24.591/257	1) 1) 2) 2) 3) 3) 4) 4) 5) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2.5 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	1,055 mt IFO380 45 mt MDO	USDA FITTED
master.everestbay@seatradefleet.com						ttl: 66,152/727	ttl: 128,091/1,497	ttl: 126,921/1,515	ttl: 128,037/1,480					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIDES HATCH OPENINGS WEATHERDECK (mm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
WHITNEY BAY LIBERIA A8KZ8 8911085 1990	(580) 463 792 236 (870) 764 681 443 (870) 764 681 442 (31) 653 526 904	449.175 5.208 9.687 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6.421/70 A <u>25.417/275</u> B 18.687/201 C 15.596/176 D 26.011/284	UPI 7.778/85 A 32.767/401 B <u>31.765/373</u> C 30.114/353 D 28.904/339	UPI 7.812/85 A 29.907/370 B <u>29.517/350</u> C 30.728/370 D 28.904/339	UPI 7.771/85 A 31.791/395 B <u>31.808/373</u> C 31.914/367 D 24.467/255	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2.5 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	710 mt IFO380 45 mt MDO	USDA FITTED
master.whitneybay@seatradefleet.com						ttl: 66,121/722	ttl: 128,435/1,496	ttl: 126,868/1,514	ttl: 127,751/1,475					
CHANGUINOLA BAY BAHAMAS C6RB2 8801814 1988	(580) 430 957 810 (870) 764 624 712 (870) 764 624 710 (31) 622 239 873	440.365 4.862 9.727 8.51	141.00 20.60 8.487 3.897	4 4 15 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	A <u>28.247/271</u> B 19.640/204 C 15.167/178 D 26.677/284	A 36.870/398 B <u>31.783/362</u> C 30.808/352 D 29.657/338	A 33.722/367 B <u>30.047/350</u> C 31.366/370 D 29.657/338	A 35.932/391 B <u>32.114/373</u> C 32.283/366 D 26.052/256	1) 12FEU+3TEU OR 36TEU 2) 12FEU+3TEU OR 36TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 1.5 mt IFO380 AND 0.5 mt MDO 3) 3.5 mt IFO380 AND 1 mt MDO 4) 2.5 mt IFO380 AND 1.5 mt MDO	1,070 mt IFO380 90 mt MDO	USDA FITTED
master.changuinolabay@seatradefleet.com						ttl: 63,054/653	ttl: 126,138/1,396	ttl: 124,792/1,425	ttl: 126,381/1,386					
FRIO OLYMPIC LIBERIA A8EJ6 8801802 1988	(580) 463 703 051 (870) 764 878 685 (870) 764 879 533	440.016 4.861 9.734 8.51	141.00 20.60 8.487 3.897	4 4 15 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	A <u>28.264/272</u> B 19.625/204 C 15.245/178 D 26.647/283	A 36.923/398 B <u>31.721/362</u> C 30.710/351 D 29.583/338	A 33.703/367 B <u>29.675/350</u> C 31.352/370 D 29.583/338	A 35.856/391 B <u>32.069/373</u> C 32.333/366 D 26.010/256	1) 12FEU+3TEU OR 36TEU 2) 12FEU+3TEU OR 36TEU 3) 4) 5) 30	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 1.5 mt IFO380 AND 0.5 mt MDO 3) 3.5 mt IFO380 AND 1 mt MDO 4) 2.5 mt IFO380 AND 1.5 mt MDO	980 mt IFO380 180 mt MDO	USDA FITTED
A8EJ6@globeemail.com						ttl: 63,134/654	ttl: 126,001/1,394	ttl: 124,613/1,425	ttl: 126,268/1,386					
KOALA BAY LIBERIA ELKM5 8312643 1984	(580) 463 618 110 (870) 764 685 468 (870) 764 685 466	438.802 4.907 9.340 8.67	149.03 20.60 9.057 4.268	4 4 15 8	1) 11.70 x 7.50 2) 11.70 x 7.50 3) 11.70 x 7.50 4) 11.70 x 7.50 2.20	A <u>26.129/220</u> B 12.821/147 C 11.268/143 D 25.347/282	A 37.922/391 B <u>31.343/369</u> C 28.753/343 D 31.691/371	A 36.459/384 B <u>32.185/390</u> C 32.052/391 D 31.691/371	A 38.761/415 B <u>34.687/416</u> C 32.863/379 D 26.521/268	1) 21FEU OR 42TEU 2) 21FEU OR 42TEU 3) 42TEU 4) 39TEU 5) 42	4 CRANES x 15 mt	1) 17.5 knts @25 mt IFO380 2) 1 mt IFO380 AND 0.5 mt MDO 3) 3.5 mt IFO380 AND 1.5 mt MDO 4) 3.5 mt IFO380 AND 1.5 mt MDO	980 mt IFO380 170 mt MDO	USDA FITTED
charterers.koalabay@amosconnect.com						ttl: 50,218/510	ttl: 123,365/1,385	ttl: 132,387/1,536	ttl: 132,832/1,478					
ZEFYROS VANUATU YJQK7 8916748 1990	(580) 457 668 910 (870) 765 058 114 (870) 765 058 112	439.658 4.863 8.946 8.17	141.00 20.60 8.483 3.619	4 4 15 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	A <u>28.805/270</u> B 19.699/205 C 15.748/178 D 26.938/284	A 36.814/397 B <u>31.114/363</u> C 31.052/353 D 30.207/340	A 33.438/365 B <u>29.754/351</u> C 31.310/369 D 30.207/340	A 35.301/390 B <u>31.815/376</u> C 32.305/367 D 25.358/257	1) 30TEU 2) 30TEU 3) 4) 5) 20	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 1.5 mt IFO380 AND 0.5 mt MDO 3) 3.5 mt IFO380 AND 1 mt MDO 4) 2.5 mt IFO380 AND 1.5 mt MDO	875 mt IFO380 90 mt MDO	USDA FITTED
YJQK7@globeemail.com						ttl: 64,252/653	ttl: 125,918/1,397	ttl: 124,709/1,425	ttl: 124,779/1,390					
FRIO DOLPHIN VANUATU YJQK2 8807442 1989	(580) 457 668 810 (870) 773 207 103 (870) 783 974 943	435.865 4.786 8.830 8.32	141.58 21.00 8.519 3.866	4 4 15 8	1) 9.00 x 7.40 2) 9.00 x 7.40 3) 9.00 x 7.40 4) 9.00 x 7.40 2.20	A <u>31.551/283</u> B 18.450/187 C 12.442/141 D 23.688/252	A 35.670/373 B <u>31.240/366</u> C 28.613/325 D 30.115/341	A 35.014/370 B <u>31.259/376</u> C 31.362/372 D 30.115/341	A 35.848/377 B <u>32.491/389</u> C 31.432/361 D 26.690/275	1) 12FEU OR 28TEU 2) 12FEU OR 28TEU 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17.5 knts @26.5 mt IFO380 2) 1.5 mt IFO380 AND 0.5 mt MDO 3) 3.5 mt IFO380 AND 1 mt MDO 4) 2.5 mt IFO380 AND 1.5 mt MDO	950 mt IFO380 75 mt MDO	USDA FITTED
YJQK2@globeemail.com						ttl: 62,443/611	ttl: 119,211/1,316	ttl: 127,750/1,459	ttl: 126,461/1,402					
FRIO ATHENS VANUATU YJQN2 8710340 1988	(580) 457 600 048 (870) 783 980 197 (870) 773 206 805	436.359 4.792 8.800 8.32	141.58 21.00 8.519 3.866	4 4 15 9	1) .00 x .00 2) .00 x .00 3) .00 x .00 4) .00 x .00 2.20	A <u>31.454/282</u> B 18.452/187 C 12.550/142 D 23.753/252	A 35.805/374 B <u>31.347/366</u> C 28.475/325 D 30.288/342	A 35.096/370 B <u>31.357/376</u> C 31.359/372 D 30.288/342	A 35.635/377 B <u>32.514/389</u> C <u>31.477/362</u> D 26.797/276	1) 12FEU OR 28TEU 2) 12FEU OR 28TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17.5 knts @26.5 mt IFO380 2) 1.5 mt IFO380 AND 0.5 mt MDO 3) 3.5 mt IFO380 AND 1 mt MDO 4) 2.5 mt IFO380 AND 1.5 mt MDO	950 mt IFO380 85 mt MDO	USDA FITTED
YJQN2@globeemail.com						ttl: 62,456/611	ttl: 119,380/1,317	ttl: 128,100/1,460	ttl: 126,423/1,404					
KASUGA BAY PANAMA H3KC 8213615 1984	(580) 435 787 710 (870) 764 663 377 (870) 764 663 375	433.013 4.804 10.641 9.02	149.88 20.50 9.274 4.593	4 4 14 8	1) 9.70 x 7.50 2) 10.50 x 7.50 3) 10.50 x 7.50 4) 10.50 x 7.50 2.20	A <u>26.456/271</u> B 22.186/231 C 15.200/173 D 29.190/309	A 41.978/449 B <u>35.245/420</u> C 34.302/401 D 36.978/420	A 43.171/471 B <u>37.905/456</u> C 39.331/475 D 36.978/420	A <u>34.180/350</u> B 23.504/248 C 13.387/130 D 26.797/276	1) 2) 3) 4) 5)	4 DERRICKS x 7 mt	1) 19 knts @32.5 mt IFO380 2) 1 mt IFO380 AND 1 mt MDO 3) 3.5 mt IFO380 AND 1.5 mt MDO 4) 2.5 mt IFO380 AND 1.5 mt MDO	1,380 mt IFO380 150 mt MDO	USDA FITTED
charterers.kasugabay@amosconnect.com						ttl: 63,842/675	ttl: 140,715/1,579	ttl: 157,385/1,822	ttl: 71,071/728					

NAME FLAG CALL SIGN MOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
KASHIMA BAY PANAMA H3KK 8213603 1984	(580) 435 792 510 (870) 764 685 443 (870) 764 685 441	432.831 4.805 10.664 9.02	149.88 20.50 9.273 4.593	4 4 14 8	1) 9.70 x 7.50 2) 10.50 x 7.50 3) 10.50 x 7.50 4) 10.50 x 7.50 2.20	A <u>26.575/271</u> B 22,107/231 C 15.193/173 D 29.167/309 2.20	A 41.940/449 B <u>35.163/420</u> C 34.247/401 D 29.167/309	A 43.214/471 B <u>37.985/457</u> C 39.266/475 D 37.050/419	A <u>34.108/349</u> B 23.428/249 C 13.388/131	1) 2) 3) 4) 5)	4 DERRICKS x 7 mt	1) 19 knts @32.5 mt IFO380 2) 1 mt IFO380 AND 1 mt MDO 3) 3.5 mt IFO380 AND 1.5 mt MDO 4) 2.5 mt IFO380 AND 1.5 mt MDO	1,380 mt IFO380 150 mt MDO	USDA FITTED
charterers.kashimabay@amosconnect.com						ttd: 63,875/675	ttd: 140,517/1,579	ttd: 157,515/1,822	ttd: 70,924/729					
IZUMO BAY PANAMA 3EDB4 8213598 1983	(580) 437 153 611 (870) 761 115 416 (870) 761 115 414	432.756 4.803 10.644 9.02	149.88 20.50 9.273 4.593	4 4 14 8	1) 9.70 x 7.50 2) 10.50 x 7.50 3) 10.50 x 7.50 4) 10.50 x 7.50 2.20	A <u>26.716/271</u> B 22.023/227 C 15.346/173 D 29.026/308 2.20	A 41.802/447 B <u>35.176/420</u> C 34.286/402 D 29.026/308	A 43.208/473 B <u>37.941/455</u> C 39.235/476 D 37.023/419	A <u>34.204/351</u> B 23.240/249 C 13.530/131	1) 2) 3) 4) 5)	4 DERRICKS x 7 mt	1) 19 knts @32.5 mt IFO380 2) 1 mt IFO380 AND 1 mt MDO 3) 3.5 mt IFO380 AND 1.5 mt MDO 4) 2.5 mt IFO380 AND 1.5 mt MDO	1,380 mt IFO380 150 mt MDO	USDA FITTED
charterers.izumobay@amosconnect.com						ttd: 64,085/671	ttd: 140,290/1,577	ttd: 157,407/1,823	ttd: 70,974/731					
HUDSON BAY ANTIGUA AND BARBUDA Y2CF7 8202654 1983	(580) 430 402 015 (870) 777 125 07	409.295 4.794 8.945 8.79	140.00 21.24 8.052 3.950	4 4 15 11	1) 7.00 x 6.00 2) 8.00 x 6.00 3) 8.00 x 6.00 4) 8.00 x 6.00 2.20	A <u>25.219/222</u> B 13.074/144 C 9.822/110 D 22.567/254 2.20	A <u>30.071/369</u> B <u>29.857/350</u> C 27.808/321 D 22.567/254	A <u>33.785/400</u> B <u>33.249/406</u> C 33.103/402 D 30.645/371	A <u>33.113/395</u> B <u>30.938/391</u> C 30.466/363 D 25.578/294 2.20	1) 2) 3) 4) 5)	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.5 knts @25.5 mt IFO380 2) 2.5 mt MDO 3) 4.5 mt MDO 4) 4.5 mt MDO	1,205 mt IFO380 245 mt MDO	USDA FITTED
hudsonbay@tuh-fleet.de						ttd: 48,115/476	ttd: 110,303/1,294	ttd: 130,782/1,579	ttd: 120,095/1,443					
PUSAN REEFER LIBERIA A8AY8 8316077 1984	(580) 463 694 582 (870) 761 155 358 (870) 761 155 356	408.532 4.653 8.217 8.48	142.00 19.80 8.063 3.909	4 4 15 8	1) 9.00 x 7.00 2) 9.00 x 7.00 3) 9.00 x 7.00 4) 9.00 x 7.00 2.20	A <u>26.317/259</u> B 19.076/210 C 14.733/155 D 25.380/275 2.20	A 32.797/369 B <u>29.442/347</u> C 28.561/339 D 25.380/275	A 30.242/339 B <u>27.614/332</u> C 28.461/347 D 26.623/318	A 34.379/385 B <u>30.409/359</u> C 29.942/348 D 24.556/272	1) 14FEU+4TEU OR 32TEU 2) 14FEU+4TEU OR 32TEU 3) 4) 39TEU 5) 19	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 16 knts @19 mt IFO380 2) 1.4 mt IFO380 AND 1.4 mt MDO 3) 3.9 mt IFO380 AND 3.9 mt MDO 4) 3.2 mt IFO380 AND 2.2 mt MDO	920 mt IFO380 155 mt MDO	USDA FITTED
A8AY8@globeemail.com						ttd: 60,126/624	ttd: 116,180/1,330	ttd: 112,940/1,336	ttd: 119,286/1,364					
SEATTLE REEFER LIBERIA A8CS4 8208969 1983	(580) 463 694 891 (870) 761 157 186 (870) 761 157 183	401.848 4.783 8.410 8.52	142.00 19.80 7.988 3.840	4 4 15 8	1) 9.00 x 7.00 2) 9.00 x 7.00 3) 9.00 x 7.00 4) 9.00 x 7.00 2.20	A <u>26.739/283</u> B 19.168/234 C 14.322/177 D 25.111/296 2.20	A 33.218/383 B <u>29.080/352</u> C 28.459/346 D 25.111/296	A 30.462/350 B <u>27.322/334</u> C 28.070/348 D 26.520/324	A 32.592/376 B <u>28.756/349</u> C 28.382/344 D 23.647/287	1) 4FEU 2) 4FEU 3) 4) 5) 2	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 16.8 knts @23.5 mt IFO380 2) 1.8 mt MDO 3) 5 mt MDO 4) 3 mt MDO	925 mt IFO380 190 mt MDO	USDA FITTED
A8CS4@globeemail.com						ttd: 60,229/694	ttd: 115,868/1,377	ttd: 112,374/1,356	ttd: 113,377/1,356					
Prince & Phoenix class														
HUMBOLDT REX PHILIPPINES DYAQ 9179397 1998	(580) 454 848 311 (870) 354 811 211 (870) 354 811 210	439.741 4.942 9.011 7.86	139.00 20.60 7.637 5.133	4 4 15 8	1) 7.30 x 7.30 2) 7.30 x 7.30 3) 7.30 x 7.30 4) 7.30 x 7.30 2.20	A <u>34.044/345</u> B 24.120/257 C 19.317/212 D 27.298/296 2.20	A 24.650/276 B <u>34.644/391</u> C 31.183/359 D 27.298/296	A 24.544/276 B <u>34.962/406</u> C 33.408/401 D 33.231/399	A 24.615/276 B <u>34.750/401</u> C 31.889/366 D 27.086/281	1) 12FEU 2) 8FEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 19 knts @29 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 5 mt IFO380	1,185 mt IFO380 55 mt MDO	USDA FITTED CA PRE-PIPED
DYAQ@globeemail.com						ttd: 77,481/814	ttd: 117,775/1,322	ttd: 126,145/1,482	ttd: 118,340/1,324					
SEASON TRADER PHILIPPINES DYDC 9179402 2000	(580) 454 854 111 (870) 354 813 011 (870) 354 813 010	437.654 4.943 8.995 7.86	139.00 20.60 7.627 5.110	4 4 15 8	1) 7.30 x 7.30 2) 7.30 x 7.30 3) 7.30 x 7.30 4) 7.30 x 7.30 2.20	A <u>33.973/345</u> B 23.802/257 C 19.388/212 D 27.157/294 2.20	A 24.614/276 B <u>34.326/391</u> C 30.865/360 D 27.157/294	A 24.331/276 B <u>34.644/407</u> C 33.231/402 D 33.266/399	A 24.579/276 B <u>34.679/401</u> C 31.642/366 D 27.157/281	1) 12FEU 2) 8FEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 19 knts @29 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 5 mt IFO380	1,185 mt IFO380 70 mt MDO	USDA FITTED CA PRE-PIPED
seasontrader@orcajpn.co.jp						ttd: 77,163/814	ttd: 116,962/1,321	ttd: 125,472/1,484	ttd: 118,057/1,324					
PRINCE OF STREAMS LIBERIA A8OE7 9073268 1993	(580) 463 701 770 (870) 783 203 604 (870) 773 159 523 (49) 152 549 276 30	428.618 4.613 8.383 7.76	136.90 20.20 7.533 5.330	4 4 15 8	1) 6.20 x 7.30 2) 6.20 x 7.30 3) 6.20 x 7.30 4) 6.20 x 7.30 2.20	A <u>36.339/397</u> B 32.808/288 C 21.118/225 D 28.640/319 2.20	A 18.540/202 B <u>36.163/376</u> C 31.360/360 D 28.640/319	A 18.364/197 B <u>35.633/374</u> C 31.818/375 D 30.830/354	A 18.788/203 B <u>35.986/368</u> C 28.994/326 D 23.237/249	1) 21FEU 2) 21FEU 3) 4) 5) 21	8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	1,055 mt IFO380 80 mt MDO	USDA FITTED
master.princeofstreams@tritonfleet.net						ttd: 90,265/910	ttd: 114,703/1,257	ttd: 116,645/1,300	ttd: 107,005/1,146					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIDES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
PRINCE OF SOUNDS LIBERIA A8OE6 9053957 1993	(580) 463 792 272 (870) 783 155 926 (870) 773 153 308 (49) 152 549 276 29	419.896 4.521 8.053 7.77	135.50 20.20 7.534 4.819	4 4 15 8	1) 6.20 x 7.30 2) 6.20 x 7.30 3) 6.20 x 7.30 4) 6.20 x 7.30 2.20	A <u>36.374/367</u> B <u>33.903/367</u> C <u>30.194/351</u> D <u>27.510/308</u>	A 18.046/196 B <u>35.704/372</u> C <u>31.607/371</u> D <u>30.088/351</u>	A 18.258/195 B <u>35.068/355</u> C <u>27.899/315</u> D <u>23.061/236</u>	A 18.187/194 B <u>35.068/355</u> C <u>27.899/315</u> D <u>23.061/236</u>	1) 34FEU 2) 34FEU 3) 3 4) 4 5) 34	4 CRANES x 8 mt	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	1,055 mt IFO380 85 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.princeofsounds@tritonfleet.net						ttd: 90,371/910	ttd: 109,653/1,222	ttd: 115,657/1,289	ttd: 104,215/1,100					
PRINCE OF WAVES LIBERIA A&J3 9066485 1993	(580) 463 791 389 (870) 761 157 178 (870) 761 157 177 (49) 152 549 276 43	402.900 4.569 7.932 7.57	134.02 20.80 7.329 4.812	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>32.408/342</u> B <u>30.626/347</u> C <u>28.412/342</u> D <u>24.003/270</u>	A 21.092/232 B <u>32.480/376</u> C <u>32.323/394</u> D <u>29.778/356</u>	A 24.446/274 B <u>36.734/423</u> C <u>30.192/352</u> D <u>22.484/236</u>	A 24.446/274 B <u>36.734/423</u> C <u>30.192/352</u> D <u>22.484/236</u>	1) 52FEU OR 68TEU+14FEU 2) 48FEU OR 68TEU+14FEU 3) 32FEU OR 40TEU+12FEU 4) 5) 50	1 CRANE x 40 mt 8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 18.7 knts @28 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	805 mt IFO380 125 mt MDO	USDA FITTED
master.princeofwaves@tritonfleet.net						ttd: 69,150/734	ttd: 104,133/1,191	ttd: 115,761/1,359	ttd: 113,856/1,285					
PRINCE OF TIDES LIBERIA A&J4 9061198 1993	(580) 430 800 187 (870) 783 205 187 (870) 773 231 595 (49) 152 549 276 32	402.574 4.546 7.898 7.57	134.02 20.80 7.329 4.812	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>32.376/338</u> B <u>30.665/347</u> C <u>28.436/342</u> D <u>23.946/268</u>	A 21.115/232 B <u>32.417/374</u> C <u>32.278/393</u> D <u>29.761/354</u>	A 24.398/276 B <u>36.854/422</u> C <u>30.186/349</u> D <u>22.496/233</u>	A 24.398/276 B <u>36.854/422</u> C <u>30.186/349</u> D <u>22.496/233</u>	1) 52FEU OR 68TEU+14FEU 2) 48FEU OR 68TEU+14FEU 3) 32FEU OR 40TEU+12FEU 4) 5) 50	1 CRANE x 40 mt 8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 18.7 knts @28 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	830 mt IFO380 125 mt MDO	USDA FITTED
master.princeoftides@tritonfleet.net						ttd: 68,991/723	ttd: 104,062/1,189	ttd: 115,587/1,354	ttd: 113,934/1,280					
MARINE PHOENIX LIBERIA A8NM7 9072824 1994	(580) 463 700 852 (870) 761 153 451 (870) 761 153 453 (31) 651 033 941	400.884 4.544 7.957 7.57	134.02 20.80 7.313 4.808	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>30.048/341</u> B <u>30.875/346</u> C <u>28.378/341</u> D <u>23.189/270</u>	A 20.569/228 B <u>34.494/371</u> C <u>32.265/391</u> D <u>30.328/355</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED
master.marinephoenix@seatradefleet.com						ttd: 63,104/731	ttd: 103,011/1,185	ttd: 117,525/1,347	ttd: 117,243/1,281					
SUMMER PHOENIX LIBERIA A8OE5 9047271 1993	(580) 463 701 744 (870) 764 833 735 (870) 764 833 734 (49) 152 549 276 53	400.884 4.544 8.041 7.57	134.02 20.80 7.326 4.810	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>30.048/341</u> B <u>30.875/346</u> C <u>28.378/341</u> D <u>23.189/270</u>	A 20.569/228 B <u>34.494/371</u> C <u>32.265/391</u> D <u>30.328/355</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	830 mt IFO380 125 mt MDO	USDA FITTED
master.summerphoenix@tritonfleet.net						ttd: 63,104/731	ttd: 103,011/1,185	ttd: 117,525/1,347	ttd: 117,243/1,281					
RIVER PHOENIX LIBERIA A8OE4 9047245 1993	(580) 463 701 564 (870) 764 831 073 (870) 764 831 072 (49) 152 549 276 48	400.884 4.544 8.044 7.57	134.02 20.80 7.313 4.808	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>30.048/341</u> B <u>30.875/346</u> C <u>28.378/341</u> D <u>23.189/270</u>	A 20.569/228 B <u>34.494/371</u> C <u>32.265/391</u> D <u>30.328/355</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	830 mt IFO380 125 mt MDO	USDA FITTED
master.riverphoenix@tritonfleet.net						ttd: 63,104/731	ttd: 103,011/1,185	ttd: 117,525/1,347	ttd: 117,243/1,281					
LAKE PHOENIX LIBERIA A8OE3 9045168 1992	(580) 463 701 616 (870) 764 831 076 (870) 764 831 075 (49) 152 549 276 20	400.884 4.544 8.075 7.57	134.02 20.80 7.303 4.812	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>30.048/341</u> B <u>30.875/346</u> C <u>28.378/341</u> D <u>23.189/270</u>	A 20.569/228 B <u>34.494/371</u> C <u>32.265/391</u> D <u>30.328/355</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	830 mt IFO380 125 mt MDO	USDA FITTED
master.lakephoenix@tritonfleet.net						ttd: 63,104/731	ttd: 103,011/1,185	ttd: 117,525/1,347	ttd: 117,243/1,281					
SEA PHOENIX LIBERIA A8NM8 9045156 1992	(580) 463 700 959 (870) 764 715 225 (870) 764 715 226 (31) 623 924 362	400.884 4.544 8.056 7.57	134.02 20.80 7.303 4.812	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>30.048/341</u> B <u>30.875/346</u> C <u>28.378/341</u> D <u>23.189/270</u>	A 20.569/228 B <u>34.494/371</u> C <u>32.265/391</u> D <u>30.328/355</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	A 23.714/267 B <u>38.662/422</u> C <u>31.418/355</u> D <u>23.449/237</u>	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	830 mt IFO380 125 mt MDO	USDA FITTED
master.seaphoenix@seatradefleet.com						ttd: 63,104/731	ttd: 103,011/1,185	ttd: 117,525/1,347	ttd: 117,243/1,281					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ ME CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
PACIFIC DUTCH PGQI 9127928 1996	(580) 424 540 910 (870) 764 861 529 (870) 764 861 528 (31) 651 081 437	398.470 4.736 7.947 7.91	133.92 16.31 5.918 3.177	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A 27.165/302 B 23.256/270 C 18.568/213 D 15.778/177	A 30.217/352 B 28.702/351 C 27.896/346 D 27.511/326	A 27.932/323 B 26.458/324 C 25.987/324 D 26.246/313	A 28.344/328 B 26.589/325 C 23.579/287 D 14.242/174	1) 45FEU OR 90TEU 2) 27FEU OR 54TEU 3) 4) 40TEU 5) 25	4 CRANES x 7 mt	1) 18 knts @31.5 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.6 mt MGO	880 mt IFO380 60 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.pacific@seatradefleet.com						ttd: 84,767/962	ttd: 114,326/1,375	ttd: 106,623/1,284	ttd: 92,754/1,114					
PISANG LIBERIA A8RU4 8713598 1990	(580) 463 703 984 (870) 783 130 622 (870) 773 161 067 8713598	378.055 4.487 9.667 9.21	141.00 22.30 8.945 4.306	4 4 16 8	1) 8.70 x 6.10 2) 8.70 x 6.10 3) 8.70 x 6.10 4) 8.70 x 6.10 2.20	A 31.003/352 B 23.301/252 C 13.572/149 D 9.256/97	A 27.465/343 B 26.765/347 C 22.715/270 D 18.035/191	A 26.730/337 B 27.330/335 C 26.041/328 D 24.000/277	A 26.635/336 B 27.217/333 C 25.494/316 D 22.496/254	1) 124FEU OR 96TEU+76FEU 2) 82FEU OR 96TEU+58FEU 3) 82FEU OR 96TEU+58FEU 4) 24TEU 5) 80	4 CRANES x 19 mt or 2 x 38 mt IN TWIN	1) 18 knts @32 mt IFO380 2) 2.5 mt IFO380 3) 4 mt IFO380 4) 5 mt IFO380	1,480 mt IFO380 65 mt MDO	USDA FITTED
charterers.pisang@skyfile.com						ttd: 77,132/850	ttd: 94,980/1,121	ttd: 104,101/1,277	ttd: 101,842/1,239					
GREEN ITALIA BAHAMAS C6WH9 9045780 1994	(580) 430 928 110 (870) 761 149 619 (870) 761 149 617 (47) 911 955 28	377.100 4.519 7.721 8.86	131.25 19.63 7.743 3.726	3 3 12 7	1) 8.33 x 4.68 2) 8.33 x 4.68 3) 8.33 x 4.68 2.20	A 39.059/442 B 30.689/357 C 22.037/265 D 10.771/137	A 39.094/456 B 37.647/456 C 33.762/427 D 28.005/340	A 39.518/452 B 37.629/459 C 30.937/391 D 27.652/337		1) 45FEU OR 89TEU+4FEU 2) 30FEU OR 54TEU+4FEU 3) 30FEU OR 54TEU+4FEU 4) 5) 29	1 CRANE x 17/34 mt 3 PALLET CRANES x 8 mt	1) 19 knts @31 mt IFO380 2) 2.5 mt IFO380 3) 5 mt IFO380 4) 4.5 mt IFO380	960 mt IFO380 105 mt MDO	USDA FITTED CA PRE-PIPED
bridge@italia.greenfleet.no						ttd: 102,556/1,201	ttd: 138,508/1,679	ttd: 136,036/1,639						
GREEN BRAZIL BAHAMAS C6WH6 9045792 1994	(580) 430 968 111 (870) 330 968 113 (870) 330 968 112 (47) 970 667 60	376.994 4.510 7.721 8.86	131.25 19.63 7.743 3.726	3 3 12 7	1) 8.33 x 4.68 2) 8.33 x 4.68 3) 8.33 x 4.68 2.20	A 39.094/441 B 30.583/356 C 21.896/265 D 10.736/137	A 39.377/456 B 37.858/455 C 33.373/422 D 27.970/340	A 39.518/452 B 38.035/458 C 30.937/391 D 27.617/337		1) 45FEU OR 89TEU+4FEU 2) 30FEU OR 54TEU+4FEU 3) 30FEU OR 54TEU+4FEU 4) 5) 29	1 CRANE x 17/34 mt 3 PALLET CRANES x 8 mt	1) 19 knts @31 mt IFO380 2) 2.5 mt IFO380 3) 5 mt IFO380 4) 4.5 mt IFO380	960 mt IFO380 105 mt MDO	USDA FITTED CA PRE-PIPED
bridge@brazil.greenfleet.no						ttd: 102,309/1,199	ttd: 138,578/1,673	ttd: 136,107/1,638						
GREEN HONDURAS BAHAMAS C6WH8 8912132 1992	(580) 431 128 910 (870) 761 152 017 (870) 761 152 015 (47) 416 612 63	376.221 4.507 7.721 8.87	131.27 19.60 7.743 3.726	3 3 12 7	1) 8.33 x 4.68 2) 8.33 x 4.68 3) 8.33 x 4.68 2.20	A 38.883/442 B 30.619/356 C 21.825/263 D 10.913/137	A 39.660/460 B 37.647/455 C 33.338/423 D 28.111/340	A 38.671/451 B 38.141/458 C 30.831/389 D 27.582/333		1) 45FEU OR 89TEU+4FEU 2) 30FEU OR 54TEU+4FEU 3) 30FEU OR 54TEU+4FEU 4) 5) 29	1 CRANE x 17/34 mt 3 PALLET CRANES x 8 mt	1) 19 knts @31 mt IFO380 2) 2.5 mt IFO380 3) 5 mt IFO380 4) 4.5 mt IFO380	960 mt IFO380 105 mt MDO	USDA FITTED CA PRE-PIPED
bridge@honduras.greenfleet.no						ttd: 102,240/1,198	ttd: 138,756/1,678	ttd: 135,225/1,631						
GREEN GUATEMALA BAHAMAS C6WA6 8912144 1992	(580) 430 886 810 (870) 331 100 040 (870) 331 100 039 (47) 418 591 59	375.723 4.495 7.721 8.87	131.25 19.60 7.743 3.726	3 3 12 7	1) 8.10 x 4.70 2) 8.10 x 4.70 3) 8.10 x 4.70 2.20	A 38.423/441 B 30.442/355 C 21.966/263 D 10.771/137	A 39.306/454 B 37.823/454 C 33.338/422 D 28.147/338	A 38.883/450 B 38.070/458 C 30.725/389 D 27.829/334		1) 45FEU OR 89TEU+4FEU 2) 30FEU OR 54TEU+4FEU 3) 30FEU OR 54TEU+4FEU 4) 5) 29	1 CRANE x 17/34 mt 3 PALLET CRANES x 8 mt	1) 19 knts @31 mt IFO380 2) 2.5 mt IFO380 3) 5 mt IFO380 4) 4.5 mt IFO380	960 mt IFO380 105 mt MDO	USDA FITTED CA PRE-PIPED
bridge@guatemala.greenfleet.no						ttd: 101,602/1,196	ttd: 138,614/1,668	ttd: 135,507/1,631						
GREEN CHILE BAHAMAS C6WH7 8912156 1992	(580) 431 105 110 (870) 761 153 469 (870) 761 153 467 (47) 902 782 22	375.477 4.497 7.721 8.85	131.25 19.60 7.743 3.726	3 3 12 7	1) 8.33 x 4.68 2) 8.33 x 4.68 3) 8.33 x 4.68 2.20	A 38.741/442 B 30.442/355 C 21.966/263 D 10.842/137	A 38.883/453 B 37.823/454 C 33.338/421 D 28.147/339	A 38.671/451 B 38.070/458 C 30.725/390 D 27.829/334		1) 45FEU OR 89TEU+4FEU 2) 30FEU OR 54TEU+4FEU 3) 30FEU OR 54TEU+4FEU 4) 5) 29	1 CRANE x 17/34 mt 3 PALLET CRANES x 8 mt	1) 19 knts @31 mt IFO380 2) 2.5 mt IFO380 3) 5 mt IFO380 4) 4.5 mt IFO380	960 mt IFO380 105 mt MDO	USDA FITTED CA PRE-PIPED
bridge@chile.greenfleet.no						ttd: 101,991/1,197	ttd: 138,191/1,667	ttd: 135,295/1,633						
GREEN COSTA RICA BAHAMAS C6WB3 8912120 1992	(580) 430 968 910 (870) 761 121 420 (870) 773 156 492 (47) 468 407 01	375.442 4.494 7.721 8.87	131.25 19.60 7.743 3.726	3 3 12 7	1) 8.33 x 4.68 2) 8.33 x 4.68 3) 8.33 x 4.68 2.20	A 38.565/442 B 30.548/355 C 21.684/263 D 10.736/136	A 39.801/454 B 37.811/454 C 33.338/421 D 28.005/339	A 38.989/445 B 37.894/459 C 30.760/389 D 27.511/335		1) 45FEU OR 89TEU+4FEU 2) 30FEU OR 54TEU+4FEU 3) 30FEU OR 54TEU+4FEU 4) 5) 29	1 CRANE x 17/34 mt 3 PALLET CRANES x 8 mt	1) 19 knts @31 mt IFO380 2) 2.5 mt IFO380 3) 5 mt IFO380 4) 4.5 mt IFO380	960 mt IFO380 105 mt MDO	USDA FITTED CA PRE-PIPED
bridge@costarica.greenfleet.no						ttd: 101,533/1,196	ttd: 138,755/1,668	ttd: 135,154/1,628						

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
PRINCE OF SEAS LIBERIA A8J15 9014444 1993	(580) 463 791 365 (870) 764 636 645 (870) 764 636 643 (49) 152 549 276 27	371.412 4.121 6.849 7.76	130.50 19.00 6.363 4.297	4 4 15 8	1) 6.20 x 7.40 2) 6.20 x 7.40 3) 6.20 x 7.40 4) 6.20 x 7.40 2.20	A <u>30.348/331</u> B <u>31.218/340</u> C <u>29.276/338</u> D <u>25.429/265</u>	A 15.355/184 B <u>23.755/240</u> C <u>29.276/338</u> D <u>25.429/265</u>	A 13.568/166 B <u>29.630/330</u> C <u>28.000/331</u> D <u>27.993/297</u>	A 15.309/187 B <u>31.135/355</u> C <u>28.510/320</u> D <u>23.582/241</u>	1) 49FEU+2TEU OR 60TEU+3FEU 2) 45FEU OR 42TEU 3) 28FEU OR 28TEU 4) 5) 47	1 CRANE x 36 mt 8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 19 knts @29 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	800 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED
master.princeofseas@tritonfleet.net						ttl: 72,407/767	ttl: 101,278/1,127	ttl: 99,191/1,124	ttl: 98,536/1,103					
COOL EXPRESS DUTCH PDKK 9085479 1994	(580) 424 531 712 (870) 764 829 449 (870) 764 829 448 (31) 651 920 359	362.351 4.313 7.505 8.01	126.29 16.31 5.471 2.978	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A <u>23.274/266</u> B <u>20.856/232</u> C <u>16.400/186</u> D <u>13.528/153</u>	A <u>27.723/327</u> B <u>26.964/327</u> C <u>25.986/320</u> D <u>25.115/301</u>	A <u>26.416/310</u> B <u>25.730/313</u> C <u>25.244/314</u> D <u>25.001/301</u>	A <u>24.521/287</u> B <u>23.687/288</u> C <u>20.539/248</u> D <u>11.357/140</u>	1) 31FEU+4TEU OR 66TEU 2) 20FEU+2TEU OR 42TEU 3) 4) 40TEU 5) 20	2 CRANES x 7 mt	1) 17.3 knts @24 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.5 mt MGO	825 mt IFO380 85 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.coolexpress@seatradefleet.com						ttl: 74,058/837	ttl: 105,788/1,275	ttl: 102,400/1,238	ttl: 80,104/963					
Tama class														
ASIAN COSMOS PANAMA 3FLM8 9172698 1998	(580) 435 651 710 (870) 783 194 430 (870) 773 190 430	373.827 4.231 8.035 8.22	130.02 19.50 6.971 3.230	4 4 15 8	1) 6.20 x 5.20 2) 7.30 x 7.43 3) 7.30 x 7.43 4) 7.30 x 7.43 2.20	A <u>21.345/222</u> B <u>15.685/179</u> C <u>13.268/154</u> D <u>23.129/264</u>	A <u>30.030/319</u> B <u>26.279/314</u> C <u>26.404/298</u> D <u>23.129/264</u>	A <u>30.455/326</u> B <u>27.107/326</u> C <u>28.613/326</u> D <u>26.590/321</u>	A <u>29.816/320</u> B <u>26.363/317</u> C <u>26.611/299</u> D <u>22.132/246</u>	1) 14FEU 2) 8FEU 3) 4) 5) 20	8 DERRICKS x 7.5 mt or 4 x 5 mt IN UP	1) 16.5 knts @25 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4.5 mt IFO380	1,015 mt IFO380 75 mt MDO	USDA FITTED
cosmos@mailliner.com						ttl: 50,298/555	ttl: 105,842/1,195	ttl: 112,765/1,299	ttl: 104,922/1,182					
TAMA HOPE BAHAMAS C6MB8 8517346 1986	(580) 430 800 396 (870) 762 517 199 (870) 762 517 198 (31) 651 081 541	350.922 3.802 7.685 7.42	145.55 18.70 6.579 3.615	4 4 12 8	1) 8.35 x 6.00 2) 8.35 x 6.00 3) 8.35 x 6.00 4) 8.35 x 6.00 2.20	A <u>31.783/307</u> B <u>22.637/220</u> C <u>15.538/156</u> D <u>23.129/264</u>	A <u>33.372/361</u> B <u>30.159/341</u> C <u>26.910/290</u> D <u>23.129/264</u>	A <u>32.772/363</u> B <u>31.359/365</u> C <u>30.936/363</u> D <u>26.590/321</u>	A <u>34.750/383</u> B <u>32.066/365</u> C <u>28.640/288</u> D <u>22.132/246</u>	1) 8FEU+8TEU OR 24TEU 2) 8FEU+8TEU OR 24TEU 3) 4) 16TEU 5) 24	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17.5 knts @22 mt IFO380 2) 1.8 mt IFO380 3) 4 mt IFO380 4) 3.5 mt IFO380	1,060 mt IFO380 35 mt MDO	USDA FITTED
master.tamahope@seatradefleet.com						ttl: 69,958/683	ttl: 90,441/992	ttl: 95,067/1,091	ttl: 95,456/1,036					
TAMA STAR BAHAMAS C6MA6 8517358 1987	(580) 430 800 397 (870) 761 910 716 (870) 761 910 715 (31) 651 081 532	350.922 3.802 7.685 7.42	145.55 18.70 6.579 3.615	4 4 12 8	1) 8.35 x 6.00 2) 8.35 x 6.00 3) 8.35 x 6.00 4) 8.35 x 6.00 2.20	A <u>31.783/307</u> B <u>22.637/220</u> C <u>15.538/156</u> D <u>23.129/264</u>	A <u>33.372/361</u> B <u>30.159/341</u> C <u>26.910/290</u> D <u>23.129/264</u>	A <u>32.772/363</u> B <u>31.359/365</u> C <u>30.936/363</u> D <u>26.590/321</u>	A <u>34.750/383</u> B <u>32.066/365</u> C <u>28.640/288</u> D <u>22.132/246</u>	1) 8FEU+8TEU OR 24TEU 2) 8FEU+8TEU OR 24TEU 3) 4) 16TEU 5) 24	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17.5 knts @22 mt IFO380 2) 1.8 mt IFO380 3) 4 mt IFO380 4) 3.5 mt IFO380	1,040 mt IFO380 35 mt MDO	USDA FITTED
master.tamastar@seatradefleet.com						ttl: 69,958/683	ttl: 90,441/992	ttl: 95,067/1,091	ttl: 95,456/1,036					
Nova 4 holds														
NOVA CALEDONIA MALTA 9HIH5 8518807 1986	(580) 424 984 211 (870) 765 052 024 (870) 773 130 926	263.003 2.946 6.544 7.31	124.70 17.80 4.964 3.037	4 4 12 8	1) 8.20 x 6.20 2) 8.20 x 6.20 3) 8.20 x 6.20 4) 8.20 x 6.20 2.20	A <u>21.739/212</u> B <u>15.994/184</u> C <u>12.700/138</u> D <u>21.739/212</u>	A <u>25.753/279</u> B <u>22.813/276</u> C <u>21.251/233</u> D <u>21.447/253</u>	A <u>24.146/261</u> B <u>21.851/269</u> C <u>21.475/227</u> D <u>21.475/227</u>	A <u>28.814/317</u> B <u>25.020/298</u> C <u>21.475/227</u> D <u>21.475/227</u>	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 16.8 knts @17 mt IFO380 2) 1 mt IFO380 AND 0.3 mt MDO 3) 3 mt IFO380 4) 2 mt IFO380 AND 1 mt MDO	775 mt IFO380 125 mt MDO	USDA FITTED
master.novacaledonia@marsatmail.com						ttl: 50,433/534	ttl: 69,817/788	ttl: 67,444/783	ttl: 75,309/842					
N- and Sierra class														
SIERRA LAUREL DUTCH PJWZ 9163403 1998	(580) 430 686 610 (870) 764 850 259 (870) 600 935 421 (31) 611 322 387	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	A <u>19.720/203</u> B <u>16.070/183</u> C <u>13.580/155</u> D <u>19.720/203</u>	A <u>25.540/273</u> B <u>22.350/260</u> C <u>21.900/254</u> D <u>25.540/273</u>	A <u>25.880/277</u> B <u>22.960/267</u> C <u>23.280/270</u> D <u>25.880/277</u>	A <u>25.170/268</u> B <u>21.760/252</u> C <u>21.840/263</u> D <u>25.170/268</u>	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	695 mt IFO380 590 mt MGO	BOWTHRUSTER USDA FITTED
master.sierralaurel@seatradefleet.com						ttl: 49,370/541	ttl: 69,790/787	ttl: 72,120/814	ttl: 68,770/783					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIDES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
SIERRA LEYRE DUTCH PJJZ 9135822 1997	(580) 430 687 310 (870) 764 877 251 (870) 764 877 249 (31) 611 323 077	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	A 19.720/203 B 16.070/183 C 13.580/155	A 25.540/273 B 22.350/260 C 21.900/254	A 25.880/277 B 22.960/267 C 23.280/270	A 25.170/268 B 21.760/252 C 21.840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	695 mt IFO380 920 mt MGO	BOWTHRUSTER USDA FITTED
master.sierraleyre@seatrdefleet.com						tlt: 49,370/541	tlt: 69,790/787	tlt: 72,120/814	tlt: 68,770/783					
A-class														
ANTILLA DUTCH PJJI 8812801 1990	(580) 430 651 110 (870) 783 157 655 (870) 773 154 869 (31) 651 294 345	199.618 2.213 4.600 6.90	105.35 16.00 4.190 2.006	4 4 11 8	1) 6.70 x 6.30 2) 7.40 x 6.30 3) 7.40 x 6.30 4) 7.40 x 6.30 2.20	A 13.163/73 B 4.559/49 C	A 23.776/231 B 17.977/215 C 14.755/170	A 23.530/255 B 20.807/262 C 19.366/243	A 23.457/253 B 20.432/253 C 17.796/211	1) 6FEU+8TEU OR 20TEU 2) 6FEU+8TEU OR 20TEU 3) 4) 5) 8	3 CRANES x 5 mt	1) 14.5 knts @13 mt IFO380 2) 1.5 mt IFO380 3) 2.5 mt IFO380 4) 2 mt IFO380	430 mt IFO380 85 mt MDO	
master.antilla@seatrdefleet.com						tlt: 17,722/122	tlt: 56,508/616	tlt: 63,703/760	tlt: 61,685/717					
ARUBA DUTCH PJJH 8812796 1990	(580) 430 650 910 (870) 783 158 267 (870) 773 155 332 (31) 622 557 854	199.618 2.213 4.600 6.90	105.35 16.00 4.190 2.006	4 4 11 8	1) 6.70 x 6.30 2) 7.40 x 6.30 3) 7.40 x 6.30 4) 7.40 x 6.30 2.20	A 13.163/73 B 4.559/49 C	A 23.776/231 B 17.977/215 C 14.755/170	A 23.530/255 B 20.807/262 C 19.366/243	A 23.457/253 B 20.432/253 C 17.796/211	1) 6FEU+8TEU OR 20TEU 2) 6FEU+8TEU OR 20TEU 3) 4) 5) 8	3 CRANES x 5 mt	1) 14.5 knts @13 mt IFO380 2) 1.5 mt IFO380 3) 2.5 mt IFO380 4) 2 mt IFO380	430 mt IFO380 85 mt MDO	
master.aruba@seatrdefleet.com						tlt: 17,722/122	tlt: 56,508/616	tlt: 63,703/760	tlt: 61,685/717					
NEW HAYATSUKI PANAMA 3E2C7 9003756 1990	(580) 435 232 010 (870) 765 061 485 (870) 765 061 483 (81) 80 353 529 87	192.443 2.298 5.181 6.86	116.20 16.20 4.287 2.026	3 3 9 6	1) 7.00 x 6.00 2) 7.00 x 6.00 3) 7.00 x 6.00 2.20	A 20.999/247 B 18.502/215 C 15.025/165	A 23.395/290 B 23.875/292 C 23.249/280	A 23.125/287 B 23.293/282 C 20.980/240		1) 2) 3) 4) 5)	6 DERRICKS x 0 mt or 3 x 3 mt IN UP	1) 15 knts @13 mt IFO180 2) 1.5 mt IFO180 3) 2.5 mt IFO180 4) 2.2 mt IFO180	745 mt IFO180 70 mt MDO	BOWTHRUSTER
hayatsuki@mailliner.com						tlt: 54,526/627	tlt: 70,519/862	tlt: 67,398/809						
GSC														
WHITE DOLPHIN PANAMA 3EVO6 8807430 1988	(580) 435 181 710 (870) 764 685 490 (870) 764 685 488	300.996 3.282 7.101 7.61	136.83 18.00 5.893 3.362	4 4 24 16	1) 8.40 x 6.40 2) 8.40 x 6.40 3) 8.40 x 6.40 4) 8.40 x 6.40 2.20	A 24.202/217 B 14.435/156 C 10.839/110	A 30.274/322 B 26.923/312 C 23.375/254	A 30.881/335 B 28.951/346 C 27.876/324	A 30.749/333 B 28.473/331 C 24.018/242	1) 6FEU+4TEU OR 16TEU 2) 6FEU+4TEU OR 16TEU 3) 4) 5) 8	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 15 knts @13.5 mt IFO380 2) 1.5 mt IFO380 3) 3 mt IFO380 4) 3 mt IFO380	825 mt IFO380 55 mt MDO	BOWTHRUSTER USDA FITTED
whitedolphin@ams.marinet.com						tlt: 49,476/483	tlt: 80,572/888	tlt: 87,708/1,005	tlt: 83,240/906					
NOVA FLORIDA DUTCH PJJP 8813635 1989	(580) 430 675 210 (870) 773 150 014 (31) 651 512 609	298.320 3.512 6.729 7.52	124.70 17.80 5.476 3.559	4 4 48 24	1) 6.20 x 7.30 2) 6.20 x 7.30 3) 6.20 x 7.30 4) 6.20 x 7.30 2.20	A 13.382/158 B 18.440/205 C 15.157/173 D 12.033/131	A 12.024/140 B 22.684/277 C 23.062/275 D 20.920/235	A 11.148/129 B 20.945/261 C 21.813/268 D 21.389/257	A 13.583/160 B 25.596/315 C 25.093/299 D 21.051/228	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17 knts @18 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 3 mt IFO380 AND 0.5 mt MDO	705 mt IFO380 90 mt MDO	USDA FITTED
master.novafiorida@seatrdefleet.com						tlt: 59,012/667	tlt: 78,690/927	tlt: 75,295/915	tlt: 85,323/1,002					
DAMACO FRANCIA LIBERIA A8QO5 8813623 1989	(580) 463 702 860 (870) 764 866 594 (870) 764 866 591	298.217 3.514 6.729 7.52	124.70 17.80 5.476 3.559	4 4 32 16	1) 6.20 x 7.30 2) 6.20 x 7.30 3) 6.20 x 7.30 4) 6.20 x 7.30 2.20	A 13.257/158 B 18.392/204 C 15.273/173 D 11.909/131	A 11.935/139 B 22.777/278 C 23.116/275 D 20.882/236	A 11.064/129 B 21.026/261 C 21.877/269 D 21.313/258	A 13.498/160 B 25.655/315 C 25.146/299 D 21.097/228	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17 knts @18 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 3 mt IFO380 AND 0.5 mt MDO	705 mt IFO380 90 mt MDO	USDA FITTED
master.damacofrancia@amosconnect.com						tlt: 58,831/666	tlt: 78,710/928	tlt: 75,280/917	tlt: 85,396/1,002					
FRIO ADRIATIC PANAMA 3FVB4 9076272 1995	(580) 435 212 720 (870) 761 120 223 (870) 765 089 261 (31) 622 557 853	269.662 2.968 6.670 7.29	133.95 18.00 6.964 2.657	4 4 24 16	1) 7.80 x 6.50 2) 7.80 x 6.50 3) 7.80 x 6.50 4) 7.80 x 6.50 2.20	A 20.305/182 B 15.820/183 C 14.055/200	A 25.250/247 B 22.354/265 C 21.718/259	A 25.710/277 B 24.085/276 C 24.790/264	A 26.700/273 B 24.225/267 C 24.650/275	1) 22FEU OR 41TEU 2) 20FEU 3) 4) 48TEU 5)	8 DERRICKS x 5 mt or 4 x 3.2 mt IN UP	1) 15 knts @20 mt IFO180 2) 1.5 mt IFO180 3) 3.5 mt IFO180 4) 3 mt IFO180		ICE CLASS IA CA PRE-PIPED
master.frioadriatic@seatrdefleet.com						tlt: 50,180/565	tlt: 69,322/771	tlt: 74,585/817	tlt: 75,575/815					

NAME FLAG CALL SIGN IMOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIRES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
CANARIAN REEFER PANAMA 3FCC7 9081655 1997	(580) 435 358 511 (870) 765 089 293 (870) 765 089 291 (31) 622 932 831	269.449 2.964 6.720 7.27	133.95 18.00 6.971 2.641	4 4 24 16	1) 7.80 x 6.50 2) 7.80 x 6.50 3) 7.80 x 6.50 4) 7.80 x 6.50 2.20	A <u>20.306/200</u> B 15.609/181 C 14.055/178	A <u>25.250/259</u> B 22.354/265 C 21.718/248	A <u>25.709/264</u> B 24.084/276 C 24.791/277	A <u>26.697/275</u> B 24.228/268 C 24.650/273	1) 22FEU OR 41TEU 2) 21FEU 3) 3.5 mt IFO180 4) 48TEU 5)	8 DERRICKS x 5 mt or 4 x 3.2 mt IN UP	1) 15 knts @20 mt IFO180 2) 1.5 mt IFO180 3) 3.5 mt IFO180 4) 3 mt IFO180	1,140 mt IFO180 145 mt MDO	ICE CLASS IA CA PRE-PIPED
master.canarianreefer@seatrdefleet.com						ttd: 49,970/559	ttd: 69,322/772	ttd: 74,584/817	ttd: 75,573/816					
SIERRA MARIN PANAMA 3FNK5 9081631 1995	(580) 435 569 010 (870) 764 813 172 (870) 764 813 170 (31) 651 081 612	269.449 2.962 6.685 7.28	133.95 18.00 6.964 2.640	4 4 24 16	1) 7.80 x 6.50 2) 7.80 x 6.50 3) 7.80 x 6.50 4) 7.80 x 6.50 2.20	A <u>20.306/200</u> B 15.609/181 C 14.055/178	A <u>25.250/259</u> B 22.354/265 C 21.718/247	A <u>25.709/264</u> B 24.084/276 C 24.791/277	A <u>26.698/275</u> B 24.225/267 C 24.650/273	1) 22FEU OR 41TEU 2) 18FEU 3) 4) 48TEU 5)	8 DERRICKS x 5 mt or 4 x 3.2 mt IN UP	1) 15 knts @20 mt IFO180 2) 1.5 mt IFO180 3) 3.5 mt IFO180 4) 3 mt IFO180		ICE CLASS IA CA PRE-PIPED
master.sierramarin@seatrdefleet.com						ttd: 49,970/559	ttd: 69,322/771	ttd: 74,584/817	ttd: 75,573/815					
FRIO ANTARCTIC PANAMA 3FZS3 9076258 1994	(580) 435 286 411 (870) 765 090 091 (870) 765 090 089 (31) 620 433 641	269.310 2.957 6.715 7.87	133.95 18.00 6.964 2.657	4 4 24 16	1) 7.80 x 6.50 2) 7.80 x 6.50 3) 7.80 x 6.50 4) 7.80 x 6.50 2.20	A <u>19.246/188</u> B 15.821/172 C 15.962/156	A <u>25.250/270</u> B 22.284/270 C 20.765/255	A <u>25.533/274</u> B 24.014/278 C 24.579/280	A <u>26.769/273</u> B 24.508/268 C 24.579/273	1) 22FEU OR 41TEU 2) 20FEU 3) 4) 48TEU 5)	8 DERRICKS x 5 mt or 4 x 3.2 mt IN UP	1) 15 knts @20 mt IFO180 2) 1.5 mt IFO180 3) 3.5 mt IFO180 4) 3 mt IFO180		ICE CLASS IA
master.friantarctic@seatrdefleet.com						ttd: 51,029/516	ttd: 68,299/795	ttd: 74,126/832	ttd: 75,856/814					
FRIO AEGEAN PANAMA 3FGY4 9076260 1995	(580) 435 466 610 (870) 765 090 025 (870) 765 090 024 (31) 651 294 354	269.167 2.956 6.502 7.29	133.90 18.00 6.964 2.657	4 4 24 16	1) 7.80 x 6.50 2) 7.80 x 6.50 3) 7.80 x 6.50 4) 7.80 x 6.50 2.20	A <u>20.660/188</u> B 14.480/172 C 14.055/156	A <u>26.486/270</u> B 22.177/270 C 22.460/255	A <u>26.627/273</u> B 23.307/278 C 24.650/280	A <u>26.556/273</u> B 23.130/268 C 24.579/273	1) 22FEU OR 41TEU 2) 3) 4) 48TEU 5)	8 DERRICKS x 5 mt or 4 x 3.2 mt IN UP	1) 15 knts @20 mt IFO180 2) 1.5 mt IFO180 3) 3.5 mt IFO180 4) 3 mt IFO180		ICE CLASS IA
master.frioaegean@seatrdefleet.com						ttd: 49,195/516	ttd: 71,123/795	ttd: 74,584/831	ttd: 74,265/814					
FRIO POSEIDON PANAMA 3FRE3 9076246 1994	(580) 435 278 610 (870) 761 120 716 (870) 761 120 714 (31) 612 588 249	269.108 2.952 6.620 7.50	133.95 18.00 6.964 2.804	4 4 24 16	1) 7.80 x 6.50 2) 7.80 x 6.50 3) 7.80 x 6.50 4) 7.80 x 6.50 2.20	A <u>20.836/190</u> B 15.716/170 C 14.939/155	A <u>25.710/272</u> B 22.991/268 C 22.390/252	A <u>26.381/275</u> B 23.732/276 C 24.615/279	A <u>23.486/275</u> B 23.697/268 C 24.615/272	1) 22FEU OR 41TEU 2) 15FEU 3) 4) 48TEU 5)	8 DERRICKS x 5 mt or 4 x 3.2 mt IN UP	1) 15 knts @20 mt IFO180 2) 1.5 mt IFO180 3) 3.5 mt IFO180 4) 3 mt IFO180		ICE CLASS IA
Master.FrioPoseidon@seatrdefleet.com						ttd: 51,491/515	ttd: 71,091/792	ttd: 74,728/830	ttd: 71,798/815					
FRIO LAS PALMAS PANAMA 3FJQ3 9082178 1993	(580) 435 296 610 (870) 765 090 028 (870) 777 117 65 (31) 610 948 395	269.090 2.964 6.947 7.49	133.95 18.00 6.964 2.804	4 4 24 16	1) 7.80 x 6.50 2) 7.80 x 6.50 3) 7.80 x 6.50 4) 7.80 x 6.50 2.20	A <u>20.835/220</u> B 15.715/175 C 14.937/165	A <u>25.708/282</u> B 22.990/250 C 22.390/250	A <u>26.380/290</u> B 23.730/263 C 24.610/267	A <u>23.483/262</u> B 23.696/265 C 24.616/275	1) 22FEU OR 41TEU 2) 21FEU 3) 4) 48TEU 5)	8 DERRICKS x 5 mt or 4 x 3.2 mt IN UP	1) 15 knts @20 mt IFO180 2) 1.5 mt IFO180 3) 3.5 mt IFO180 4) 3 mt IFO180		ICE CLASS IA
master.friolaspalmas@seatrdefleet.com						ttd: 51,487/560	ttd: 71,088/782	ttd: 74,720/820	ttd: 71,795/802					
NEERLANDIC ANTIGUA AND BARBUDA Y2AY8 8411504 1985	(580) 430 401 926 (870) 777 102 61	265.245 3.209 5.232 7.35	108.76 15.85 3.955 2.717	3 4 24 12	1) 12.30 x 7.94 2) 2 x 8.80 x 7.94 3) 12.30 x 7.94 2.20	A 17.900/207 B <u>21.080/247</u> C 16.520/190 D 12.180/140	A 23.680/274 B <u>36.340/464</u> C 37.370/466 D 34.025/427	A 15.150/176 B <u>22.600/290</u> C 16.130/194 D 12.270/134		1) 20FEU OR 40TEU 2) 10FEU OR 20TEU 3) 4) 44TEU 5) 20	4 CRANES x 5 mt	1) 15.2 knts @16.5 mt IFO380 2) Shaft generator 3) Shaft generator 4) 2.2 mt MGO	520 mt IFO380 70 mt MGO	BOWTHRUSTER USDA FITTED
neerlandic@tuh-fleet.de						ttd: 67,680/784	ttd: 131,415/1,631	ttd: 66,150/794						
BREIZ KLIPPER DUTCH PJQV 8917211 1991	(580) 430 679 610 (870) 761 133 849 (870) 761 133 848 (31) 651 759 359	265.246 3.144 5.935 7.81	110.93 16.20 4.263 2.796	4 4 32 16	1) 8.75 x 8.50 2) 8.75 x 8.50 3) 8.75 x 8.50 4) 8.75 x 8.50 2.20	A 13.106/154 B <u>16.976/189</u> C 14.102/154 D 10.747/120	A 12.128/149 B <u>20.408/254</u> C 21.288/251 D 18.733/222	A 11.633/143 B <u>19.707/248</u> C 21.225/254 D 18.985/228	A 14.993/186 B <u>19.480/243</u> C 18.089/202 D 13.646/146	1) 16FEU+20TEU OR 52TEU 2) 8FEU OR 16TEU 3) 4) 5) 6	4 CRANES x 5 mt	1) 16 knts @18 mt IFO380 2) Shaft generator 3) Shaft generator 4) 1.5 mt IFO380 AND 1.3 mt MGO	490 mt IFO380 60 mt MGO	BOWTHRUSTER
master.breizklipper@seatrdefleet.com						ttd: 54,931/617	ttd: 72,557/876	ttd: 71,550/873	ttd: 66,208/777					

NAME FLAG CALL SIGN IMOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
HOLLAND KLIPPER DUTCH PESF 8810786 1989	(580) 424 454 210 (870) 764 895 079 (870) 764 895 078 (31) 651 239 646	261.262 2.961 5.415 7.56	107.65 16.20 3.999 2.619	3 4 24 12	1) 8.79 x 8.50 2) 2 x 8.79 x 8.50 3) 8.79 x 8.50 2.20	A 12.653/154 B <u>18.309/191</u> C 13.924/155 D 11,654/120	A 21.943/266 B <u>40.012/461</u> C 38.219/458 D 38,170/408	A 15.140/185 B <u>21.075/240</u> C 16.108/188 D 14,055/135		1) 16FEU+20TEU OR 52TEU 2) 8FEU OR 16TEU 3) 4) 5) 6	4 CRANES x 5 mt	1) 15 knts @16 mt IFO380 2) Shaft generator 3) Shaft generator 4) 1.5 mt IFO380 AND 1.3 mt MGO	465 mt IFO380 60 mt MGO	BOWTHRUSTER USDA FITTED
master.hollandklipper@seatradefleet.com						ttd: 56,540/620	ttd: 138,344/1,593	ttd: 66,378/748						
SIERRA LARA DUTCH PJYP 9120205 1996	(580) 430 687 111 (870) 764 851 169 (870) 764 851 165 (31) 611 323 955	260.050 2.925 5.970 6.70	117.50 17.50 5.110 2.314	4 4 24 10	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	A 19.720/203 B 16.070/183 C 13,580/155	A 25.540/273 B 22.350/260 C 21.900/254	A 25.880/277 B 22.960/267 C 23.280/270 C 21,840/263	A 25.170/268 B <u>21.760/252</u> C C 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	640 mt IFO380 390 mt MGO	BOWTHRUSTER USDA FITTED
master.sierralara@seatradefleet.com						ttd: 49,370/541	ttd: 69,790/787	ttd: 72,120/814	ttd: 68,770/783					
SIERRA LOBA DUTCH PJYS 9120217 1997	(580) 430 687 211 (870) 764 850 923 (870) 764 850 921 (31) 611 325 143	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 24 10	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	A 19.720/203 B 16.070/183 C 13,580/155	A 25.540/273 B 22.350/260 C 21.900/254	A 25.880/277 B 22.960/267 C 23.280/270 C 21,840/263	A 25.170/268 B <u>21.760/252</u> C C 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	695 mt IFO380 920 mt MGO	BOWTHRUSTER USDA FITTED
master.sierraloba@seatradefleet.com						ttd: 49,370/541	ttd: 69,790/787	ttd: 72,120/814	ttd: 68,770/783					
NOVA ZEELANDIA DUTCH PJHA 8514784 1986	(580) 430 649 710 (870) 763 224 266 (870) 763 224 264 (31) 651 585 328	238.985 2.684 5.509 7.31	115.00 16.80 4.440 2.655	3 3 18 12	1) 8.00 x 6.00 2) 8.00 x 6.00 3) 8.00 x 6.00 2.20	A <u>26.874/284</u> B 19.305/216 C 14.999/164	A <u>32.174/365</u> B 29.825/352 C 26.633/289	A <u>32.257/367</u> B 30,179/354 C 26.739/293		1) 4FEU OR 4TEU+2FEU 2) 4FEU OR 4TEU+2FEU 3) 4) 5) 6	6 DERRICKS x 4 mt or 3 x 4 mt IN UP	1) 16 knts @14 mt IFO380 2) 1 mt IFO380 AND 0.5 mt MDO 3) 2.5 mt IFO380 AND 0.5 mt MDO 4) 1.3 mt IFO380 AND 1.2 mt MDO	735 mt IFO380 110 mt MDO	USDA FITTED
master.novazeelandia@seatradefleet.com						ttd: 61,178/664	ttd: 88,632/1,006	ttd: 89,175/1,014						
NEW TAKATSUKI PANAMA 3EFN9 9015838 1991	(580) 435 580 210 (870) 761 151 337 (870) 761 149 184 (81) 80 3535 2986	237.136 2.552 5.248 6.91	120.70 16.60 4.446 2.287	3 3 18 12	1) 7.10 x 6.40 2) 7.10 x 6.40 3) 7.10 x 6.40 2.20	A <u>28.557/265</u> B 17.171/187 C 13.881/130	A <u>32.513/348</u> B 28.909/343 C 28.333/315	A <u>32.323/346</u> B 28.572/340 C 26.877/278		1) 2) 3) 4) 5)	6 DERRICKS x 5 mt or 3 x 3 mt IN UP	1) 15 knts @13.5 mt IFO380 2) 1.5 mt IFO380 AND 0.1 mt MDO 3) 3 mt IFO380 AND 0.1 mt MDO 4) 2.5 mt IFO380 AND 0.3 mt MDO	655 mt IFO380 75 mt MDO	USDA FITTED
takatsuki@mailliner.com						ttd: 59,609/582	ttd: 89,755/1,006	ttd: 87,772/964						
NOVA BRETAGNE BAHAMAS CGJ17 9000364 1990	(580) 430 873 520 (870) 764 608 375 (870) 764 608 373 9000364	236.869 2.535 5.109 6.81	120.70 16.60 4.482 2.222	3 3 18 12	1) 7.10 x 6.40 2) 7.10 x 6.40 3) 7.10 x 6.40 2.20	A <u>28.713/263</u> B 17.158/186 C 13,781/128	A <u>32.454/346</u> B 28.730/341 C 28.490/314	A <u>32.104/344</u> B 28.581/337 C 26.858/275		1) 9TEU 2) 9TEU 3) 4) 5)	6 DERRICKS x 5 mt or 3 x 3 mt IN UP	1) 15.5 knts @13.5 mt IFO380 2) 1.5 mt IFO380 3) 2.5 mt IFO380 4) 2.4 mt IFO380	650 mt IFO380 60 mt MDO	BOWTHRUSTER USDA FITTED
master.novabretagne@seatradefleet.com						ttd: 59,652/577	ttd: 89,674/1,001	ttd: 87,543/956						
COPPENNAME DUTCH PJYM 8807636 1990	(580) 430 686 211 (870) 783 154 580 (870) 773 152 502 (31) 651 081 602	212.102 2.453 4.797 6.75	108.80 16.40 4.666 2.145	3 3 20 12	1) 7.50 x 5.20 2) 7.50 x 5.20 3) 7.50 x 5.20 2.20	FC 21.613/258 A <u>23.025/265</u> B <u>23.096/250</u>	A <u>23.025/265</u> B 22.001/261 C 21.860/248	A <u>24.500/284</u> B 23.767/284 C 22.143/252 C 12,148/138		1) 4FEU+6TEU OR 14TEU 2) 4FEU+6TEU OR 14TEU 3) 4) 18TEU 5) 14	3 CRANES x 5 mt	1) 15.2 knts @13 mt IFO380 2) 1 mt IFO380 AND 0.5 mt MDO 3) 1.5 mt IFO380 AND 1 mt MDO 4) 1.2 mt IFO380	575 mt IFO380 455 mt MDO	USDA FITTED
master.coppenname@seatradefleet.com						ttd: 74,797/859	ttd: 66,886/774	ttd: 70,419/820						

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZE/ HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/2E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					

General remarks

Not to be used for time charter description. Particulars believed to be correct but not guaranteed.
Speed and consumptions figures are based on banana laden condition without containers on deck.
Consumptions are in metric tons per 24 hours.

Fuel according ISO 8217:2010 norm

IFO380 - RMG380
IFO180 - RME180
IFO30 - RMA30
MDO - DMB
MGO - DMA

Compartment breakdown

Dashed underline stands for a 'spar' or 'fruil' deck.
Single underline stands for a deck with independent air circulation, but not insulated
Double underline stands for an insulated deck.

Containers

Laden container intake is based on maximum stackweights and forty-foot units of 26 mt and twenty-foot units of 14 mt.
Self-sustained containers stands for the maximum amount of 'laden' containers that can be lifted with own gear.
Total number of containers on deck remains subject to master's approval depending on lashing, stability and visibility rules.

E-mail

Sending e-mail to ships cab be subjected to:
- The size of the message (inc. attachments).
- Sender's e-mail address being white listed.
- Having an account with a service provider.