

An aerial photograph of a large white ship's deck, likely a cable-laying vessel. The deck is cluttered with various pieces of equipment, including large spools of white cable, metal railings, and other machinery. Several crew members in orange safety gear are visible on the deck. The ship is moving through the water, creating a large white wake. A large, semi-transparent orange shape is overlaid on the left side of the image, containing the text 'FLEETLIST' and the 'Seatrade GROUP N.V.' logo.

FLEETLIST


Seatrade
GROUP N.V.

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD	HOLD	HOLD						
Seatrade Color class															
SEATRADE ORANGE LIBERIA D5LJ7 9690092 2016	(580) 453 843 074 (870) 783 402 860 (870) 773 801 018 (31) 651 294 345	0 0 26.947 10.00	185.00 30.00 24.901 9.207	1 0 0 0	1) 	.00 x .00 					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
Master.SeatradeOrange@Seatradefleet.com						ttr:	0/0								
SEATRADE RED LIBERIA D5LR9 9690107 2016	(580) 463 721 242 (870) 783 403 072 (870) 773 801 683 (31) 622 557 854	0 0 27.025 10.00	185.00 30.00 24.901 9.207	1 0 0 0	1) 	.00 x .00 					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
master.seatradered@seatradefleet.com						ttr:	0/0								
SEATRADE WHITE LIBERIA D5LS2 9756092 2016	(580) 463 721 761 (870) 783 403 810 (870) 773 156 958 (31) 651 081 532	0 0 27.200 10.00	185.00 30.00 24.901 9.207	0 0 0 0		.00 					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
master.seatradewhite@seatradefleet.com						ttr:	0/0								
SEATRADE BLUE LIBERIA D5LS3 9756107 2017	(580) 463 721 989 (870) 783 403 993 (870) 773 265 532 (31) 651 428 271	0 0 27.200 10.00	185.00 30.00 24.901 9.207	0 0 0 0		.00 					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
master.seatradeblue@seatradefleet.com						ttr:	0/0								
SEATRADE GREEN LIBERIA 9810915 2018		0 0 27.200 10.00	185.00 30.00 25.175 9.381	1 0 0 0	1) 	.00 x .00 					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
						ttr:	0/0								
SEATRADE GOLD LIBERIA 9810927 2018		0 0 27.200 10.00	185.00 30.00 25.175 9.381	1 0 0 0	1) 	.00 x .00 					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
						ttr:	0/0								

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
A-B-C Klipper class														
BALTIC KLIPPER LIBERIA A8VR5 9454759 2010	(580) 463 708 518 (870) 783 158 899 (870) 773 155 842 (31) 620 433 636	661.636 7.118 15.693 10.32	165.00 25.00 14.091 7.603	4 4 16 8	1) 7.00 x 10.50 2) 12.60 x 10.50 3) 12.60 x 10.50 4) 12.60 x 10.50 2.30	FC 55,535/574 A 33,228/347 B 26,371/285 C 22,852/238	A 52,395/535 B 46,147/513 C 41,527/464 D 35,690/372	A 52,621/544 B 48,151/547 C 47,070/541 D 34,403/403	A 48,099/486 B 43,413/485 C 40,111/441 D 34,023/343	1) 267FEU+9TEU OR 552TEU 2) 247FEU+9TEU OR 503TEU 3) 242FEU+9TEU OR 434TEU 4) 48FEU+12TEU OR 108TEU 5) 200	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 21.5 knts @55.5 mt IFO380 2) 2.6 mt IFO380 3) 6.5 mt IFO380 4) 6 mt IFO380	1975 mt IFO380 100 mt MDO	BOWTHRUSTER ICE CLASS IB USDA FITTED CA PRE-PIPED
master.balticklipper@seatradefleet.com						ttl: 137,986/1,444	ttl: 175,759/1,884	ttl: 182,245/2,035	ttl: 165,646/1,755					
ATLANTIC KLIPPER DUTCH PCIU 9454761 2011	(580) 435 385 511 (870) 783 200 463 (870) 773 157 169 (31) 651 851 095	661.530 7.118 15.693 10.32	165.00 25.00 14.091 7.603	4 4 16 8	1) 7.00 x 10.50 2) 12.60 x 10.50 3) 12.60 x 10.50 4) 12.60 x 10.50 2.30	FC 55,656/574 A 33,217/347 B 26,365/285 C 22,541/238	A 52,410/535 B 46,162/513 C 41,606/464 D 35,636/372	A 52,659/544 B 48,194/547 C 47,038/541 D 34,397/403	A 48,111/486 B 43,397/485 C 40,114/441 D 34,027/343	1) 267FEU+9TEU OR 552TEU 2) 247FEU+9TEU OR 503TEU 3) 242FEU+9TEU OR 434TEU 4) 48FEU+12TEU OR 108TEU 5) 200	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 21.5 knts @55.5 mt IFO380 2) 2.6 mt IFO380 3) 6.5 mt IFO380 4) 6 mt IFO380	1975 mt IFO380 75 mt MDO	BOWTHRUSTER ICE CLASS IB USDA FITTED CA PRE-PIPED
master.atlanticklipper@seatradefleet.com						ttl: 137,779/1,444	ttl: 175,814/1,884	ttl: 182,288/2,035	ttl: 165,649/1,755					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Country class														
SWEDISH REEFER BAHAMAS C6KD4 9030149 1992	(580) 430 812 610 (870) 783 903 095 (870) 773 166 646 (30) 694 912 1064	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.swedish.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					
SCHWEIZ REEFER BAHAMAS C6KD9 9015216 1992	(580) 430 812 410 (870) 783 903 099 (870) 773 166 584 (30) 694 912 1049	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
schweiz.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					
ITALIA REEFER BAHAMAS C6KD5 9030137 1992	(580) 430 843 810 (870) 783 903 093 (870) 773 166 657 (30) 694 912 1065	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
italia.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					
HELLAS REEFER BAHAMAS C6KD8 9015187 1991	(870) 773 166 918	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 40/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.hellas.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					
NEDERLAND REEFER BAHAMAS C6KD6 9015199 1991	(580) 430 812 211 (870) 773 166 913 (30) 694 912 1043	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.nederland.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES								
						HOLD 1	HOLD 2	HOLD 3	HOLD 4													
L-Strait class																						
LOMBOK STRAIT	(580) 463 791 020	626.011	167.00	4	1) 3.30 x 6.00	FC <u>47,441/555</u>	A 52,133/615	A 57,199/674	A 48,589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21.5 knts @58 mt IFO380	1850 mt IFO380	BOWTHRUSTER								
MALTA	(870) 783 255 418	7.341	25.00	4	2) 3.30 x 6.00	A 27,797/328	B <u>45,853/543</u>	B <u>56,447/669</u>	B <u>48,239/572</u>	2) 200FEU OR 396TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED								
9HA3797	(870) 773 238 760	15.917	14.413	15	3) 3.30 x 6.00	B 14,693/174	C 38,542/441	C 57,100/653	C 43,309/496	3) 200FEU OR 396TEU		3) 6 mt IFO380		CA PLANT								
9204958	(49) 152 549 276 21	10.00	7.536	8	4) 3.30 x 6.00	D 24,048/284	D 24,048/284	D 42,221/499	D 22,400/264	4) 200		4) 6 mt IFO380		MA PLANT								
2002	master.lombokstrait@tritonfleet.net					2.25	ttl: 89,931/1,057				ttl: 160,576/1,883				ttl: 212,967/2,495				ttl: 162,537/1,905			
LUZON STRAIT	(580) 425 606 411	626.011	167.00	4	1) 3.30 x 6.00	FC <u>47,441/555</u>	A 52,133/615	A 57,199/674	A 48,589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21.5 knts @58 mt IFO380	1850 mt IFO380	BOWTHRUSTER								
MALTA	(870) 783 255 328	7.341	25.00	4	2) 3.30 x 6.00	A 27,797/328	B <u>45,853/543</u>	B <u>56,447/669</u>	B <u>48,239/572</u>	2) 200FEU OR 396TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED								
9HA3803	(870) 773 238 658	15.917	14.413	15	3) 3.30 x 6.00	B 14,693/174	C 38,542/441	C 57,100/653	C 43,309/496	3) 200FEU OR 396TEU		3) 6 mt IFO380		CA PLANT								
9204960	(49) 152 549 276 22	10.02	7.536	8	4) 3.30 x 6.00	D 24,048/284	D 24,048/284	D 42,221/499	D 22,400/264	4) 200		4) 6 mt IFO380		MA PLANT								
2002	master.luzonstrait@tritonfleet.net					2.25	ttl: 89,931/1,057				ttl: 160,576/1,883				ttl: 212,967/2,495				ttl: 162,537/1,905			

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/4 E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Ocean class														
ATLANTIC REEFER	(580) 463 715 320	597.139	175.72	4	1) 8.10 x 6.00	A <u>35,432/399</u>	A 18,457/202	A 18,445/203	A 18,219/202	1) 102FEU OR 136TEU+34FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	1150 mt IFO380	USDA FITTED
LIBERIA	(870) 783 154 643	6.804	22.60	4	2) 8.10 x 6.00	B 26,435/269	B 36,430/433	B 36,037/431	B 39,374/467	2) 82FEU OR 80TEU+26FEU	2 CRANES x 36 mt	2) 2 mt IFO380	50 mt MDO	CA PRE-PIPED
D5FE2	(870) 773 152 571	17.322	13.055	19	3) 8.10 x 6.00	C 17,273/183	C <u>37,816/453</u>	C <u>41,793/497</u>	C <u>41,631/479</u>	3) 82FEU OR 80TEU+26FEU	1 CRANE x 8 mt	3) 6 mt IFO380		
9179256 1998	(31) 620 493 150	9.72	7.580	8	4) 8.10 x 6.00 2.20	D 14,038/157	D 33,862/391	D 40,443/479	D 36,454/408	4) 5) 200		4) 6 mt IFO380		
master.atlanticreefer@seatradefleet.com						ttl: 93,178/1,008	ttl: 157,632/1,818	ttl: 179,262/2,093	ttl: 167,067/1,885					
PACIFIC REEFER	(580) 463 715 295	596.925	175.72	4	1) 8.10 x 6.00	A <u>35,352/398</u>	A 18,457/202	A 18,445/203	A 18,274/202	1) 102FEU OR 136TEU+34FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	1150 mt IFO380	USDA FITTED
LIBERIA	(870) 773 159 697	6.803	22.60	4	2) 8.10 x 6.00	B 26,282/268	B 36,430/433	B 36,037/431	B 39,435/467	2) 82FEU OR 80TEU+26FEU	2 CRANES x 36 mt	2) 2 mt IFO380	50 mt MDO	CA PRE-PIPED
D5FE3	(870) 773 156 506	17.322	13.055	19	3) 8.10 x 6.00	C 17,316/181	C <u>37,816/453</u>	C <u>41,793/497</u>	C <u>41,655/480</u>	3) 82FEU OR 80TEU+26FEU	1 CRANE x 8 mt	3) 6 mt IFO380		
9179268 1999	(31) 653 445 603	9.72	7.624	8	4) 8.10 x 6.00 2.20	D 14,007/157	D 33,862/391	D 40,443/479	D 36,378/410	4) 5) 200		4) 6 mt IFO380		
master.pacificreefer@seatradefleet.com						ttl: 92,957/1,004	ttl: 157,632/1,818	ttl: 179,262/2,093	ttl: 167,074/1,888					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Maxi Stream class														
ROYAL KLIPPER DUTCH PCIH 9172959 2000	(580) 424 642 810 (870) 873 155 012 (870) 773 152 841 (31) 620 493 151 master.royalklipper@seatradefleet.com	580.754 6.613 12.902 10.12	155.00 24.00 11.382 6.408	4 4 19 8	1) 8.00 x 10.60 2) 13.50 x 10.60 3) 13.50 x 10.60 4) 13.50 x 10.60 2.30	UPI 7,108/86 A 41,565/420 B 25,347/290 C 15,994/191 D 25,214/300 ttl: 90,014/987	UPI 11,890/144 A 47,759/532 B 44,219/500 C 37,734/436 D 25,214/300 ttl: 166,816/1,912	UPI 11,890/144 A 46,537/517 B 46,162/522 C 44,962/516 D 28,588/338 ttl: 178,139/2,037	UPI 11,890/144 A 41,308/469 B 38,373/437 C 32,098/368 D 22,116/259 ttl: 145,785/1,677	1) 207FEU OR 390TEU 2) 180FEU OR 240TEU+60FEU 3) 180FEU OR 240TEU+60FEU 4) 60FEU+12TEU OR 132TEU 5) 185	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @48 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1850 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
COMOROS STREAM LIBERIA A8IP4 9167801 2000	(580) 463 791 016 (870) 783 158 465 (870) 773 239 060 (49) 152 549 276 04 master.comorosstream@tritonfleet.net	580.754 6.613 12.902 10.12	155.00 24.00 11.382 6.408	4 4 19 8	1) 8.00 x 10.60 2) 13.50 x 10.60 3) 13.50 x 10.60 4) 13.50 x 10.60 2.30	UPI 7,108/86 A 41,565/420 B 25,347/290 C 15,994/191 D 25,214/300 ttl: 90,014/987	UPI 11,890/144 A 47,759/532 B 44,219/500 C 37,734/436 D 28,588/338 ttl: 166,816/1,912	UPI 11,890/144 A 46,537/517 B 46,162/522 C 44,962/516 D 28,588/338 ttl: 178,139/2,037	UPI 11,890/144 A 41,308/469 B 38,373/437 C 32,098/368 D 22,116/259 ttl: 145,785/1,677	1) 207FEU OR 390TEU 2) 180FEU OR 240TEU+60FEU 3) 180FEU OR 240TEU+60FEU 4) 60FEU+12TEU OR 132TEU 5) 185	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @48 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1850 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Polar class														
POLARSTREAM	(580) 463 712 140	564.280	154.00	4	1) 12.60 x 8.00	FC <u>47,903/531</u>	A 44,313/477	A 44,154/488	A 47,669/531	1) 136FEU+8TEU OR 268TEU	2 CRANES x 36 mt	1) 21 knts @44.1 mt IFO380	1425 mt IFO380	USDA FITTED
LIBERIA	(870) 783 158 848	6.495	24.00	4	2) 12.60 x 8.00	A 32,927/316	B <u>35,593/429</u>	B <u>40,607/487</u>	B <u>40,771/490</u>	2) 109FEU+8TEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
D5BR6	(870) 773 239 062	12.473	11.417	16	3) 12.60 x 8.00	B 17,106/206	C 30,780/384	C 38,446/482	C 36,148/434	3) 109FEU+8TEU OR 212TEU		3) 6 mt IFO380		
9189885 1999	(49) 152 549 276 26	9.90	5.966	8	4) 12.60 x 8.00	C 10,849/126	D 28,986/327	D 35,889/432	D 32,139/355	4) 42FEU OR 84TEU		4) 6 mt IFO380		
master.polarstream@tritonfleet.net						2.20				5) 109				
						ttl: 108,785/1,179	ttl: 139,672/1,617	ttl: 159,096/1,889	ttl: 156,727/1,810					
POLARLIGHT	(580) 463 712 168	564.160	154.00	4	1) 12.60 x 8.00	FC <u>47,874/531</u>	A 44,313/477	A 44,154/488	A 47,649/531	1) 136FEU+8TEU OR 268TEU	2 CRANES x 36 mt	1) 21 knts @44.1 mt IFO380	1400 mt IFO380	USDA FITTED
LIBERIA	(870) 783 200 921	6.493	24.00	4	2) 12.60 x 8.00	A 32,999/317	B <u>35,601/428</u>	B <u>40,607/487</u>	B <u>40,743/490</u>	2) 109FEU+8TEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
D5BR7	(870) 773 238 977	12.473	11.417	16	3) 12.60 x 8.00	B 17,068/206	C 30,698/383	C 38,454/482	C 36,140/434	3) 109FEU+8TEU OR 212TEU		3) 6 mt IFO380		
9189873 1998	(49) 152 549 276 25	9.90	5.966	8	4) 12.60 x 8.00	C 10,880/126	D 28,986/327	D 35,855/432	D 32,139/355	4) 42FEU OR 84TEU		4) 6 mt IFO380		
master.polarlight@tritonfleet.net						2.20				5) 109				
						ttl: 108,821/1,180	ttl: 139,598/1,615	ttl: 159,070/1,889	ttl: 156,671/1,810					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWTAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIRES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
E- class														
ELSEBETH MALTA 9HA3898 9175901 1998	(580) 425 638 910 (870) 783 255 412 (870) 773 238 726 (49) 152 549 276 08	549.326 6.226 12.734 9.67	151.99 23.00 10.519 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85 2.20	A 45,374/492 B 26,896/308 C 20,150/213 D 8,608/105	A 43,828/465 B 37,552/438 C 31,874/379 D 26,139/280	A 45,092/480 B 39,908/480 C 38,691/476 D 37,124/431	A 44,964/477 B 39,649/475 C 33,811/418 D 29,666/308	1) 106FEU OR 212TEU 2) 106FEU OR 212TEU 3) 106FEU OR 212TEU 4) 36FEU OR 72TEU 5) 106	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20.5 knts @42 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1425 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.elsebeth@tritonfleet.net						ttl: 101,028/1,118	ttl: 139,393/1,562	ttl: 160,815/1,867	ttl: 148,090/1,678					
EMERALD MALTA 9HA3770 9202857 2000	(580) 422 998 110 (870) 783 158 847 (870) 773 239 061 (49) 152 549 276 10	548.718 6.244 12.734 9.67	151.99 23.00 10.532 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85 2.20	A 45,347/489 B 25,886/307 C 20,176/215 D 8,608/107	A 43,758/463 B 37,498/435 C 30,996/380 D 26,242/283	A 45,055/480 B 40,029/481 C 38,722/476 D 37,203/434	A 44,964/478 B 39,529/474 C 35,026/432 D 29,678/309	1) 106FEU OR 212TEU 2) 106FEU OR 212TEU 3) 106FEU OR 212TEU 4) 36FEU OR 72TEU 5) 106	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20.5 knts @42 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1425 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.emerald@tritonfleet.net						ttl: 100,017/1,118	ttl: 138,495/1,561	ttl: 161,009/1,871	ttl: 149,197/1,693					
ELVIRA LIBERIA A8IP2 9202869 2000	(580) 463 791 024 (870) 783 255 308 (870) 773 238 640 (49) 152 549 276 09	548.666 6.244 12.734 9.67	151.99 23.00 10.532 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85 2.20	A 45,265/488 B 25,978/308 C 20,234/215 D 8,595/107	A 43,548/462 B 37,352/436 C 31,000/381 D 26,323/283	A 44,965/479 B 39,924/480 C 38,749/476 D 37,271/434	A 44,996/479 B 39,681/476 C 35,093/432 D 29,692/308	1) 106FEU OR 212TEU 2) 106FEU OR 212TEU 3) 106FEU OR 212TEU 4) 36FEU OR 72TEU 5) 106	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20.5 knts @42 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1425 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.elvira@tritonfleet.net						ttl: 100,072/1,118	ttl: 138,223/1,562	ttl: 160,909/1,869	ttl: 149,462/1,695					
ESMERALDA MALTA 9HA3564 9181170 1999	(580) 422 973 710 (870) 783 154 362 (870) 773 239 018 (49) 152 549 276 12	548.643 6.243 12.734 9.67	151.99 23.00 10.532 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85 2.20	A 45,415/491 B 25,863/308 C 20,228/214 D 8,619/106	A 43,780/464 B 37,571/438 C 30,965/380 D 26,163/280	A 44,983/479 B 39,997/480 C 38,644/475 D 37,113/432	A 44,942/478 B 39,637/475 C 35,055/433 D 29,668/309	1) 106FEU OR 212TEU 2) 106FEU OR 212TEU 3) 106FEU OR 212TEU 4) 36FEU OR 72TEU 5) 106	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20.5 knts @42 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1425 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.esmeralda@tritonfleet.net						ttl: 100,125/1,119	ttl: 138,479/1,562	ttl: 160,737/1,866	ttl: 149,302/1,695					
CROWN EMMA BARBADOS 8PLI 9128037 1996	(580) 431 401 010 (870) 313 344 774 (46) 709 666 475	547.680 6.228 10.351 8.67	151.99 23.00 10.519 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85 2.20	A 45,031/488 B 25,981/310 C 20,220/215 D 8,659/106	A 43,532/461 B 37,506/437 C 30,761/377 D 26,071/280	A 44,960/477 B 39,977/480 C 38,668/475 D 37,229/433	A 44,778/475 B 39,717/475 C 35,002/432 D 29,588/307	1) 96FEU OR 192TEU 2) 96FEU OR 192TEU 3) 96FEU OR 192TEU 4) 36FEU OR 72TEU 5) 96	2 CRANES x 8 mt	1) 20 knts @36.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1500 mt IFO380 75 mt MDO	USDA FITTED
master@crownemma.telemarseacall.com						ttl: 99,891/1,119	ttl: 137,870/1,555	ttl: 160,834/1,865	ttl: 149,085/1,689					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Mermaid class														
PACIFIC MERMAID LIBERIA A&J5 9045924 1992	(580) 463 791 599 (870) 783 255 523 (870) 773 238 899 (49) 152 549 276 24	540.572 6.075 10.461 8.82	141.80 22.80 9.820 3.538	4 4 20 8	1) 7.60 x 7.10 2) 7.60 x 7.10 3) 7.60 x 7.10 4) 7.60 x 7.10 2.20	UPI 6,938/69 A 37,211/416 B 31,028/306 C 20,420/213 D 14,864/161	UPI 6,862/69 A 35,358/418 B 34,353/401 C 32,628/355 D 25,573/269	UPI 6,862/69 A 35,598/426 B 35,770/429 C 35,661/427 D 34,006/378	UPI 6,862/69 A 39,718/475 B 39,910/475 C 33,663/383 D 27,287/267	1) 73FEU OR 140TEU+13FEU 2) 65FEU OR 80TEU+9FEU 3) 65FEU OR 80TEU+9FEU 4) 5) 65	2 CRANES x 30 mt 2 CRANES x 10 mt	1) 19 knts @33.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1350 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.pacificmermaid@tritonfleet.net						ttd: 110,461/1,165	ttd: 134,774/1,512	ttd: 147,897/1,729	ttd: 147,440/1,669					
TASMAN MERMAID LIBERIA A&J6 9045950 1993	(580) 463 791 479 (870) 783 157 759 (870) 773 238 946 (49) 152 549 276 54	539.670 6.068 10.457 8.82	141.80 22.80 9.829 3.538	4 4 20 8	1) 7.60 x 7.10 2) 7.60 x 7.10 3) 7.60 x 7.10 4) 7.60 x 7.10 2.20	UPI 6,812/69 A 37,069/415 B 31,056/306 C 20,420/213 D 14,864/161	UPI 6,812/69 A 35,186/417 B 34,353/401 C 32,628/355 D 25,801/269	UPI 6,812/69 A 35,459/425 B 35,770/429 C 35,661/427 D 34,006/378	UPI 6,812/69 A 39,572/475 B 39,910/475 C 33,380/380 D 27,287/267	1) 73FEU OR 140TEU+13FEU 2) 65FEU OR 80TEU+9FEU 3) 65FEU OR 80TEU+9FEU 4) 5) 65	2 CRANES x 30 mt 2 CRANES x 10 mt	1) 19 knts @33.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1350 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.tasmanmermaid@tritonfleet.net						ttd: 110,221/1,164	ttd: 134,780/1,511	ttd: 147,708/1,728	ttd: 146,961/1,666					
CARIBBEAN MERMAID LIBERIA A&JH5 9064229 1993	(870) 783 202 062 (870) 773 235 138 (49) 152 549 276 03	539.648 6.068 10.466 8.80	141.80 22.80 9.829 3.538	4 4 20 8	1) 7.60 x 7.10 2) 7.60 x 7.10 3) 7.60 x 7.10 4) 7.60 x 7.10 2.20	UPI 6,812/69 A 37,032/415 B 31,028/306 C 20,408/213 D 14,864/161	UPI 6,812/69 A 35,186/417 B 34,353/401 C 32,628/355 D 25,801/269	UPI 6,812/69 A 35,459/425 B 35,770/429 C 35,661/427 D 34,006/378	UPI 6,812/69 A 39,627/475 B 39,910/475 C 33,380/380 D 27,287/267	1) 73FEU OR 140TEU+13FEU 2) 65FEU OR 80TEU+9FEU 3) 65FEU OR 80TEU+9FEU 4) 5) 65	2 CRANES x 30 mt 2 CRANES x 10 mt	1) 19 knts @33.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1250 mt IFO380 150 mt MDO	USDA FITTED CA PRE-PIPED
master.caribbeanmermaid@tritonfleet.net						ttd: 110,144/1,164	ttd: 134,780/1,511	ttd: 147,708/1,728	ttd: 147,016/1,666					
CORAL MERMAID LIBERIA A&J7 9045948 1992	(580) 463 791 498 (870) 783 255 299 (870) 773 238 632 (49) 152 549 276 05	539.634 6.066 10.461 8.82	141.80 22.80 9.829 3.538	4 4 20 8	1) 7.60 x 7.10 2) 7.60 x 7.10 3) 7.60 x 7.10 4) 7.60 x 7.10 2.20	UPI 6,812/69 A 37,003/414 B 30,994/306 C 20,369/213 D 14,861/161	UPI 6,812/69 A 35,186/417 B 34,353/401 C 32,628/355 D 25,801/269	UPI 6,812/69 A 35,459/425 B 35,770/429 C 35,661/427 D 34,006/378	UPI 6,812/69 A 39,718/475 B 39,910/475 C 33,380/380 D 27,287/267	1) 73FEU OR 140TEU+13FEU 2) 65FEU OR 80TEU+9FEU 3) 65FEU OR 80TEU+9FEU 4) 5) 65	2 CRANES x 30 mt 2 CRANES x 10 mt	1) 19 knts @33.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1350 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.coralmermaid@tritonfleet.net						ttd: 110,039/1,163	ttd: 134,780/1,511	ttd: 147,708/1,728	ttd: 147,107/1,666					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIRES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTRIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Stream class														
TIMOR STREAM LIBERIA A8IN9 9172947 1998	(580) 463 791 033 (870) 783 204 067 (870) 773 239 064 (49) 152 549 276 58	535.112 6.004 11.013 9.27	150.00 22.00 9.307 4.983	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 43,652/421 B 27,992/299 C 22,644/246 D 25,198/300	A 42,215/476 B 38,163/441 C 37,649/423 D 25,198/300	A 41,312/463 B 38,663/446 C 39,816/463 D 28,406/332	A 44,439/508 B 41,080/463 C 38,007/414 D 25,876/308	1) 166FEU+11TEU OR 343TEU 2) 136FEU+10TEU OR 218TEU+32FEU 3) 136FEU+10TEU OR 218TEU+32FEU 4) 42TEU 5) 126	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @47 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1350 mt IFO380 100 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.timorstream@tritonfleet.net						ttd: 94,288/966	ttd: 143,225/1,640	ttd: 148,197/1,704	ttd: 149,402/1,693					
AGULHAS STREAM DUTCH PJKV 9158537 1998	(580) 430 635 410 (870) 783 255 452 (870) 773 238 806 (49) 152 549 276 00	535.109 6.004 11.048 9.27	150.00 22.00 9.298 4.983	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 43,651/421 B 27,992/299 C 22,644/246 D 25,198/300	A 42,215/476 B 38,163/441 C 37,649/423 D 25,198/300	A 41,311/463 B 38,663/446 C 39,816/463 D 28,405/332	A 44,439/508 B 41,080/463 C 38,007/414 D 25,876/308	1) 166FEU+11TEU OR 343TEU 2) 136FEU+10TEU OR 218TEU+32FEU 3) 136FEU+10TEU OR 218TEU+32FEU 4) 42TEU 5) 126	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @47 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1375 mt IFO380 100 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.agulhasstream@tritonfleet.net						ttd: 94,287/966	ttd: 143,225/1,640	ttd: 148,195/1,704	ttd: 149,402/1,693					
BENGUELA STREAM DUTCH PENR 9158549 1998	(580) 424 445 510 (870) 783 155 024 (870) 773 239 086 (31) 620 433 639	535.109 6.004 11.017 9.27	150.00 22.00 9.298 4.983	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 43,651/421 B 27,992/299 C 22,644/246 D 25,198/300	A 42,215/476 B 38,163/441 C 37,649/423 D 25,198/300	A 41,311/463 B 38,663/446 C 39,816/463 D 28,405/332	A 44,439/508 B 41,080/463 C 38,007/414 D 25,876/308	1) 166FEU+11TEU OR 343TEU 2) 136FEU+10TEU OR 218TEU+32FEU 3) 136FEU+10TEU OR 218TEU+32FEU 4) 42TEU 5) 126	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @47 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1375 mt IFO380 100 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.benguelastream@searadefleet.com						ttd: 94,287/966	ttd: 143,225/1,640	ttd: 148,195/1,704	ttd: 149,402/1,693					
KLIPPER STREAM DUTCH PHBO 9167796 1998	(580) 424 539 810 (870) 783 158 759 (870) 773 155 737 (31) 651 336 686	535.109 6.004 10.936 9.27	150.00 22.00 9.305 4.983	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 43,651/421 B 27,992/299 C 22,644/246 D 25,198/300	A 42,215/476 B 38,163/441 C 37,649/423 D 25,198/300	A 41,311/463 B 38,663/446 C 39,816/463 D 28,405/332	A 44,439/508 B 41,080/463 C 38,007/414 D 25,876/308	1) 166FEU+11TEU OR 343TEU 2) 136FEU+10TEU OR 218TEU+32FEU 3) 136FEU+10TEU OR 218TEU+32FEU 4) 42TEU 5) 126	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @47 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1600 mt IFO380 100 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.klipperstream@searadefleet.com						ttd: 94,287/966	ttd: 143,225/1,640	ttd: 148,195/1,704	ttd: 149,402/1,693					
DISCOVERY BAY BAHAMAS C6OP3 9143740 1997	(580) 430 978 510 (870) 783 209 847 (870) 773 236 538 (31) 622 557 860	534.246 5.922 10.100 8.82	143.00 22.00 8.924 4.685	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 42,203/424 B 29,372/304 C 23,456/249 D 30,413/321	A 39,136/457 B 36,548/434 C 36,766/416 D 30,413/321	A 39,260/455 B 38,392/443 C 38,621/456 D 36,284/394	A 40,847/449 B 38,540/437 C 35,422/392 D 28,986/292	1) 100FEU OR 152TEU+24FEU 2) 100FEU OR 152TEU+24FEU 3) 100FEU OR 152TEU+24FEU 4) 42TEU 5) 100	2 CRANES x 40 mt 2 CRANES x 10 mt	1) 20.5 knts @41 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	950 mt IFO380 100 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.discoverybay@searadefleet.com						ttd: 95,031/977	ttd: 142,863/1,628	ttd: 152,557/1,748	ttd: 143,795/1,570					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Hope Bay class														
SOUTHERN BAY LIBERIA A8IO7 9152181 1997	(580) 463 790 988 (870) 783 255 516 (870) 773 238 894 (49) 152 549 276 52	535.093 5.924 9.609 8.29	143.00 22.00 8.879 4.366	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 42,429/428 B 29,213/306 C 22,990/246 D 30,130/320	A 39,574/449 B 36,955/430 C 36,675/417 D 30,130/320	A 39,396/452 B 37,167/436 C 38,484/455 D 35,290/393	A 43,979/471 B 38,662/439 C 35,464/392 D 28,685/290	1) 96FEU OR 138TEU+27FEU 2) 93FEU OR 110TEU+24FEU 3) 60FEU OR 96TEU+15FEU 4) 42TEU 5) 93	1 CRANE x 40 mt 8 DERRICKS x 6 mt or 4 x 6 mt IN UP	1) 19.5 knts @35.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1175 mt IFO380 100 mt MDO	USDA FITTED CA PRE-PIPED
master.southernbay@tritonfleet.net						ttl: 94,632/980	ttl: 143,334/1,616	ttl: 150,337/1,736	ttl: 146,790/1,592					
EASTERN BAY LIBERIA A8IO9 9143752 1997	(580) 463 791 037 (870) 783 255 300 (870) 773 238 633 (49) 152 549 276 07	533.899 5.915 9.662 8.29	143.00 22.00 8.917 4.366	4 4 15 8	1) 7.00 x 8.00 2) 7.00 x 8.00 3) 7.00 x 8.00 4) 7.00 x 8.00 2.20	A 42,407/430 B 29,513/307 C 22,668/246 D 29,838/313	A 39,164/449 B 37,204/430 C 36,823/416 D 29,838/313	A 39,685/452 B 37,220/434 C 38,437/455 D 35,333/395	A 43,104/471 B 38,585/439 C 35,465/390 D 28,453/288	1) 93FEU OR 138TEU+24FEU 2) 73FEU OR 110TEU+18FEU 3) 60FEU OR 96TEU+12FEU 4) 42TEU 5) 73	1 CRANE x 40 mt 8 DERRICKS x 6 mt or 4 x 6 mt IN UP	1) 19.5 knts @35.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 5.5 mt IFO380	1175 mt IFO380 100 mt MDO	USDA FITTED CA PRE-PIPED
master.easternbay@tritonfleet.net						ttl: 94,588/983	ttl: 143,029/1,608	ttl: 150,675/1,736	ttl: 145,607/1,588					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/2 E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Fortuna/Mexican Bay														
MEXICAN BAY	(580) 463 791 369	542.905	144.52	4	1) 8.10 x 6.00	A <u>32,698/389</u>	A 15,732/186	A 15,902/187	A 15,828/184	1) 63FEU OR 126TEU	1 CRANE x 36 mt	1) 19.2 knts @33.5 mt IFO380	1400 mt IFO380	USDA FITTED
MALTA	(870) 783 205 599	6.351	21.80	4	2) 8.10 x 6.00	B 25,732/309	B 32,167/402	B 33,283/416	B 32,864/408	2) 44FEU OR 88TEU	3 CRANES x 8 mt	2) 2 mt IFO380	100 mt MDO	CA PRE-PIPED
9HA3565	(870) 773 238 952	11.575	10.203	19	3) 8.10 x 6.00	C 21,683/229	C <u>38,159/404</u>	C <u>38,278/437</u>	C <u>35,527/427</u>	3) 30FEU OR 60TEU		3) 5.5 mt IFO380		
9064839 1994	(49) 152 549 276 23	9.17	5.869	8	4) 8.10 x 6.00 2.20	D 19,582/214	D 31,736/362	D 36,223/421	D 26,578/330	4) 5) 44		4) 6 mt IFO380		
master.mexicanbay@tritonfleet.net						ttl: 99,695/1,141	ttl: 145,516/1,680	ttl: 157,380/1,885	ttl: 140,314/1,647					
FORTUNA BAY	(580) 463 791 395	542.470	144.52	4	1) 8.10 x 6.00	A <u>32,418/389</u>	A 16,130/186	A 16,096/187	A 15,851/184	1) 63FEU OR 126TEU	1 CRANE x 36 mt	1) 19.2 knts @33.5 mt IFO380	1400 mt IFO380	USDA FITTED
LIBERIA A8JH6	(870) 761 118 340 (870) 761 118 339	6.351 11.585	21.80 10.203	4 19	2) 8.10 x 6.00 3) 8.10 x 6.00	B 26,385/309 C 21,586/229	B 31,987/402 C <u>37,742/404</u>	B 33,259/416 C <u>38,339/437</u>	B 32,924/408 C <u>35,601/427</u>	2) 44FEU OR 88TEU 3) 30FEU OR 60TEU	3 CRANES x 8 mt	2) 2 mt IFO380 3) 5.5 mt IFO380	100 mt MDO	CA PRE-PIPED
9067128 1993	(49) 152 549 276 14	9.17	5.869	8	4) 8.10 x 6.00 2.20	D 19,353/214	D 31,571/362	D 35,788/421	D 26,747/330	4) 5) 44		4) 6 mt IFO380		
master.fortunabay@tritonfleet.net						ttl: 99,742/1,141	ttl: 145,049/1,680	ttl: 157,335/1,885	ttl: 140,344/1,647					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD 2	HOLD 3	HOLD 4						
Ivory class															
REGAL BAY	(580) 431 190 710	526.250	150.01	4	1) 13.20 x 8.50	A <u>38,787/375</u>	A 43,081/440	A 43,960/459	A 45,539/464	1) 67FEU OR 154TEU	2 CRANES x 35 mt	1) 20 knts @39.5 mt IFO380	1325 mt IFO380	USDA FITTED	
BAHAMAS	(870) 783 158 863	5.851	22.50	4	2) 13.20 x 10.50	B 26,712/261	B <u>35,361/419</u>	B <u>38,642/462</u>	B <u>37,367/444</u>	2) 46FEU OR 92TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED	
C6UG6	(870) 773 238 249	10.520	10.375	15	3) 13.20 x 10.50	C 16,993/178	C 31,610/379	C 38,271/461	C 34,873/413	3) 46FEU OR 92TEU		3) 5.5 mt IFO380			
9053658	(31) 612 588 249	9.07	5.253	8	4) 13.20 x 10.50	D 27,768/314	D 36,456/434	D 30,830/348	D 45,539/464	4) 54FEU OR 108TEU		4) 5.5 mt IFO380			
1993	master.regalbay@seatradefleet.com					2.20	ttl: 82,492/814 ttl: 137,820/1,552 ttl: 157,329/1,816 ttl: 148,609/1,669								
FEGULUS	(580) 431 400 510	526.141	150.01	4	1) 13.20 x 8.90	FC <u>38,907/375</u>	A 42,960/440	A 43,960/459	A 45,524/462	1) 67FEU OR 154TEU	2 CRANES x 36 mt	1) 20 knts @39.5 mt IFO380	1325 mt IFO380	USDA FITTED	
BARBADOS	(870) 31 33 44 775	5.849	22.50	4	2) 13.20 x 10.50	A 26,754/261	B <u>35,333/419</u>	B <u>38,631/462</u>	B <u>37,360/444</u>	2) 46FEU OR 92TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED	
8PTX	(870) 31 33 44 775	10.545	10.374	15	3) 13.20 x 10.50	B 16,994/178	C 31,582/379	C 38,254/461	C 34,842/413	3) 46FEU OR 92TEU		3) 5.5 mt IFO380			
9055709	(46) 706 623 303	9.07	5.253	8	4) 13.20 x 10.50	D 27,744/314	D 36,438/434	D 30,858/348	D 45,539/464	4) 54FEU OR 108TEU		4) 5.5 mt IFO380			
1993	master@fegulus.telemarseacall.com					2.20	ttl: 82,655/814 ttl: 137,619/1,552 ttl: 157,283/1,816 ttl: 148,584/1,667								
ATLANTIC ACANTHUS	(580) 431 100 830	504.511	144.52	4	1) 8.10 x 6.00	A <u>35,388/379</u>	A 35,942/401	A 36,223/407	A 36,081/406	1) 88FEU OR 120TEU+28FEU	2 CRANES x 36 mt	1) 20 knts @34.5 mt IFO380	1175 mt IFO380	USDA FITTED	
BAHAMAS	(870) 331 100 121	5.759	21.80	4	2) 8.10 x 6.60	B 27,011/302	B <u>34,141/401</u>	B <u>35,862/428</u>	B <u>35,605/423</u>	2) 88FEU OR 120TEU+28FEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	100 mt MDO	CA PRE-PIPED	
C6ZG7	(870) 773 188 945	11.788	9.649	16	3) 8.10 x 6.60	C 20,256/229	C 30,424/355	C 34,748/416	C 32,344/372	3) 88FEU OR 120TEU+28FEU		3) 6.5 mt IFO380			
9189897		9.18	5.349	8	4) 8.10 x 6.60	D 17,494/210	D 29,071/320	D 35,736/417	D 28,185/293	4) 5) 80		4) 5.5 mt IFO380			
1999	Master.acanthus@gships.com					2.20	ttl: 100,149/1,120 ttl: 129,578/1,477 ttl: 142,569/1,668 ttl: 132,215/1,494								

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Santa class														
SANTA CATHARINA BAHAMAS C6RL4 9213777 2000	(580) 431 109 110 (870) 783 202 379 (870) 773 158 892 (31) 651 998 552	463.986 5.140 9.566 9.27	143.00 21.80 8.597 4.737	4 4 14 8	1) 7.00 x 8.00 2) 12.60 x 8.00 3) 12.60 x 8.00 4) 12.60 x 8.00 2.20	A <u>24,553/247</u> B 16,700/186	A 40,289/425 B <u>35,049/406</u>	A 41,142/444 B <u>38,217/446</u> C 30,233/342 D 23,324/231	A 40,528/445 B <u>38,176/454</u> C 35,043/396 D 28,059/289	1) 118FEU OR 227TEU 2) 111FEU OR 150TEU+24FEU 3) 111FEU OR 150TEU+24FEU 4) 36FEU+6TEU OR 78TEU 5) 135	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 20 knts @41.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	1425 mt IFO380 100 mt MDO	BOWTHRUSTER ICE CLASS IA USDA FITTED CA PRE-PIPED
master.santacatharina@seatradefleet.com						ttd: 41,253/433	ttd: 128,895/1,404	ttd: 152,032/1,719	ttd: 141,806/1,584					
SANTA MARIA LIBERIA A8IN7 9194957 1999	(580) 463 790 994 (870) 783 158 849 (870) 773 239 063 (49) 152 549 276 51	463.963 5.140 9.534 9.27	143.00 21.80 8.507 4.734	4 4 14 8	1) 7.00 x 8.00 2) 12.60 x 8.00 3) 12.60 x 8.00 4) 12.60 x 8.00 2.20	A <u>24,541/247</u> B 16,658/186	A 40,290/425 B <u>35,018/406</u> C 30,175/342 D 23,529/231	A 41,140/444 B <u>38,217/446</u> C 37,888/449 D 34,826/380	A 40,549/445 B <u>38,172/454</u> C 34,980/396 D 27,980/289	1) 128FEU OR 236TEU 2) 120FEU OR 156TEU+42FEU 3) 120FEU OR 156TEU+42FEU 4) 36FEU+6TEU OR 78TEU 5) 135	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 20 knts @41.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	1425 mt IFO380 100 mt MDO	BOWTHRUSTER ICE CLASS IA USDA FITTED CA PRE-PIPED
master.santamaria@tritonfleet.net						ttd: 41,199/433	ttd: 129,012/1,404	ttd: 152,071/1,719	ttd: 141,681/1,584					
SANTA LUCIA LIBERIA A8IP5 9194921 1999	(580) 463 791 031 (870) 783 255 432 (870) 773 238 788 (49) 152 549 276 50	463.652 5.140 9.566 9.27	143.00 21.80 8.507 4.734	4 4 14 8	1) 7.00 x 8.00 2) 12.60 x 8.00 3) 12.60 x 8.00 4) 12.60 x 8.00 2.20	A <u>24,531/247</u> B 16,355/186	A 40,286/425 B <u>35,053/406</u> C 30,173/342 D 23,559/231	A 41,140/444 B <u>38,217/446</u> C 37,808/449 D 34,847/380	A 40,549/445 B <u>38,192/454</u> C 34,945/396 D 27,997/289	1) 128FEU OR 236TEU 2) 120FEU OR 156TEU+42FEU 3) 120FEU OR 156TEU+42FEU 4) 36FEU+6TEU OR 78TEU 5) 135	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 20 knts @41.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	1425 mt IFO380 100 mt MDO	BOWTHRUSTER ICE CLASS IA USDA FITTED CA PRE-PIPED
master.santalucia@tritonfleet.net						ttd: 40,886/433	ttd: 129,071/1,404	ttd: 152,012/1,719	ttd: 141,683/1,584					
COLD STREAM DUTCH PJRH 9051791 1994	(580) 430 621 610 (870) 783 156 302 (870) 773 153 745 (31) 651 081 462	456.785 5.217 10.086 9.32	140.00 22.00 8.414 4.542	4 4 15 9	1) 7.00 x 11.00 2) 7.00 x 11.00 3) 7.00 x 11.00 4) 7.00 x 11.00 2.20	A <u>36,059/352</u> B <u>24,246/264</u> C 15,413/159	A 37,941/431 B <u>34,930/411</u> C 33,080/389 D 21,236/254	A 35,880/409 B <u>33,565/398</u> C 34,333/412 D 25,347/303	A 38,024/434 B <u>34,945/399</u> C 31,960/364 D 19,826/237	1) 117FEU+12TEU OR 238TEU 2) 114FEU+8TEU OR 180TEU 3) 114FEU+8TEU OR 180TEU 4) 57TEU 5) 106	4 CRANES x 20 mt or 2 x 40 mt IN TWIN	1) 20.5 knts @41.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	1000 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.coldstream@seatradefleet.com						ttd: 75,718/775	ttd: 127,187/1,485	ttd: 129,125/1,522	ttd: 124,755/1,434					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/M E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Large Bays														
RUNAWAY BAY RUSSIAN FEDERATION UBGP6 9019640 1992	(580) 427 309 643 (870) 783 200 803 (870) 773 157 486 (31) 651 513 344	516.227 5.852 11.579 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34,068/350 B 22,700/210 C 12,377/142 D 11,890/140	UPI 8,706/104 A 35,501/427 B 33,719/377 C 31,079/371 D 27,817/288	UPI 8,593/104 A 37,219/454 B 38,627/434 C 38,729/457 D 35,837/409	UPI 8,251/104 A 36,030/438 B 36,816/409 C 32,770/378 D 25,498/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 4) 5) 29	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	750 mt IFO380 100 mt MDO	USDA FITTED
master.runawaybay@seatradefleet.com						tlt: 81,035/842	tlt: 136,822/1,567	tlt: 159,005/1,858	tlt: 139,365/1,584					
ACONCAGUA BAY LIBERIA A8KY9 9019652 1992	(580) 463 792 396 (870) 783 200 908 (870) 773 157 569 (31) 622 557 852	512.361 5.894 11.581 9.42	148.50 20.60 9.074 5.844	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34,096/364 B 22,703/211 C 12,401/145 D 11,750/142	UPI 8,815/109 A 36,070/429 B 33,005/378 C 30,961/368 D 25,941/285	UPI 8,833/103 A 37,515/458 B 37,100/437 C 38,387/461 D 35,763/412	UPI 8,739/103 A 36,205/442 B 36,090/412 C 32,513/381 D 25,474/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 4) 5) 19	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	825 mt IFO380 100 mt MDO	USDA FITTED
master.aconcaguabay@seatradefleet.com						tlt: 80,950/862	tlt: 134,792/1,569	tlt: 157,598/1,871	tlt: 139,021/1,593					
HUMBOLDT BAY LIBERIA A8OL4 8907888 1990	(580) 463 701 316 (870) 783 154 293 (870) 773 152 296 (31) 620 493 147	508.551 5.854 11.633 9.42	148.50 20.63 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33,896/341 B 22,586/210 C 13,148/145 D 11,417/133	UPI 8,835/106 A 35,221/432 B 32,716/379 C 31,691/376 D 26,853/288	UPI 8,421/103 A 37,304/455 B 36,663/434 C 38,211/458 D 36,115/407	UPI 8,294/105 A 35,055/440 B 34,789/410 C 33,177/382 D 24,159/251	1) 2) 3) 4) 5)	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380	825 mt IFO380 100 mt MDO	USDA FITTED
master.humboldtбай@seatradefleet.com						tlt: 81,047/829	tlt: 135,316/1,581	tlt: 156,714/1,857	tlt: 135,474/1,588					
FUJI BAY LIBERIA A8OL6 8920141 1990	(580) 463 701 537 (870) 783 201 055 (870) 773 157 696 (31) 651 081 458	502.514 5.858 11.540 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33,333/350 B 21,737/206 C 12,056/141 D 10,934/135	UPI 8,402/101 A 34,447/421 B 32,335/377 C 31,075/369 D 25,970/286	UPI 8,541/103 A 37,115/460 B 36,526/438 C 38,431/462 D 35,368/414	UPI 8,541/103 A 35,258/443 B 35,107/417 C 32,878/379 D 24,460/252	1) 14TEU 2) 14TEU 3) 4) 5) 14	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380	775 mt IFO380 100 mt MDO	USDA FITTED
master.fujibay@seatradefleet.com						tlt: 78,060/832	tlt: 132,229/1,554	tlt: 155,981/1,877	tlt: 136,244/1,594					
EVEREST BAY LIBERIA A8KZ3 8911073 1989	(580) 463 792 240 (870) 783 202 036 (870) 773 158 571 (31) 651 294 346	449.201 5.219 9.687 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6,457/70 A 25,494/277 B 18,572/201 C 15,629/179 D 26,063/285	UPI 7,737/85 A 32,634/401 B 31,630/373 C 30,027/353 D 29,021/339	UPI 7,777/85 A 29,856/370 B 29,492/350 C 30,775/371 D 29,021/339	UPI 7,824/85 A 31,808/395 B 31,858/374 C 31,956/369 D 24,591/257	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	825 mt IFO380 175 mt MDO	USDA FITTED
master.everestbay@seatradefleet.com						tlt: 66,152/727	tlt: 128,091/1,497	tlt: 126,921/1,515	tlt: 128,037/1,480					
WHITNEY BAY LIBERIA A8KZ8 8911085 1990	(580) 463 792 236 (870) 783 208 722 (870) 773 235 380 (31) 653 526 904	449.175 5.208 9.687 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6,421/70 A 25,417/275 B 18,687/201 C 15,596/176 D 26,011/284	UPI 7,778/85 A 32,767/401 B 31,765/373 C 30,114/353 D 28,904/339	UPI 7,812/85 A 29,907/370 B 29,517/350 C 30,728/370 D 28,904/339	UPI 7,771/85 A 31,791/395 B 31,808/373 C 31,914/367 D 24,467/255	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	700 mt IFO380 25 mt MDO	USDA FITTED
master.whitneybay@seatradefleet.com						tlt: 66,121/722	tlt: 128,435/1,496	tlt: 126,868/1,514	tlt: 127,751/1,475					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD 2	HOLD 3							
Crystal class															
GREEN ITALIA	(580) 430 928 110	377.100	131.25	3	1) 8.33 x 4.68	A <u>39,059/442</u>	A 39,094/456	A 39,518/452		1) 45FEU OR 89TEU+4FEU	1 CRANE x 34/17 mt	1) 19 knts @31 mt IFO380	950 mt IFO380	USDA FITTED	
BAHAMAS		4.519	19.63	3	2) 8.33 x 4.68	B 30,689/357	B <u>37,647/456</u>	B <u>37,929/459</u>		2) 30FEU OR 54TEU+4FEU	3 PALLET CRANES x 8 mt	2) 2.5 mt IFO380	100 mt MDO	CA PRE-PIPED	
C6WH9	(870) 773 236 137	7.721	7.743	12	3) 8.33 x 4.68	C <u>22,037/265</u>	C 33,762/427	C 30,937/391		3) 30FEU OR 54TEU+4FEU		3) 5 mt IFO380			
9045780 1994	(48) 506 367 485	8.86	3.726	7		D 10,771/137	D 28,005/340	D 27,652/337		4) 5) 29		4) 4.5 mt IFO380			
bridge@italia.greenfleet.no						ttt: 102,556/1,201 ttt: 138,508/1,679 ttt: 136,036/1,639									
GREEN HONDURAS	(580) 431 128 910	376.221	131.27	3	1) 8.33 x 4.68	A <u>38,883/442</u>	A 39,660/460	A 38,671/451		1) 45FEU OR 89TEU+4FEU	1 CRANE x 34/17 mt	1) 19 knts @31 mt IFO380	950 mt IFO380	USDA FITTED	
BAHAMAS	(870) 783 200 402	4.507	19.60	3	2) 8.33 x 4.68	B 30,619/356	B <u>37,647/455</u>	B <u>38,141/458</u>		2) 30FEU OR 54TEU+4FEU	3 PALLET CRANES x 8 mt	2) 2.5 mt IFO380	100 mt MDO	CA PRE-PIPED	
C6WH8	(870) 773 157 121	7.721	7.743	12	3) 8.33 x 4.68	C <u>21,825/263</u>	C 33,338/423	C 30,831/389		3) 30FEU OR 54TEU+4FEU		3) 5 mt IFO380			
8912132 1992	(48) 506 367 296	8.87	3.726	7		D 10,913/137	D 28,111/340	D 27,582/333		4) 5) 29		4) 4.5 mt IFO380			
bridge@honduras.greenfleet.no						ttt: 102,240/1,198 ttt: 138,756/1,678 ttt: 135,225/1,631									
GREEN CHILE	(580) 431 105 110	375.477	131.25	3	1) 8.33 x 4.68	A <u>38,741/442</u>	A 38,883/453	A 38,671/451		1) 45FEU OR 89TEU+4FEU	1 CRANE x 34/17 mt	1) 19 knts @31 mt IFO380	950 mt IFO380	USDA FITTED	
BAHAMAS	(870) 783 201 736	4.497	19.60	3	2) 8.33 x 4.68	B 30,442/355	B <u>37,823/454</u>	B <u>38,070/458</u>		2) 30FEU OR 54TEU+4FEU	3 PALLET CRANES x 8 mt	2) 2.5 mt IFO380	100 mt MDO	CA PRE-PIPED	
C6WH7	(870) 773 158 314	7.721	7.743	12	3) 8.33 x 4.68	C <u>21,966/263</u>	C 33,338/421	C 30,725/390		3) 30FEU OR 54TEU+4FEU		3) 5 mt IFO380			
8912156 1992	(48) 506 367 860	8.85	3.726	7		D 10,842/137	D 28,147/339	D 27,829/334		4) 5) 29		4) 4.5 mt IFO380			
bridge@chile.greenfleet.no						ttt: 101,991/1,197 ttt: 138,191/1,667 ttt: 135,295/1,633									

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD 2	HOLD 3	HOLD 4						
GSC															
BAY PHOENIX LIBERIA A8OE5 9047271 1993	(580) 463 701 744 (870) 783 256 593 (870) 773 251 714 (49) 152 549 276 53	400.884 4.544 8.041 7.57	134.02 20.80 7.326 4.810	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A 30,048/341 B 19,090/227 C 13,966/163 D 23,189/270	A 20,569/228 B 30,875/346 C 28,378/341 D 23,189/270	A 20,438/230 B 34,494/371 C 32,265/391 D 30,328/355	A 23,714/267 B 38,662/422 C 31,418/355 D 23,449/237	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED	
master.bayphoenix@tritonfleet.net						ttl: 63,104/731	ttl: 103,011/1,185	ttl: 117,525/1,347	ttl: 117,243/1,281						
LAGOON PHOENIX LIBERIA A8OE4 9047245 1993	(580) 463 701 564 (870) 783 208 880 (870) 773 236 016 (49) 152 549 276 48	400.884 4.544 8.044 7.57	134.02 20.80 7.313 4.808	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A 30,048/341 B 19,090/227 C 13,966/163 D 23,189/270	A 20,569/228 B 30,875/346 C 28,378/341 D 23,189/270	A 20,438/230 B 34,494/371 C 32,265/391 D 30,328/355	A 23,714/267 B 38,662/422 C 31,418/355 D 23,449/237	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED	
master.lagoonphoenix@tritonfleet.net						ttl: 63,104/731	ttl: 103,011/1,185	ttl: 117,525/1,347	ttl: 117,243/1,281						
WATER PHOENIX LIBERIA A8OE3 9045168 1992	(580) 463 701 616 (870) 783 205 766 (870) 773 238 949 (49) 152 549 276 20	400.884 4.544 8.075 7.57	134.02 20.80 7.303 4.812	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A 30,048/341 B 19,090/227 C 13,966/163 D 23,189/270	A 20,569/228 B 30,875/346 C 28,378/341 D 23,189/270	A 20,438/230 B 34,494/371 C 32,265/391 D 30,328/355	A 23,714/267 B 38,662/422 C 31,418/355 D 23,449/237	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED	
master.waterphoenix@tritonfleet.net						ttl: 63,104/731	ttl: 103,011/1,185	ttl: 117,525/1,347	ttl: 117,243/1,281						
SIERRA QUEEN LIBERIA DSIV7 9127928 1996	(580) 463 718 565 (870) 783 254 675 (870) 773 157 805 (31) 651 081 437	398.470 4.736 7.947 7.91	133.92 16.31 5.918 3.177	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A 27,165/302 B 23,256/270 C 18,568/213 D 15,778/177	A 30,217/352 B 28,702/351 C 27,896/346 D 27,511/326	A 27,932/323 B 26,458/324 C 25,987/324 D 26,246/313	A 28,344/328 B 26,589/325 C 23,579/287 D 14,242/174	1) 45FEU OR 90TEU 2) 27FEU OR 54TEU 3) 4) 40TEU 5) 25	4 CRANES x 7 mt	1) 17.5 knts @27.5 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.6 mt MGO	875 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED	
master.sierraqueen@seatradefleet.com						ttl: 84,767/962	ttl: 114,326/1,375	ttl: 106,623/1,284	ttl: 92,754/1,114						
PRINCE OF SEAS LIBERIA A8J5 9014444 1993	(580) 463 791 365 (870) 783 255 293 (870) 773 238 609 (49) 152 549 276 27	371.412 4.121 7.387 7.77	130.50 19.00 6.363 4.297	4 4 15 8	1) 6.20 x 7.40 2) 6.20 x 7.40 3) 6.20 x 7.40 4) 6.20 x 7.40 2.20	A 30,348/331 B 23,755/240 C 18,304/196 D 25,429/265	A 15,355/184 B 31,218/340 C 29,276/338 D 25,429/265	A 13,568/166 B 29,630/330 C 28,000/331 D 27,993/297	A 15,309/187 B 31,135/355 C 28,510/320 D 23,582/241	1) 49FEU+2TEU OR 60TEU+3FEU 2) 45FEU OR 42TEU 3) 28FEU OR 28TEU 4) 5) 47	1 CRANE x 36 mt 8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	800 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED	
master.princeofseas@tritonfleet.net						ttl: 72,407/767	ttl: 101,278/1,127	ttl: 99,191/1,124	ttl: 98,536/1,103						
COOL EXPRESO DUTCH PDKK 9085479 1994	(580) 424 531 712 (870) 783 151 342 (870) 773 252 116 (31) 651 920 359	362.351 4.313 7.505 8.01	126.29 16.31 5.471 2.978	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A 23,274/266 B 20,856/232 C 16,400/186 D 13,528/153	A 27,723/327 B 26,964/327 C 25,986/320 D 25,115/301	A 26,416/310 B 25,739/313 C 25,244/314 D 25,001/301	A 24,521/287 B 23,687/288 C 20,539/248 D 11,357/140	1) 31FEU+4TEU OR 66TEU 2) 20FEU+2TEU OR 42TEU 3) Shaft generator 4) 40TEU 5) 20	2 CRANES x 7 mt	1) 17.3 knts @24 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.5 mt MGO	825 mt IFO380 75 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED	
master.coolexpreso@seatradefleet.com						ttl: 74,058/837	ttl: 105,788/1,275	ttl: 102,400/1,238	ttl: 80,104/963						
ORANGE STREAM 9795983 2018		0 0 8.120 7.50	114.90 18.00 5.950 2.320	4 0 0 0	1) .00 x .00 2) .00 x .00 3) .00 x .00 4) .00 x .00 0.00					1) 2) 3) 4) 5)					
ttl: 0/0															
ORANGE STRAIT LIBERIA 9795969 2017		0 0 8.000 6.30	114.40 18.00 5.950 2.320	4 0 0 0	1) .00 x .00 2) .00 x .00 3) .00 x .00 4) .00 x .00 0.00					1) 2) 3) 4) 5)		25 mt 25 mt 25 mt		BOWTHRUSTER	
ttl: 0/0															

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
ORANGE STORM 9795995 2018		0 0 8.120 7.50	114.90 18.00 5.950 2.320	4 0 0 0	1) .00 x .00 2) .00 x .00 3) .00 x .00 4) .00 x .00 0.00					1) 2) 3) 4) 5)				
						ttd: 0/0								
ORANGE SEA 9795971 2017		48.522 523 8.120 7.50	114.90 18.00 5.950 2.320	4 4 12 12	1) .00 x .00 2) .00 x .00 3) .00 x .00 4) .00 x .00 0.00	A <u>27,261/284</u> B <u>21,261/239</u> C D	A B C C	A B C C	A B C C	1) 2) 3) 4) 5)				
						ttd: 48,522/523								
NOVA FLORIDA DUTCH PJUP 8813635 1989	(580) 430 675 210 (870) 783 155 868 (870) 773 150 014 (31) 651 512 609	298.320 3.512 6.729 7.52	124.70 17.80 5.476 3.559	4 4 16 8	1) 6.20 x 7.30 2) 6.20 x 7.30 3) 6.20 x 7.30 4) 6.20 x 7.30 2.20	A 13,382/158 B <u>18,440/205</u> C 15,157/173 D 12,033/131	A 12,024/140 B <u>22,684/277</u> C 23,062/275 D 20,920/235	A 11,148/129 B <u>20,945/261</u> C 21,813/268 D 21,389/257	A 13,583/160 B <u>25,596/315</u> C 25,093/299 D 21,051/228	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17 knts @18 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 3 mt IFO380	700 mt IFO380 75 mt MDO	USDA FITTED
						ttd: 59,012/667	ttd: 78,690/927	ttd: 75,295/915	ttd: 85,323/1,002					
BREIZ KLIPPER DUTCH PJQV 8917211 1991	(580) 430 679 610 (870) 761 133 849 (870) 761 133 848 (31) 622 929 655	265.246 3.144 5.935 7.81	110.93 16.20 4.263 2.796	4 4 16 8	1) 8.75 x 8.50 2) 8.75 x 8.50 3) 8.75 x 8.50 4) 8.75 x 8.50 2.20	A 13,106/154 B <u>16,976/189</u> C 14,102/154 D 10,747/120	A 12,128/149 B <u>20,408/254</u> C 21,288/251 D 18,733/222	A 11,633/143 B <u>19,707/248</u> C 21,225/254 D 18,985/228	A 14,993/186 B <u>19,480/243</u> C 18,089/202 D 13,646/146	1) 16FEU+20TEU OR 52TEU 2) 8FEU OR 16TEU 3) 4) 5) 6	4 CRANES x 5 mt	1) 16 knts @18 mt IFO380 2) Shaft generator 3) Shaft generator 4) 1.5 mt IFO380 AND 1.3 mt MGO	475 mt IFO380 50 mt MGO	BOWTHRUSTER
						ttd: 54,931/617	ttd: 72,557/876	ttd: 71,550/873	ttd: 66,208/777					
SIERRA KING DUTCH PESF 8810786 1989	(580) 424 454 210 (870) 764 895 079 (870) 764 895 078 (31) 651 239 646	261.262 2.961 5.415 7.56	107.65 16.20 3.999 2.619	3 4 12 6	1) 8.79 x 8.50 2) 2 x 8.79 x 8.50 3) 8.79 x 8.50 2.20	A 12,653/154 B <u>18,309/191</u> C 13,924/155 D 11,654/120	A 21,943/266 B <u>40,012/461</u> C 38,219/458 D 38,170/408	A 15,140/185 B <u>21,075/240</u> C 16,108/188 D 14,055/135		1) 16FEU+20TEU OR 52TEU 2) 8FEU OR 16TEU 3) 4) 5) 6	4 CRANES x 5 mt	1) 15 knts @16 mt IFO380 2) Shaft generator 3) Shaft generator 4) 1.5 mt IFO380 AND 1.3 mt MGO	450 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED
						ttd: 56,540/620	ttd: 138,344/1,593	ttd: 66,378/748						
SIERRA LARA DUTCH PCOZ 9120205 1996	(580) 424 401 042 (870) 783 155 637 (870) 773 235 161 (31) 611 323 955	260.050 2.925 5.970 6.70	117.50 17.50 5.110 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	A 19,720/203 B 16,070/183 C 13,580/155	A 25,540/273 B 22,350/260 C 21,900/254	A 25,880/277 B 22,960/267 C 23,280/270	A 25,170/268 B <u>21,760/252</u> C 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	1100 mt IFO380 375 mt MGO	BOWTHRUSTER USDA FITTED
						ttd: 49,370/541	ttd: 69,790/787	ttd: 72,120/814	ttd: 68,770/783					
SIERRA LAUREL LIBERIA D5JZ8 9163403 1998	(580) 463 719 157 (870) 783 155 451 (870) 773 231 904 (31) 611 322 387	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	A 19,720/203 B 16,070/183 C 13,580/155	A 25,540/273 B 22,350/260 C 21,900/254	A 25,880/277 B 22,960/267 C 23,280/270	A 25,170/268 B <u>21,760/252</u> C 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 500 mt MGO	BOWTHRUSTER USDA FITTED
						ttd: 49,370/541	ttd: 69,790/787	ttd: 72,120/814	ttd: 68,770/783					
SIERRA LEYRE DUTCH PCPM 9135822 1997	(580) 424 597 310 (870) 783 208 930 (870) 773 151 306 (31) 611 323 077	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	A 19,720/203 B 16,070/183 C 13,580/155	A 25,540/273 B 22,350/260 C 21,900/254	A 25,880/277 B 22,960/267 C 23,280/270	A 25,170/268 B <u>21,760/252</u> C 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 650 mt MGO	BOWTHRUSTER USDA FITTED
						ttd: 49,370/541	ttd: 69,790/787	ttd: 72,120/814	ttd: 68,770/783					

NAME FLAG CALL SIGN IMOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
SIERRA LOBA DUTCH PJYS 9120217 1997	(580) 430 687 211 (870) 764 850 923 (870) 764 850 921 (31) 611 325 143 master.sierraloba@seatradefleet.com	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	A 19,720/203 B 16,070/183 C 13,580/155	A 25,540/273 B 22,350/260 C 21,900/254	A 25,880/277 B 22,960/267 C 23,280/270	A 25,170/268 B 21,760/252 C 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 775 mt MGO	BOWTHRUSTER USDA FITTED
NOVA ZEELANDIA DUTCH PJHA 8514784 1986	(580) 430 649 710 (870) 763 224 266 (870) 763 224 264 (31) 651 585 328 master.novazeelandia@seatradefleet.com	238.985 2.684 5.509 7.31	115.00 16.80 4.440 2.655	3 3 9 6	1) 8.00 x 6.00 2) 8.00 x 6.00 3) 8.00 x 6.00 2.20	A 26,874/284 B 19,305/216 C 14,999/164	A 32,174/365 B 29,825/352 C 26,633/289	A 32,257/367 B 30,179/354 C 26,739/293		1) 4FEU OR 4TEU+2FEU 2) 4FEU OR 4TEU+2FEU 3) 4) 5) 6	6 DERRICKS x 4 mt or 3 x 4 mt IN UP	1) 16 knts @14 mt IFO380 2) 1 mt IFO380 AND 0.5 mt MDO 3) 2.5 mt IFO380 AND 0.5 mt MDO 4) 1.9 mt IFO380 AND 0.6 mt MDO	725 mt IFO380 100 mt MDO	USDA FITTED
NEW TAKATSUKI PANAMA 3EFN9 9015838 1991	(580) 435 580 210 (870) 761 151 337 (870) 761 149 184 (81) 80 3535 2986 takatsuki@umimail.com	237.136 2.552 5.248 6.91	120.70 16.60 4.446 2.287	3 3 9 6	1) 7.10 x 6.40 2) 7.10 x 6.40 3) 7.10 x 6.40 2.20	A 28,557/265 B 17,171/187 C 13,881/130	A 32,513/348 B 28,909/343 C 28,333/315	A 32,323/346 B 28,572/340 C 26,877/278		1) 2) 3) 4) 5)	6 DERRICKS x 5 mt or 3 x 3 mt IN UP	1) 15 knts @13.5 mt IFO380 2) 1.5 mt IFO380 AND 0.1 mt MDO 3) 3 mt IFO380 AND 0.1 mt MDO 4) 2.5 mt IFO380 AND 0.3 mt MDO	650 mt IFO380 75 mt MDO	USDA FITTED
COPPENNAME DUTCH PJYM 8807636 1990	(580) 430 686 211 (870) 783 154 580 (870) 764 846 083 (31) 651 081 602 master.coppenname@seatradefleet.com	212.102 2.453 4.797 6.75	108.80 16.40 4.666 2.145	3 3 10 6	1) 7.50 x 5.20 2) 7.50 x 5.20 3) 7.50 x 5.20 2.20	FC 21,613/258 A 23,096/250 B 17,940/213 C 12,148/138	A 23,025/265 B 22,001/261 C 21,860/248	A 24,509/284 B 23,767/284 C 22,143/252		1) 4FEU+6TEU OR 14TEU 2) 4FEU+6TEU OR 14TEU 3) 4) 18TEU 5) 14	3 CRANES x 5 mt	1) 15 knts @12.5 mt IFO380 2) 1.5 mt IFO380 3) 3 mt IFO380 4) 2 mt IFO380	575 mt IFO380 450 mt MDO	USDA FITTED

General remarks

Not to be used for time charter description. Particulars believed to be correct but not guaranteed.
Speed and consumptions figures are based on banana laden condition without containers on deck in fair weather conditions.
Consumptions are in metric tons per 24 hours.

Fuel according ISO 8217:2005 norm
IFO380 - RMG380
IFO180 - RME180
IFO30 - RMA30
MGO - DMB
MGO - DMA

Compartment breakdown

Dashed underline stands for a 'spar' or 'fruit' deck.
Single underline stands for a deck with independent air circulation, but not insulated
Double underline stands for an insulated deck.

Containers

Laden container intake is based on maximum stackweights and forty-foot units of 26 mt and twenty-foot units of 14 mt.
Self-sustained containers stands for the maximum amount of 'laden' containers that can be lifted with own gear.
Total number of containers on deck remains subject to master's approval depending on lashing, stability and visibility rules.

E-mail

Sending e-mail to ships can be subjected to:
- The size of the message (inc. attachments).
- Sender's e-mail address being white listed.
- Having an account with a service provider.