



FLEETLIST


Seatrade
GROUP N.V.

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD	HOLD	HOLD						
Container Pool															
SEATRADE ORANGE LIBERIA DSLJ7 9690092 2016	(580) 453 843 074 (870) 783 402 860 (870) 773 801 018 (31) 651 294 345	0 0 26.947 10.00	185.00 30.00 24.901 9.207	1 0 0 0	1) 0.00	.00 x .00					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
Master.SeatradeOrange@Seatradefleet.com															
SEATRADE RED LIBERIA DSLRL9 9690107 2016	(580) 463 721 242 (870) 783 403 072 (870) 773 801 683 (31) 622 557 854	0 0 27.025 10.00	185.00 30.00 24.901 9.207	1 0 0 0	1) 0.00	.00 x .00					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
master.seatradered@seatradefleet.com															
SEATRADE WHITE LIBERIA DLSL2 9756092 2016	(580) 463 721 761 (870) 783 403 810 (870) 773 156 958 (31) 651 081 532	0 0 27.200 10.00	185.00 30.00 24.901 9.207	0 0 0 0	 0.00						1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
master.seatradewhite@seatradefleet.com															
SEATRADE BLUE LIBERIA DLSL3 9756107 2017	(580) 463 721 989 (870) 783 403 993 (870) 773 265 532 (31) 651 428 271	0 0 27.200 10.00	185.00 30.00 24.901 9.207	0 0 0 0	 0.00						1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
master.seatradeblue@seatradefleet.com															
SEATRADE GREEN LIBERIA 9810915 2018	 	0 0 27.200 10.00	185.00 30.00 25.175 9.381	1 0 0 0	1) 0.00	.00 x .00					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
SEATRADE GOLD LIBERIA 9810927 2018	 	0 0 27.200 10.00	185.00 30.00 25.175 9.381	1 0 0 0	1) 0.00	.00 x .00					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
A-B-C Klipper class														
BALTIC KLIPPER LIBERIA A8VR5 9454759 2010	(580) 463 708 518 (870) 783 158 899 (870) 773 155 842 (31) 620 433 636	661.636 7.118 15.693 10.32	165.00 25.00 14.091 7.603	4 4 16 8	1) 7.00 x 10.50 2) 12.60 x 10.50 3) 12.60 x 10.50 4) 12.60 x 10.50 2.30	FC 55,535/574 A 33,228/347 B 26,371/285 C 22,852/238	A 52,395/535 B 46,147/513 C 41,527/464 D 35,690/372	A 52,621/544 B 48,151/547 C 47,070/541 D 34,403/403	A 48,099/486 B 43,413/485 C 40,111/441 D 34,023/343	1) 267FEU+9TEU OR 552TEU 2) 247FEU+9TEU OR 503TEU 3) 242FEU+9TEU OR 434TEU 4) 48FEU+12TEU OR 108TEU 5) 200	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 21.5 knts @55.5 mt IFO380 2) 2.6 mt IFO380 3) 6.5 mt IFO380 4) 6 mt IFO380	1975 mt IFO380 100 mt MDO	BOWTHRUSTER ICE CLASS IB USDA FITTED CA PRE-PIPED
master.balticklipper@seatradefleet.com						ttl: 137,986/1,444	ttl: 175,759/1,884	ttl: 182,245/2,035	ttl: 165,646/1,755					
ATLANTIC KLIPPER DUTCH PCIU 9454761 2011	(580) 435 385 511 (870) 783 200 463 (870) 773 157 169 (31) 651 851 095	661.530 7.118 15.693 10.32	165.00 25.00 14.091 7.603	4 4 16 8	1) 7.00 x 10.50 2) 12.60 x 10.50 3) 12.60 x 10.50 4) 12.60 x 10.50 2.30	FC 55,656/574 A 33,217/347 B 26,365/285 C 22,541/238	A 52,410/535 B 46,162/513 C 41,606/464 D 35,636/372	A 52,659/544 B 48,194/547 C 47,038/541 D 34,397/403	A 48,111/486 B 43,397/485 C 40,114/441 D 34,027/343	1) 267FEU+9TEU OR 552TEU 2) 247FEU+9TEU OR 503TEU 3) 242FEU+9TEU OR 434TEU 4) 48FEU+12TEU OR 108TEU 5) 200	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 21.5 knts @55.5 mt IFO380 2) 2.6 mt IFO380 3) 6.5 mt IFO380 4) 6 mt IFO380	1975 mt IFO380 75 mt MDO	BOWTHRUSTER ICE CLASS IB USDA FITTED CA PRE-PIPED
master.atlanticklipper@seatradefleet.com						ttl: 137,779/1,444	ttl: 175,814/1,884	ttl: 182,288/2,035	ttl: 165,649/1,755					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWTAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Country class														
SWEDISH REEFER BAHAMAS C6KD4 9030149 1992	(580) 430 812 610 (870) 783 903 095 (870) 773 166 646 (30) 694 912 1064	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.swedish.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					
SCHWEIZ REEFER BAHAMAS C6KD9 9015216 1992	(580) 430 812 410 (870) 783 903 099 (870) 773 166 584 (30) 694 912 1049	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
schweiz.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					
ITALIA REEFER BAHAMAS C6KD5 9030137 1992	(580) 430 843 810 (870) 783 903 093 (870) 773 166 657 (30) 694 912 1065	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
italia.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					
HELLAS REEFER BAHAMAS C6KD8 9015187 1991	(870) 773 262 778	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 40/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.hellas.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					
NEDERLAND REEFER BAHAMAS C6KD6 9015199 1991	(580) 430 812 211 (870) 773 166 913 (30) 694 912 1043	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.nederland.reefer@gtships.com						ttd: 93,170/965	ttd: 176,198/2,074	ttd: 187,421/2,260	ttd: 188,797/2,266					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES								
						HOLD 1	HOLD 2	HOLD 3	HOLD 4													
L-Strait class																						
LOMBOK STRAIT	(580) 463 791 020	626.011	167.00	4	1) 3.30 x 6.00	FC <u>47,441/555</u>	A 52,133/615	A 57,199/674	A 48,589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21.5 knts @58 mt IFO380	1850 mt IFO380	BOWTHRUSTER								
MALTA	(870) 783 255 418	7.341	25.00	4	2) 3.30 x 6.00	A 27,797/328	B <u>45,853/543</u>	B <u>56,447/669</u>	B <u>48,239/572</u>	2) 206FEU OR 440TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED								
9HA3797	(870) 773 238 760	15.917	14.413	15	3) 3.30 x 6.00	B 14,693/174	C 38,542/441	C 57,100/653	C 43,309/496	3) 206FEU OR 440TEU		3) 6 mt IFO380		CA PLANT								
9204958	(49) 152 549 276 21	10.00	7.536	8	4) 3.30 x 6.00	D 24,048/284	D 24,048/284	D 42,221/499	D 22,400/264	4) 206		4) 6 mt IFO380		MA PLANT								
2002	master.lombokstrait@tritonfleet.net					2.25	ttl: 89,931/1,057				ttl: 160,576/1,883				ttl: 212,967/2,495				ttl: 162,537/1,905			
LUZON STRAIT	(580) 425 606 411	626.011	167.00	4	1) 3.30 x 6.00	FC <u>47,441/555</u>	A 52,133/615	A 57,199/674	A 48,589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21.5 knts @58 mt IFO380	1850 mt IFO380	BOWTHRUSTER								
MALTA	(870) 783 255 328	7.341	25.00	4	2) 3.30 x 6.00	A 27,797/328	B <u>45,853/543</u>	B <u>56,447/669</u>	B <u>48,239/572</u>	2) 206FEU OR 440TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED								
9HA3803	(870) 773 238 658	15.917	14.413	15	3) 3.30 x 6.00	B 14,693/174	C 38,542/441	C 57,100/653	C 43,309/496	3) 206FEU OR 440TEU		3) 6 mt IFO380		CA PLANT								
9204960	(49) 152 549 276 22	10.02	7.536	8	4) 3.30 x 6.00	D 24,048/284	D 24,048/284	D 42,221/499	D 22,400/264	4) 206		4) 6 mt IFO380		MA PLANT								
2002	master.luzonstrait@tritonfleet.net					2.25	ttl: 89,931/1,057				ttl: 160,576/1,883				ttl: 212,967/2,495				ttl: 162,537/1,905			

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/4 E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Ocean class														
ATLANTIC REEFER	(580) 463 715 320	597.139	175.72	4	1) 8.10 x 6.00	A <u>35,432/399</u>	A 18,457/202	A 18,445/203	A 18,219/202	1) 102FEU OR 136TEU+34FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	1150 mt IFO380	USDA FITTED
LIBERIA	(870) 783 154 643	6.804	22.60	4	2) 8.10 x 6.00	B 26,435/269	B 36,430/433	B 36,037/431	B 39,374/467	2) 82FEU OR 80TEU+26FEU	2 CRANES x 36 mt	2) 2 mt IFO380	50 mt MDO	CA PRE-PIPED
D5FE2	(870) 773 152 571	17.322	13.055	19	3) 8.10 x 6.00	C 17,273/183	C <u>37,816/453</u>	C <u>41,793/497</u>	C <u>41,631/479</u>	3) 82FEU OR 80TEU+26FEU	1 CRANE x 8 mt	3) 6 mt IFO380		
9179256 1998	(31) 620 493 150	9.72	7.580	8	4) 8.10 x 6.00 2.20	D 14,038/157	D 33,862/391	D 40,443/479	D 36,454/408	4) 5) 200		4) 6 mt IFO380		
master.atlanticreefer@seatradefleet.com						ttl: 93,178/1,008	ttl: 157,632/1,818	ttl: 179,262/2,093	ttl: 167,067/1,885					
PACIFIC REEFER	(580) 463 715 295	596.925	175.72	4	1) 8.10 x 6.00	A <u>35,352/398</u>	A 18,457/202	A 18,445/203	A 18,274/202	1) 102FEU OR 136TEU+34FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	1150 mt IFO380	USDA FITTED
LIBERIA	(870) 773 159 697	6.803	22.60	4	2) 8.10 x 6.00	B 26,282/268	B 36,430/433	B 36,037/431	B 39,435/467	2) 82FEU OR 80TEU+26FEU	2 CRANES x 36 mt	2) 2 mt IFO380	50 mt MDO	CA PRE-PIPED
D5FE3	(870) 773 156 506	17.322	13.055	19	3) 8.10 x 6.00	C 17,316/181	C <u>37,816/453</u>	C <u>41,793/497</u>	C <u>41,655/480</u>	3) 82FEU OR 80TEU+26FEU	1 CRANE x 8 mt	3) 6 mt IFO380		
9179268 1999	(31) 653 445 603	9.72	7.624	8	4) 8.10 x 6.00 2.20	D 14,007/157	D 33,862/391	D 40,443/479	D 36,378/410	4) 5) 200		4) 6 mt IFO380		
master.pacificreefer@seatradefleet.com						ttl: 92,957/1,004	ttl: 157,632/1,818	ttl: 179,262/2,093	ttl: 167,074/1,888					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Maxi Stream class														
ROYAL KLIPPER DUTCH PCIH 9172959 2000	(580) 424 642 810 (870) 873 155 012 (870) 773 152 841 (31) 620 493 151 master.royalklipper@seatradefleet.com	580.754 6.613 12.902 10.12	155.00 24.00 11.382 6.408	4 4 19 8	1) 8.00 x 10.60 2) 13.50 x 10.60 3) 13.50 x 10.60 4) 13.50 x 10.60 2.30	UPI 7,108/86 A 41,565/420 B 25,347/290 C 15,994/191 D 25,214/300 ttl: 90,014/987	UPI 11,890/144 A 47,759/532 B 44,219/500 C 37,734/436 D 25,214/300 ttl: 166,816/1,912	UPI 11,890/144 A 46,537/517 B 46,162/522 C 44,962/516 D 28,588/338 ttl: 178,139/2,037	UPI 11,890/144 A 41,308/469 B 38,373/437 C 32,098/368 D 22,116/259 ttl: 145,785/1,677	1) 207FEU OR 390TEU 2) 180FEU OR 240TEU+60FEU 3) 180FEU OR 240TEU+60FEU 4) 60FEU+12TEU OR 132TEU 5) 185	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @48 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1850 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
COMOROS STREAM LIBERIA A8IP4 9167801 2000	(580) 463 791 016 (870) 783 158 465 (870) 773 239 060 (49) 152 549 276 04 master.comorosstream@tritonfleet.net	580.754 6.613 12.902 10.12	155.00 24.00 11.382 6.408	4 4 19 8	1) 8.00 x 10.60 2) 13.50 x 10.60 3) 13.50 x 10.60 4) 13.50 x 10.60 2.30	UPI 7,108/86 A 41,565/420 B 25,347/290 C 15,994/191 D 25,214/300 ttl: 90,014/987	UPI 11,890/144 A 47,759/532 B 44,219/500 C 37,734/436 D 28,588/338 ttl: 166,816/1,912	UPI 11,890/144 A 46,537/517 B 46,162/522 C 44,962/516 D 28,588/338 ttl: 178,139/2,037	UPI 11,890/144 A 41,308/469 B 38,373/437 C 32,098/368 D 22,116/259 ttl: 145,785/1,677	1) 207FEU OR 390TEU 2) 180FEU OR 240TEU+60FEU 3) 180FEU OR 240TEU+60FEU 4) 60FEU+12TEU OR 132TEU 5) 185	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @48 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1850 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES								
						HOLD 1	HOLD 2	HOLD 3	HOLD 4													
Polar class																						
POLARSTREAM	(580) 463 712 140	564.280	154.00	4	1) 12.60 x 8.00	FC <u>47,903/531</u>	A 44,313/477	A 44,154/488	A 47,669/531	1) 136FEU+8TEU OR 268TEU	2 CRANES x 36 mt	1) 21 knts @44.1 mt IFO380	1425 mt IFO380	USDA FITTED								
LIBERIA	(870) 783 158 848	6.495	24.00	4	2) 12.60 x 8.00	A 32,927/316	B <u>35,593/429</u>	B <u>40,607/487</u>	B <u>40,771/490</u>	2) 109FEU+8TEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED								
D5BR6	(870) 773 239 062	12.473	11.417	16	3) 12.60 x 8.00	B 17,106/206	C 30,780/384	C 38,446/482	C 36,148/434	3) 109FEU+8TEU OR 212TEU		3) 6 mt IFO380										
9189885 1999	(49) 152 549 276 26	9.90	5.966	8	4) 12.60 x 8.00	C 10,849/126	D 28,986/327	D 35,889/432	D 32,139/355	4) 42FEU OR 84TEU		4) 6 mt IFO380										
master.polarstream@tritonfleet.net						2.20	ttl: 108,785/1,179				ttl: 139,672/1,617				ttl: 159,096/1,889				ttl: 156,727/1,810			
POLARLIGHT	(580) 463 712 168	564.160	154.00	4	1) 12.60 x 8.00	FC <u>47,874/531</u>	A 44,313/477	A 44,154/488	A 47,649/531	1) 136FEU+8TEU OR 268TEU	2 CRANES x 36 mt	1) 21 knts @44.1 mt IFO380	1400 mt IFO380	USDA FITTED								
LIBERIA	(870) 783 200 921	6.493	24.00	4	2) 12.60 x 8.00	A 32,999/317	B <u>35,601/428</u>	B <u>40,607/487</u>	B <u>40,743/490</u>	2) 109FEU+8TEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED								
D5BR7	(870) 773 238 977	12.473	11.417	16	3) 12.60 x 8.00	B 17,068/206	C 30,698/383	C 38,454/482	C 36,140/434	3) 109FEU+8TEU OR 212TEU		3) 6 mt IFO380										
9189873 1998	(49) 152 549 276 25	9.90	5.966	8	4) 12.60 x 8.00	C 10,880/126	D 28,986/327	D 35,855/432	D 32,139/355	4) 42FEU OR 84TEU		4) 6 mt IFO380										
master.polarlight@tritonfleet.net						2.20	ttl: 108,821/1,180				ttl: 139,598/1,615				ttl: 159,070/1,889				ttl: 156,671/1,810			

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIRES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
E- class														
EMERALD MALTA 9HA3770 9202857 2000	(580) 422 998 110 (870) 783 158 847 (870) 773 239 061 (49) 152 549 276 10	548.718 6.244 12.734 9.67	151.99 23.00 10.532 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85 2.20	A <u>45,347/489</u> B <u>25,866/307</u> C <u>20,176/215</u> D <u>8,608/107</u>	A <u>43,758/463</u> B <u>37,499/435</u> C <u>30,996/380</u> D <u>26,242/283</u>	A <u>45,055/480</u> B <u>40,029/481</u> C <u>38,722/476</u> D <u>37,203/434</u>	A <u>44,964/478</u> B <u>39,529/474</u> C <u>35,026/432</u> D <u>29,678/309</u>	1) 106FEU OR 212TEU 2) 106FEU OR 212TEU 3) 106FEU OR 212TEU 4) 36FEU OR 72TEU 5) 106	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20.5 knts @42 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1425 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.emerald@tritonfleet.net						ttl: 100,017/1,118	ttl: 138,495/1,561	ttl: 161,009/1,871	ttl: 149,197/1,693					
ELVIRA LIBERIA A8IP2 9202869 2000	(580) 463 791 024 (870) 783 255 308 (870) 773 238 640 (49) 152 549 276 09	548.666 6.244 12.734 9.67	151.99 23.00 10.532 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85 2.20	A <u>45,265/488</u> B <u>25,978/308</u> C <u>20,234/215</u> D <u>8,595/107</u>	A <u>43,548/462</u> B <u>37,352/436</u> C <u>31,000/381</u> D <u>26,323/283</u>	A <u>44,965/479</u> B <u>39,924/480</u> C <u>38,749/476</u> D <u>37,271/434</u>	A <u>44,996/479</u> B <u>39,681/476</u> C <u>35,093/432</u> D <u>29,692/308</u>	1) 106FEU OR 212TEU 2) 106FEU OR 212TEU 3) 106FEU OR 212TEU 4) 36FEU OR 72TEU 5) 106	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20.5 knts @42 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1425 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.elvira@tritonfleet.net						ttl: 100,072/1,118	ttl: 138,223/1,562	ttl: 160,909/1,869	ttl: 149,462/1,695					
ESMERALDA MALTA 9HA3564 9181170 1999	(580) 422 973 710 (870) 783 154 362 (870) 773 239 018 (49) 152 549 276 12	548.643 6.243 12.734 9.67	151.99 23.00 10.532 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85 2.20	A <u>45,415/491</u> B <u>25,863/308</u> C <u>20,228/214</u> D <u>8,619/106</u>	A <u>43,780/464</u> B <u>37,571/438</u> C <u>30,965/380</u> D <u>26,163/280</u>	A <u>44,983/479</u> B <u>39,997/480</u> C <u>38,644/475</u> D <u>37,113/432</u>	A <u>44,942/478</u> B <u>39,637/475</u> C <u>35,055/433</u> D <u>29,668/309</u>	1) 106FEU OR 212TEU 2) 106FEU OR 212TEU 3) 106FEU OR 212TEU 4) 36FEU OR 72TEU 5) 106	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20.5 knts @42 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1425 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.esmeralda@tritonfleet.net						ttl: 100,125/1,119	ttl: 138,479/1,562	ttl: 160,737/1,866	ttl: 149,302/1,695					
CROWN EMMA BARBADOS 8PLI 9128037 1996	(580) 431 401 010 (870) 313 344 774 (31) 620 121 235	547.680 6.228 10.351 8.67	151.99 23.00 10.519 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85 2.20	A <u>45,031/488</u> B <u>25,981/310</u> C <u>20,220/215</u> D <u>8,659/106</u>	A <u>43,532/461</u> B <u>37,506/437</u> C <u>30,761/377</u> D <u>26,071/280</u>	A <u>44,960/477</u> B <u>39,977/480</u> C <u>38,668/475</u> D <u>37,229/433</u>	A <u>44,778/475</u> B <u>39,717/475</u> C <u>35,002/432</u> D <u>29,588/307</u>	1) 96FEU OR 192TEU 2) 96FEU OR 192TEU 3) 96FEU OR 192TEU 4) 36FEU OR 72TEU 5) 96	2 CRANES x 8 mt	1) 20 knts @36.5 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1500 mt IFO380 75 mt MDO	USDA FITTED
Master.CrownEmma@Seatradefleet.com						ttl: 99,891/1,119	ttl: 137,870/1,555	ttl: 160,834/1,865	ttl: 149,085/1,689					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZE HATCH OPENINGS WEATHERDECK (m ²) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Mermaid class														
PACIFIC MERMAID	(580) 463 791 599	540.572	141.80	4	1) 7.60 x 7.10	UPI 6,938/69	UPI 6,862/69	UPI 6,862/69	UPI 6,862/69	1) 73FEU OR 140TEU+13FEU	2 CRANES x 30 mt	1) 19 knts @33.5 mt IFO380	1350 mt IFO380	USDA FITTED
LIBERIA	(870) 783 255 523	6.075	22.80	4	2) 7.60 x 7.10	A 37,211/416	A 35,358/418	A 35,598/426	A 39,718/475	2) 65FEU OR 80TEU+9FEU	2 CRANES x 10 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
A&JJS	(870) 773 238 899	10.461	9.820	20	3) 7.60 x 7.10	B 31,028/306	B 34,353/401	B 35,770/429	B 39,910/475	3) 65FEU OR 80TEU+9FEU		3) 5.5 mt IFO380		
9045924 1992	(49) 152 549 276 24	8.82	3.538	8	4) 7.60 x 7.10	C 20,420/213 D 14,864/161	C 32,628/355 D 25,573/269	C 35,661/427 D 34,006/378	C 33,663/383 D 27,287/267	4) 5) 65		4) 6 mt IFO380		
master.pacificmermaid@tritonfleet.net						ttl: 110,461/1,165	ttl: 134,774/1,512	ttl: 147,897/1,729	ttl: 147,440/1,669					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Stream class														
TIMOR STREAM	(580) 463 791 033	535.112	150.00	4	1) 7.00 x 8.00	A 43,652/421	A 42,215/476	A 41,312/463	A 44,439/508	1) 166FEU+11TEU OR 343TEU	2 CRANES x 40 mt	1) 21 knts @47 mt IFO380	1350 mt IFO380	BOWTHRUSTER
LIBERIA	(870) 783 204 067	6.004	22.00	4	2) 7.00 x 8.00	B 27,992/299	B 38,163/441	B 38,663/446	B 41,080/463	2) 136FEU+10TEU OR 218TEU+32FEU	2 PALLET CRANES x 8 mt	2) 2.5 mt IFO380	100 mt MDO	USDA FITTED
A8199	(870) 773 239 064	11.014	9.307	15	3) 7.00 x 8.00	C 22,644/246	C 37,649/423	C 39,816/463	C 38,007/414	3) 136FEU+10TEU OR 218TEU+32FEU		3) 5.5 mt IFO380		CA PRE-PIPED
9172947 1998	(49) 152 549 276 58	9.27	4.983	8	4) 7.00 x 8.00 2.20		D 25,198/300	D 28,406/332	D 25,876/308	4) 42TEU 5) 126		4) 5.5 mt IFO380		
	master.timorstream@tritonfleet.net					ttl: 94,288/966	ttl: 143,225/1,640	ttl: 148,197/1,704	ttl: 149,402/1,693					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/2 E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Hope Bay class														
EASTERN BAY	(580) 463 791 037	533.899	143.00	4	1) 7.00 x 8.00	A 42,407/430	A 39,164/449	A 39,685/452	A 43,104/471	1) 93FEU OR 138TEU+24FEU	1 CRANE x 40 mt	1) 19.5 knts @35.5 mt IFO380	1175 mt IFO380	USDA FITTED
LIBERIA	(870) 783 255 300	5.915	22.00	4	2) 7.00 x 8.00	B 29,513/307	B 37,204/430	B 37,220/434	B 38,585/439	2) 93FEU OR 110TEU+18FEU	8 DERRICKS x 6 mt or 4 x 6 mt IN UP	2) 2.5 mt IFO380	100 mt MDO	CA PRE-PIPED
A8IO9	(870) 773 238 633	9.662	8.917	15	3) 7.00 x 8.00	C 22,668/246	C 36,823/416	C 38,437/455	C 35,465/390	3) 60FEU OR 96TEU+12FEU		3) 5.5 mt IFO380		
9143752	(49) 152 549 276 07	8.29	4.366	8	4) 7.00 x 8.00	D 29,838/313	D 29,838/313	D 35,333/395	D 28,453/288	4) 42TEU		4) 5.5 mt IFO380		
1997	master.easternbay@tritonfleet.net					2.20				5) 93				
						ttl: 94,588/983	ttl: 143,029/1,608	ttl: 150,675/1,736	ttl: 145,607/1,588					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/2 E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Fortuna/Mexican Bay														
MEXICAN BAY	(580) 463 791 369	542.905	144.52	4	1) 8.10 x 6.00	A <u>32,698/389</u>	A 15,732/186	A 15,902/187	A 15,828/184	1) 63FEU OR 126TEU	1 CRANE x 36 mt	1) 19.2 knts @33.5 mt IFO380	1400 mt IFO380	USDA FITTED
MALTA	(870) 783 205 599	6.351	21.80	4	2) 8.10 x 6.00	B 25,732/309	B 32,167/402	B 33,283/416	B 32,864/408	2) 44FEU OR 88TEU	3 CRANES x 8 mt	2) 2 mt IFO380	100 mt MDO	CA PRE-PIPED
9HA3565	(870) 773 238 952	11.575	10.203	19	3) 8.10 x 6.00	C 21,683/229	C <u>38,159/404</u>	C <u>38,278/437</u>	C <u>35,527/427</u>	3) 30FEU OR 60TEU		3) 5.5 mt IFO380		
9064839	(49) 152 549 276 23	9.17	5.869	8	4) 8.10 x 6.00	D 19,582/214	D 31,736/362	D 36,223/421	D 26,578/330	4) 44		4) 6 mt IFO380		
1994	master.mexicanbay@tritonfleet.net					2.20	E 27,722/326	E 33,694/424	E 29,517/298	5) 44				
						ttl: 99,695/1,141	ttl: 145,516/1,680	ttl: 157,380/1,885	ttl: 140,314/1,647					
FORTUNA BAY	(580) 463 791 395	542.470	144.52	4	1) 8.10 x 6.00	A <u>32,418/389</u>	A 16,130/186	A 16,096/187	A 15,851/184	1) 63FEU OR 126TEU	1 CRANE x 36 mt	1) 19.2 knts @33.5 mt IFO380	1400 mt IFO380	USDA FITTED
LIBERIA	(870) 761 118 340	6.351	21.80	4	2) 8.10 x 6.00	B 26,385/309	B 31,987/402	B 33,259/416	B 32,924/408	2) 44FEU OR 88TEU	3 CRANES x 8 mt	2) 2 mt IFO380	100 mt MDO	CA PRE-PIPED
A&JH6	(870) 761 118 339	11.585	10.203	19	3) 8.10 x 6.00	C 21,586/229	C <u>37,742/404</u>	C <u>38,339/437</u>	C <u>35,601/427</u>	3) 30FEU OR 60TEU		3) 5.5 mt IFO380		
9067128	(49) 152 549 276 14	9.17	5.869	8	4) 8.10 x 6.00	D 19,353/214	D 31,571/362	D 35,788/421	D 26,747/330	4) 44		4) 6 mt IFO380		
1993	master.fortunabay@tritonfleet.net					2.20	E 27,619/326	E 33,853/424	E 29,221/298	5) 44				
						ttl: 99,742/1,141	ttl: 145,049/1,680	ttl: 157,335/1,885	ttl: 140,344/1,647					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Ivory class														
REGAL BAY	(580) 431 190 710	526.250	150.01	4	1) 13.20 x 8.50	A <u>38,787/375</u>	A 43,081/440	A 43,960/459	A 45,539/464	1) 67FEU OR 154TEU	2 CRANES x 35 mt	1) 20 knts @39.5 mt IFO380	1325 mt IFO380	USDA FITTED
BAHAMAS	(870) 783 158 863	5.851	22.50	4	2) 13.20 x 10.50	B 26,712/261	B <u>35,361/419</u>	B <u>38,642/462</u>	B <u>37,367/444</u>	2) 46FEU OR 92TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
C6UG6	(870) 773 238 249	10.520	10.375	15	3) 13.20 x 10.50	C 16,993/178	C 31,610/379	C 38,271/461	C 34,873/413	3) 46FEU OR 92TEU		3) 5.5 mt IFO380		
9053658	(31) 612 588 249	9.07	5.253	8	4) 13.20 x 10.50	D 27,768/314	D 36,456/434	D 30,830/348	D 30,830/348	4) 54FEU OR 108TEU		4) 5.5 mt IFO380		
1993	2.20					5) 46								
master.regalbay@seatradefleet.com						ttl: 82,492/814	ttl: 137,820/1,552	ttl: 157,329/1,816	ttl: 148,609/1,669					
FEGULUS	(580) 431 400 510	526.141	150.01	4	1) 13.20 x 8.90	FC <u>38,907/375</u>	A 42,960/440	A 43,960/459	A 45,524/462	1) 67FEU OR 154TEU	2 CRANES x 36 mt	1) 20 knts @39.5 mt IFO380	1325 mt IFO380	USDA FITTED
BARBADOS	(870) 31 33 44 775	5.849	22.50	4	2) 13.20 x 10.50	A 26,754/261	B <u>35,333/419</u>	B <u>38,631/462</u>	B <u>37,360/444</u>	2) 46FEU OR 92TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
8PTX	(870) 31 33 44 775	10.545	10.374	15	3) 13.20 x 10.50	B 16,994/178	C 31,582/379	C 38,254/461	C 34,842/413	3) 46FEU OR 92TEU		3) 5.5 mt IFO380		
9055709	(31) 620 315 417	9.07	5.253	8	4) 13.20 x 10.50	D 27,744/314	D 36,438/434	D 30,858/348	D 30,858/348	4) 54FEU OR 108TEU		4) 5.5 mt IFO380		
1993	2.20					5) 46								
Master.Fegulus@Seatradefleet.com						ttl: 82,655/814	ttl: 137,619/1,552	ttl: 157,283/1,816	ttl: 148,584/1,667					
ATLANTIC ACANTHUS	(580) 431 100 830	504.511	144.52	4	1) 8.10 x 6.00	A <u>35,388/379</u>	A 35,942/401	A 36,223/407	A 36,081/406	1) 88FEU OR 120TEU+28FEU	2 CRANES x 36 mt	1) 20 knts @34.5 mt IFO380	1175 mt IFO380	USDA FITTED
BAHAMAS	(870) 331 100 121	5.759	21.80	4	2) 8.10 x 6.60	B 27,011/302	B <u>34,141/401</u>	B <u>35,862/428</u>	B <u>35,605/423</u>	2) 88FEU OR 120TEU+28FEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	100 mt MDO	CA PRE-PIPED
C6ZG7	(870) 773 188 945	11.788	9.649	16	3) 8.10 x 6.60	C 20,256/229	C 30,424/355	C 34,748/416	C 32,344/372	3) 88FEU OR 120TEU+28FEU		3) 6.5 mt IFO380		
9189897		9.18	5.349	8	4) 8.10 x 6.60	D 17,494/210	D 29,071/320	D 35,736/417	D 28,185/293	4) 4)		4) 5.5 mt IFO380		
1999	2.20					5) 80								
Master.acanthus@gships.com						ttl: 100,149/1,120	ttl: 129,578/1,477	ttl: 142,569/1,668	ttl: 132,215/1,494					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Santa class														
SANTA MARIA	(580) 463 790 994	463.963	143.00	4	1) 7.00 x 8.00	A <u>24,541/247</u>	A 40,290/425	A 41,140/444	A 40,549/445	1) 128FEU OR 236TEU	2 CRANES x 40 mt	1) 20 knts @41.5 mt IFO380	1425 mt IFO380	BOWTHRUSTER
LIBERIA	(870) 783 158 849	5.140	21.80	4	2) 12.60 x 8.00	B 16,658/186	B <u>35,018/406</u>	B <u>38,217/446</u>	B <u>38,172/454</u>	2) 120FEU OR 156TEU+42FEU	2 CRANES x 8 mt	2) 2 mt IFO380	100 mt MDO	ICE CLASS IA
A8IN7	(870) 773 239 063	9.534	8.507	14	3) 12.60 x 8.00		C 30,175/342	C 37,888/449	C 34,980/396	3) 120FEU OR 156TEU+42FEU		3) 4.5 mt IFO380		USDA FITTED
9194957	(49) 152 549 276 51	9.27	4.734	8	4) 12.60 x 8.00		D 23,529/231	D 34,826/380	D 27,980/289	4) 36FEU+6TEU OR 78TEU		4) 4.5 mt IFO380		CA PRE-PIPED
1999	master.santamaria@tritonfleet.net					2.20				5) 135				
						ttl: 41,199/433	ttl: 129,012/1,404	ttl: 152,071/1,719	ttl: 141,681/1,584					
SANTA LUCIA	(580) 463 791 031	463.652	143.00	4	1) 7.00 x 8.00	A <u>24,531/247</u>	A 40,286/425	A 41,140/444	A 40,549/445	1) 128FEU OR 236TEU	2 CRANES x 40 mt	1) 20 knts @41.5 mt IFO380	1425 mt IFO380	BOWTHRUSTER
LIBERIA	(870) 783 255 432	5.140	21.80	4	2) 12.60 x 8.00	B 16,355/186	B <u>35,053/406</u>	B <u>38,217/446</u>	B <u>38,192/454</u>	2) 120FEU OR 156TEU+42FEU	2 CRANES x 8 mt	2) 2 mt IFO380	100 mt MDO	ICE CLASS IA
A8IP5	(870) 773 238 788	9.566	8.507	14	3) 12.60 x 8.00		C 30,173/342	C 37,808/449	C 34,945/396	3) 120FEU OR 156TEU+42FEU		3) 4.5 mt IFO380		USDA FITTED
9194921	(49) 152 549 276 50	9.27	4.734	8	4) 12.60 x 8.00		D 23,559/231	D 34,847/380	D 27,997/289	4) 36FEU+6TEU OR 78TEU		4) 4.5 mt IFO380		CA PRE-PIPED
1999	master.santalucia@tritonfleet.net					2.20				5) 135				
						ttl: 40,886/433	ttl: 129,071/1,404	ttl: 152,012/1,719	ttl: 141,683/1,584					
COLD STREAM	(580) 430 621 610	456.785	140.00	4	1) 7.00 x 11.00	A <u>36,059/352</u>	A 37,941/431	A 35,880/409	A 38,024/434	1) 117FEU+12TEU OR 238TEU	4 CRANES x 20 mt or 2 x 40 mt IN TWIN	1) 20.5 knts @41.5 mt IFO380	1000 mt IFO380	BOWTHRUSTER
DUTCH	(870) 783 156 302	5.217	22.00	4	2) 7.00 x 11.00	B <u>24,246/264</u>	B <u>34,930/411</u>	B <u>33,565/398</u>	B <u>34,945/399</u>	2) 114FEU+8TEU OR 180TEU		2) 2 mt IFO380	125 mt MDO	USDA FITTED
PJRH	(870) 773 153 745	10.086	8.414	15	3) 7.00 x 11.00	C 15,413/159	C 33,080/389	C 34,333/412	C 31,960/364	3) 114FEU+8TEU OR 180TEU		3) 4.5 mt IFO380		CA PRE-PIPED
9051791	(31) 651 081 462	9.32	4.542	9	4) 7.00 x 11.00		D 21,236/254	D 25,347/303	D 19,826/237	4) 57TEU		4) 4.5 mt IFO380		
1994	master.coldstream@seatradeffleet.com					2.20				5) 106				
						ttl: 75,718/775	ttl: 127,187/1,485	ttl: 129,125/1,522	ttl: 124,755/1,434					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/M E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Large Bays														
RUNAWAY BAY RUSSIAN FEDERATION UBGP6 9019640 1992	(580) 427 309 643 (870) 783 200 803 (870) 773 157 486 (31) 651 513 344	516.227 5.852 11.579 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34,068/350 B 22,700/210 C 12,377/142 D 11,890/140	UPI 8,706/104 A 35,501/427 B 33,719/377 C 31,079/371 D 27,817/288	UPI 8,593/104 A 37,219/454 B 38,627/434 C 38,729/457 D 35,837/409	UPI 8,251/104 A 36,030/438 B 36,816/409 C 32,770/378 D 25,498/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 4) 5) 29	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	750 mt IFO380 100 mt MDO	USDA FITTED
master.runawaybay@seatradefleet.com						ttd: 81,035/842	ttd: 136,822/1,567	ttd: 159,005/1,858	ttd: 139,365/1,584					
ACONCAGUA BAY LIBERIA A8KY9 9019652 1992	(580) 463 792 396 (870) 783 200 908 (870) 773 157 569 (31) 622 557 852	512.361 5.894 11.581 9.42	148.50 20.60 9.074 5.844	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34,096/364 B 22,703/211 C 12,401/145 D 11,750/142	UPI 8,815/109 A 36,070/429 B 33,005/378 C 30,961/368 D 25,941/285	UPI 8,833/103 A 37,515/458 B 37,100/437 C 38,387/461 D 35,763/412	UPI 8,739/103 A 36,205/442 B 36,090/412 C 32,513/381 D 25,474/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 4) 5) 19	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	825 mt IFO380 100 mt MDO	USDA FITTED
master.aconcaguabay@seatradefleet.com						ttd: 80,950/862	ttd: 134,792/1,569	ttd: 157,598/1,871	ttd: 139,021/1,593					
HUMBOLDT BAY LIBERIA A8OL4 8907888 1990	(580) 463 701 316 (870) 783 154 293 (870) 773 152 296 (31) 620 493 147	508.551 5.854 11.633 9.42	148.50 20.63 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33,896/341 B 22,586/210 C 13,148/145 D 11,417/133	UPI 8,835/106 A 35,221/432 B 32,716/379 C 31,691/376 D 26,853/288	UPI 8,421/103 A 37,304/455 B 36,663/434 C 38,211/458 D 36,115/407	UPI 8,294/105 A 35,055/440 B 34,789/410 C 33,177/382 D 24,159/251	1) 2) 3) 4) 5)	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380	825 mt IFO380 100 mt MDO	USDA FITTED
master.humboldt@seatradefleet.com						ttd: 81,047/829	ttd: 135,316/1,581	ttd: 156,714/1,857	ttd: 135,474/1,588					
FUJI BAY LIBERIA A8OL6 8920141 1990	(580) 463 701 537 (870) 783 201 055 (870) 773 157 696 (31) 651 081 458	502.514 5.858 11.540 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33,333/350 B 21,737/206 C 12,056/141 D 10,934/135	UPI 8,402/101 A 34,447/421 B 32,335/377 C 31,075/369 D 25,970/286	UPI 8,541/103 A 37,115/460 B 36,526/438 C 38,431/462 D 35,368/414	UPI 8,541/103 A 35,258/443 B 35,107/417 C 32,878/379 D 24,460/252	1) 14TEU 2) 14TEU 3) 4) 5) 14	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380	775 mt IFO380 100 mt MDO	USDA FITTED
master.fujibay@seatradefleet.com						ttd: 78,060/832	ttd: 132,229/1,554	ttd: 155,981/1,877	ttd: 136,244/1,594					
EVEREST BAY LIBERIA A8KZ3 8911073 1989	(580) 463 792 240 (870) 783 202 036 (870) 773 158 571 (31) 651 294 346	449.201 5.219 9.687 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6,457/70 A 25,494/277 B 18,572/201 C 15,629/179 D 26,063/285	UPI 7,737/85 A 32,634/401 B 31,630/373 C 30,027/353 D 29,021/339	UPI 7,777/85 A 29,856/370 B 29,492/350 C 30,775/371 D 29,021/339	UPI 7,824/85 A 31,808/395 B 31,858/374 C 31,956/369 D 24,591/257	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	825 mt IFO380 175 mt MDO	USDA FITTED
master.everestbay@seatradefleet.com						ttd: 66,152/727	ttd: 128,091/1,497	ttd: 126,921/1,515	ttd: 128,037/1,480					
WHITNEY BAY LIBERIA A8KZ8 8911085 1990	(580) 463 792 236 (870) 783 208 722 (870) 773 235 380 (31) 653 526 904	449.175 5.208 9.687 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6,421/70 A 25,417/275 B 18,687/201 C 15,596/176 D 26,011/284	UPI 7,778/85 A 32,767/401 B 31,765/373 C 30,114/353 D 28,904/339	UPI 7,812/85 A 29,907/370 B 29,517/350 C 30,728/370 D 28,904/339	UPI 7,771/85 A 31,791/395 B 31,808/373 C 31,914/367 D 24,467/255	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	700 mt IFO380 25 mt MDO	USDA FITTED
master.whitneybay@seatradefleet.com						ttd: 66,121/722	ttd: 128,435/1,496	ttd: 126,868/1,514	ttd: 127,751/1,475					

NAME FLAG CALL SIGN MOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
GSC														
BAY PHOENIX LIBERIA A8OE5 9047271 1993	(580) 463 701 744 (870) 783 256 593 (870) 773 251 714 (49) 152 549 276 53	400.884 4.544 8.041 7.57	134.02 20.80 7.326 4.810	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>30,048/341</u> B <u>19,090/227</u> C <u>13,966/163</u> D <u>23,189/270</u>	A 20,569/228 B <u>30,875/346</u> C <u>28,378/341</u> D <u>23,189/270</u>	A 20,438/230 B <u>34,494/371</u> C <u>32,265/391</u> D <u>30,328/355</u>	A 23,714/267 B <u>38,662/422</u> C <u>31,418/355</u> D <u>23,449/237</u>	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED
master.bayphoenix@tritonfleet.net						ttd: 63,104/731	ttd: 103,011/1,185	ttd: 117,525/1,347	ttd: 117,243/1,281					
LAGOON PHOENIX LIBERIA A8OE4 9047245 1993	(580) 463 701 564 (870) 783 208 880 (870) 773 236 016 (49) 152 549 276 48	400.884 4.544 8.044 7.57	134.02 20.80 7.313 4.808	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>30,048/341</u> B <u>19,090/227</u> C <u>13,966/163</u> D <u>23,189/270</u>	A 20,569/228 B <u>30,875/346</u> C <u>28,378/341</u> D <u>23,189/270</u>	A 20,438/230 B <u>34,494/371</u> C <u>32,265/391</u> D <u>30,328/355</u>	A 23,714/267 B <u>38,662/422</u> C <u>31,418/355</u> D <u>23,449/237</u>	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED
master.lagoonphoenix@tritonfleet.net						ttd: 63,104/731	ttd: 103,011/1,185	ttd: 117,525/1,347	ttd: 117,243/1,281					
WATER PHOENIX LIBERIA A8OE3 9045168 1992	(580) 463 701 616 (870) 783 205 766 (870) 773 238 949 (49) 152 549 276 20	400.884 4.544 8.075 7.57	134.02 20.80 7.303 4.812	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A <u>30,048/341</u> B <u>19,090/227</u> C <u>13,966/163</u> D <u>23,189/270</u>	A 20,569/228 B <u>30,875/346</u> C <u>28,378/341</u> D <u>23,189/270</u>	A 20,438/230 B <u>34,494/371</u> C <u>32,265/391</u> D <u>30,328/355</u>	A 23,714/267 B <u>38,662/422</u> C <u>31,418/355</u> D <u>23,449/237</u>	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED
master.waterphoenix@tritonfleet.net						ttd: 63,104/731	ttd: 103,011/1,185	ttd: 117,525/1,347	ttd: 117,243/1,281					
SIERRA QUEEN LIBERIA DSIV7 9127928 1996	(580) 463 718 565 (870) 783 254 675 (870) 773 157 805 (31) 651 081 437	398.470 4.736 7.947 7.91	133.92 16.31 5.918 3.177	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A <u>27,165/302</u> B <u>23,256/270</u> C <u>18,568/213</u> D <u>15,778/177</u>	A 30,217/352 B <u>28,702/351</u> C <u>27,896/346</u> D <u>27,511/326</u>	A 27,932/323 B <u>26,458/324</u> C <u>25,987/324</u> D <u>26,246/313</u>	A 28,344/328 B <u>26,589/325</u> C <u>23,579/287</u> D <u>14,242/174</u>	1) 45FEU OR 90TEU 2) 27FEU OR 54TEU 3) 4) 40TEU 5) 25	4 CRANES x 7 mt	1) 17.5 knts @27.5 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.6 mt MGO	875 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.sierraqueen@seatradefleet.com						ttd: 84,767/962	ttd: 114,326/1,375	ttd: 106,623/1,284	ttd: 92,754/1,114					
GREEN CHILE BAHAMAS C6WH7 8912156 1992	(580) 431 105 110 (870) 783 201 736 (870) 773 158 314 (48) 506 367 860	375.477 4.497 7.721 8.85	131.25 19.60 7.743 3.726	3 3 12 7	1) 8.33 x 4.68 2) 8.33 x 4.68 3) 8.33 x 4.68 4) 2.20	A <u>38,741/442</u> B <u>30,442/355</u> C <u>21,966/263</u> D <u>10,842/137</u>	A 38,883/453 B <u>37,823/454</u> C <u>33,338/421</u> D <u>28,147/339</u>	A 38,671/451 B <u>38,070/458</u> C <u>30,725/390</u> D <u>27,829/334</u>		1) 45FEU OR 89TEU+4FEU 2) 30FEU OR 54TEU+4FEU 3) 30FEU OR 54TEU+4FEU 4) 5) 29	1 CRANE x 34/17 mt 3 PALLET CRANES x 8 mt	1) 19 knts @31 mt IFO380 2) 2.5 mt IFO380 3) 5 mt IFO380 4) 4.5 mt IFO380	950 mt IFO380 100 mt MDO	USDA FITTED CA PRE-PIPED
bridge@chile.greenfleet.no						ttd: 101,991/1,197	ttd: 138,191/1,667	ttd: 135,295/1,633						
PRINCE OF SEAS LIBERIA A8J15 9014444 1993	(580) 463 791 365 (870) 783 255 293 (870) 773 238 609 (49) 152 549 276 27	371.412 4.121 7.387 7.77	130.50 19.00 6.363 4.297	4 4 15 8	1) 6.20 x 7.40 2) 6.20 x 7.40 3) 6.20 x 7.40 4) 6.20 x 7.40 2.20	A <u>30,348/331</u> B <u>23,755/240</u> C <u>18,304/196</u> D <u>25,429/265</u>	A 15,355/184 B <u>31,218/340</u> C <u>29,276/338</u> D <u>25,429/265</u>	A 13,568/166 B <u>29,630/330</u> C <u>28,000/331</u> D <u>27,993/297</u>	A 15,309/187 B <u>31,135/355</u> C <u>28,510/320</u> D <u>23,582/241</u>	1) 49FEU+2TEU OR 60TEU+3FEU 2) 45FEU OR 42TEU 3) 28FEU OR 28TEU 4) 5) 47	1 CRANE x 36 mt 8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	800 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED
master.princeofseas@seatradefleet.com						ttd: 72,407/767	ttd: 101,278/1,127	ttd: 99,191/1,124	ttd: 98,536/1,103					
COOL EXPRESO DUTCH PDKK 9085479 1994	(580) 424 531 712 (870) 783 151 342 (870) 773 252 116 (31) 651 920 359	362.351 4.313 7.505 8.01	126.29 16.31 5.471 2.978	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A <u>23,274/266</u> B <u>20,856/232</u> C <u>16,400/186</u> D <u>13,528/153</u>	A 27,723/327 B <u>26,964/327</u> C <u>25,986/320</u> D <u>25,115/301</u>	A 26,416/310 B <u>25,739/313</u> C <u>25,244/314</u> D <u>25,001/301</u>	A 24,521/287 B <u>23,687/288</u> C <u>20,539/248</u> D <u>11,357/140</u>	1) 31FEU+4TEU OR 66TEU 2) 20FEU+2TEU OR 42TEU 3) 4) 40TEU 5) 20	2 CRANES x 7 mt	1) 17.3 knts @24 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.5 mt MGO	825 mt IFO380 75 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.coolexpreso@seatradefleet.com						ttd: 74,058/837	ttd: 105,788/1,275	ttd: 102,400/1,238	ttd: 80,104/963					
ORANGE STREAM 9795983 2018		0 0 8.120 7.50	114.90 18.00 5.950 2.320	4 0 0 0	1) .00 x .00 2) .00 x .00 3) .00 x .00 4) .00 x .00 0.00					1) 2) 3) 4)				
						ttd: 0/0								

NAME FLAG CALL SIGN IMOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/16 CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
ORANGE STRAIT LIBERIA 9795969 2018		0 18.00 8.000 6.30	114.40 18.00 5.950 2.320	4 0 0 0	1) .00 x .00 2) .00 x .00 3) .00 x .00 4) .00 x .00 0.00					1) 2) 3) 4) 5)			BOWTHRUSTER	
					ttd: 0/0									
ORANGE SPIRIT 9795995 2018		0 3.408 8.120 7.50	114.90 18.00 5.950 2.320	4 0 1 0	1) .00 x .00 2) .00 x .00 3) .00 x .00 4) .00 x .00 2.40	A 0/3,408				1) 2) 3) 4) 5)				
					ttd: 0/3,408									
ORANGE SEA 9795971 2018		48.522 523 8.120 7.50	114.90 18.00 5.950 2.320	4 4 12 12	1) .00 x .00 2) .00 x .00 3) .00 x .00 4) .00 x .00 0.00	A <u>27,261/284</u> B <u>21,261/239</u> C	A B C	A B C	A B C	1) 2) 3) 4) 5)				
					ttd: 48,522/523									
NOVA FLORIDA DUTCH PJUP 8813635 1989	(580) 430 675 210 (870) 783 155 868 (870) 773 150 014 (31) 651 512 609 master.novafiorida@seatrdefleet.com	298.320 3.512 6.729 7.52	124.70 17.80 5.476 3.559	4 4 16 8	1) 6.20 x 7.30 2) 6.20 x 7.30 3) 6.20 x 7.30 4) 6.20 x 7.30 2.20	A 13,382/158 B <u>18,440/205</u> C 15,157/173 D 12,033/131	A 12,024/140 B <u>22,684/277</u> C 23,062/275 D 20,920/235	A 11,148/129 B <u>20,945/261</u> C 21,813/268 D 21,389/257	A 13,583/160 B <u>25,596/315</u> C 25,093/299 D 21,051/228	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17 knts @18 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 3 mt IFO380	700 mt IFO380 75 mt MDO	USDA FITTED
					ttd: 59,012/667	ttd: 78,690/927	ttd: 75,295/915	ttd: 85,323/1,002						
BREIZ KLIPPER DUTCH PJQV 8917211 1991	(580) 430 679 610 (870) 761 133 849 (870) 761 133 848 (31) 622 929 655 master.breizklipper@seatrdefleet.com	265.246 3.144 5.935 7.81	110.93 16.20 4.263 2.796	4 4 16 8	1) 8.75 x 8.50 2) 8.75 x 8.50 3) 8.75 x 8.50 4) 8.75 x 8.50 2.20	A 13,106/154 B <u>16,976/189</u> C 14,102/154 D 10,747/120	A 12,128/149 B <u>20,408/254</u> C 21,288/251 D 18,733/222	A 11,633/143 B <u>19,707/248</u> C 21,225/254 D 18,985/228	A 14,993/186 B <u>19,480/243</u> C 18,089/202 D 13,646/146	1) 16FEU+20TEU OR 52TEU 2) 8FEU OR 16TEU 3) 4) 5) 6	4 CRANES x 5 mt	1) 16 knts @18 mt IFO380 2) Shaft generator 3) Shaft generator 4) 1.5 mt IFO380 AND 1.3 mt MGO	475 mt IFO380 50 mt MGO	BOWTHRUSTER
					ttd: 54,931/617	ttd: 72,557/876	ttd: 71,550/873	ttd: 66,208/777						
SIERRA KING DUTCH PESF 8810786 1989	(580) 424 454 210 (870) 764 895 079 (870) 764 895 078 (31) 651 239 646 master.sierraking@seatrdefleet.com	261.262 2.961 5.415 7.56	107.65 16.20 3.999 2.619	4 4 16 8	1) 8.79 x 8.50 2) 8.79 x 8.50 3) 8.79 x 8.50 4) 8.79 x 8.50 2.20	A 12,653/154 B <u>18,309/191</u> C 13,924/155 D 11,654/120	A 11,232/136 B <u>20,409/234</u> C 19,253/228 D 18,516/201	A 10,711/130 B <u>19,603/227</u> C 18,966/230 D 19,654/207	A 15,140/185 B <u>21,075/240</u> C 16,108/188 D 14,055/135	1) 16FEU+20TEU OR 52TEU 2) 8FEU OR 16TEU 3) 4) 5) 6	4 CRANES x 5 mt	1) 15 knts @16 mt IFO380 2) Shaft generator 3) Shaft generator 4) 1.5 mt IFO380 AND 1.3 mt MGO	450 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED
					ttd: 56,540/620	ttd: 69,410/799	ttd: 68,934/794	ttd: 66,378/748						
SIERRA LARA BAHAMAS C6D13 9120205 1996	(580) 431 103 336 (870) 783 159 637 (870) 773 235 161 (31) 611 323 955 master.sierralara@seatrdefleet.com	260.050 2.925 5.970 6.70	117.50 17.50 5.110 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155 D 21,900/254	B 25,540/273 C 22,350/260 D 23,280/270	B 25,880/277 C 22,960/267 D 21,840/263	B 25,170/268 C <u>21,760/252</u> D 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	1100 mt IFO380 375 mt MGO	BOWTHRUSTER USDA FITTED
					ttd: 49,370/541	ttd: 69,790/787	ttd: 72,120/814	ttd: 68,770/783						
SIERRA LAUREL DUTCH PJBQ 9163403 1998	(580) 430 600 093 (870) 783 155 451 (870) 773 231 904 (31) 611 322 387 master.sierralaurel@seatrdefleet.com	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155 D 21,900/254	B 25,540/273 C 22,350/260 D 23,280/270	B 25,880/277 C 22,960/267 D 21,840/263	B 25,170/268 C <u>21,760/252</u> D 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 500 mt MGO	BOWTHRUSTER USDA FITTED
					ttd: 49,370/541	ttd: 69,790/787	ttd: 72,120/814	ttd: 68,770/783						

NAME FLAG CALL SIGN IMOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTRIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/16 CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
SIERRA LEYRE BAHAMAS C6DL3 9135822 1997	(580) 424 597 310 (870) 783 208 930 (870) 773 151 306 (31) 611 323 077 master.sierraleyre@seatrdefleet.com	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155 D 21,900/254 D 23,280/270 2.20	B 25,540/273 C 22,350/260 D 21,900/254 D 23,280/270	B 25,880/277 C 22,960/267 D 21,840/263	B 25,170/268 C 21,760/252	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 650 mt MGO	BOWTHRUSTER USDA FITTED
SIERRA LOBA DUTCH PJYS 9120217 1997	(580) 430 687 211 (870) 764 850 923 (870) 764 850 921 (31) 611 325 143 master.sierraloba@seatrdefleet.com	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155 D 21,900/254 D 23,280/270 2.20	B 25,540/273 C 22,350/260 D 21,900/254 D 23,280/270	B 25,880/277 C 22,960/267 D 21,840/263	B 25,170/268 C 21,760/252	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 775 mt MGO	BOWTHRUSTER USDA FITTED
NOVA ZEELANDIA DUTCH PJHA 8514784 1986	(580) 430 649 710 (870) 763 224 266 (870) 763 224 264 (31) 651 585 328 master.novazeelandia@seatrdefleet.com	238.985 2.684 5.509 7.31	115.00 16.80 4.440 2.655	3 3 9 6	1) 8.00 x 6.00 2) 8.00 x 6.00 3) 8.00 x 6.00 2.20	A 26,874/284 B 19,305/216 C 14,999/164 2.20	A 32,174/365 B 29,825/352 C 26,633/289	A 32,257/367 B 30,179/354 C 26,739/293		1) 4FEU OR 4TEU+2FEU 2) 4FEU OR 4TEU+2FEU 3) 4) 5) 6	6 DERRICKS x 4 mt or 3 x 4 mt IN UP	1) 16 knts @14 mt IFO380 2) 1 mt IFO380 AND 0.5 mt MDO 3) 2.5 mt IFO380 AND 0.5 mt MDO 4) 1.9 mt IFO380 AND 0.6 mt MDO	725 mt IFO380 100 mt MDO	USDA FITTED
NEW TAKATSUKI PANAMA 3EFN9 9015838 1991	(580) 435 580 210 (870) 783 405 239 (870) 773 156 794 (81) 80 3535 2986 Newtakatsuki@amosconnect.com	237.136 2.552 5.248 6.91	120.70 16.60 4.446 2.287	3 3 9 6	1) 7.10 x 6.40 2) 7.10 x 6.40 3) 7.10 x 6.40 2.20	A 28,557/265 B 17,171/187 C 13,881/130 2.20	A 32,513/348 B 28,909/343 C 28,333/315	A 32,323/346 B 28,572/340 C 26,877/278		1) 2) 3) 4) 5)	6 DERRICKS x 5 mt or 3 x 3 mt IN UP	1) 15 knts @13.5 mt IFO380 2) 1.5 mt IFO380 AND 0.1 mt MDO 3) 3 mt IFO380 AND 0.1 mt MDO 4) 2.5 mt IFO380 AND 0.3 mt MDO	650 mt IFO380 75 mt MDO	USDA FITTED
COPPENNAME DUTCH PJYM 8807636 1990	(580) 430 686 211 (870) 783 154 580 (870) 764 846 083 (31) 651 081 602 master.coppenname@seatrdefleet.com	212.102 2.453 4.797 6.75	108.80 16.40 4.666 2.145	3 3 10 6	1) 7.50 x 5.20 2) 7.50 x 5.20 3) 7.50 x 5.20 2.20	FC 21,613/258 A 23,096/250 B 17,940/213 C 12,148/138 2.20	A 23,025/265 B 22,001/261 C 21,860/248	A 24,509/284 B 23,767/284 C 22,143/252		1) 4FEU+6TEU OR 14TEU 2) 4FEU+6TEU OR 14TEU 3) 4) 18TEU 5) 14	3 CRANES x 5 mt	1) 15 knts @12.5 mt IFO380 2) 1.5 mt IFO380 3) 3 mt IFO380 4) 2 mt IFO380	575 mt IFO380 450 mt MDO	USDA FITTED

General remarks

Not to be used for time charter description. Particulars believed to be correct but not guaranteed.
Speed and consumptions figures are based on banana laden condition without containers on deck in fair weather conditions.
Consumptions are in metric tons per 24 hours.

Fuel according ISO 8217:2005 norm

IFO380 - RMG380
IFO180 - RME180
IFO30 - RMA30
MDO - DMB
MGO - DMA

Compartment breakdown

Dashed underline stands for a 'spar' or 'fruit' deck.
Single underline stands for a deck with independent air circulation, but not insulated
Double underline stands for an insulated deck.

Containers

Laden container intake is based on maximum stackweights and forty-foot units of 26 mt and twenty-foot units of 14 mt.
Self-sustained containers stands for the maximum amount of 'laden' containers that can be lifted with own gear.
Total number of containers on deck remains subject to master's approval depending on lashing, stability and visibility rules.

E-mail

Sending e-mail to ships can be subjected to:
- The size of the message (inc. attachments).
- Sender's e-mail address being white listed.
- Having an account with a service provider.