

An aerial photograph of a large white ship's deck, likely a cable-laying vessel. The deck is covered with various pieces of equipment, including large spools of white cable, metal railings, and other machinery. Several crew members in orange safety gear are visible on the deck. The ship is moving through the water, creating a large white wake. A large, semi-transparent orange shape is overlaid on the left side of the image, containing the text 'FLEETLIST' and the 'Seatrade GROUP N.V.' logo.

FLEETLIST


Seatrade
GROUP N.V.

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD	HOLD	HOLD					
Container Pool														
SEATRADE ORANGE LIBERIA DSLJ7 9690092 2016	(580) 453 843 074 (870) 783 402 860 (870) 773 801 018 (31) 651 294 345	0 0 26.947 10.00	185.00 30.00 24.901 9.207	1 0 0 0	1) .00 x .00					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
Master.SeatradeOrange@Seatradefleet.com						ttt: 0/0	ttt: 0/0	ttt: 0/0	ttt: 0/0					
SEATRADE RED LIBERIA DSLRL9 9690107 2016	(580) 463 721 242 (870) 783 403 072 (870) 773 801 683 (31) 622 557 854	0 0 27.025 10.00	185.00 30.00 24.901 9.207	1 0 0 0	1) .00 x .00					1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
master.seatradered@seatradefleet.com						ttt: 0/0	ttt: 0/0	ttt: 0/0	ttt: 0/0					
SEATRADE WHITE LIBERIA DLSL2 9756092 2016	(580) 463 721 761 (870) 783 403 810 (870) 773 156 958 (31) 651 081 532	0 0 27.200 10.00	185.00 30.00 24.901 9.207	0 0 0 0						1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
master.seatradewhite@seatradefleet.com						ttt: 0/0	ttt: 0/0	ttt: 0/0	ttt: 0/0					
SEATRADE BLUE LIBERIA DLSL3 9756107 2017	(580) 463 721 989 (870) 783 403 993 (870) 773 265 532 (31) 651 428 271	0 0 27.200 10.00	185.00 30.00 24.901 9.207	0 0 0 0						1) 2) 3) 4) 5) 674	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
master.seatradeblue@seatradefleet.com						ttt: 0/0	ttt: 0/0	ttt: 0/0	ttt: 0/0					
SEATRADE GREEN LIBERIA D5SB9 9810915 2019	(580) 463 726 930 (870) 202 410 108 (31) 620 121 235	0 0 27.200 10.00	185.00 30.00 24.901 9.381	1 0 0 0	1) .00 x .00					1) 2) 3) 4) 5) 776	3 CRANES x 45 mt	1) 2) 5 mt IFO380 3) 4) 5 mt IFO380	1850 mt IFO380 75 mt MDO	BOWTHRUSTER
Master.SeatradeGreen@Seatradefleet.com						ttt: 0/0	ttt: 0/0	ttt: 0/0	ttt: 0/0					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
A-B-C Klipper class														
BALTIC KLIPPER LIBERIA A8VR5 9454759 2010	(580) 463 708 518 (870) 783 158 899 (870) 773 155 842 (31) 620 433 636	661.636 7.118 15.693 10.32	165.00 25.00 14.091 7.603	4 4 16 8	1) 7.00 x 10.50 2) 12.60 x 10.50 3) 12.60 x 10.50 4) 12.60 x 10.50 2.30	FC 55,535/574 A 33,228/347 B 26,371/285 C 22,852/238	A 52,395/535 B 46,147/513 C 41,527/464 D 35,690/372	A 52,621/544 B 48,151/547 C 47,070/541 D 34,403/403	A 48,099/486 B 43,413/485 C 40,111/441 D 34,023/343	1) 267FEU+9TEU OR 552TEU 2) 247FEU+9TEU OR 503TEU 3) 242FEU+9TEU OR 434TEU 4) 48FEU+12TEU OR 108TEU 5) 200	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 21.5 knts @55.5 mt IFO380 2) 2.6 mt IFO380 3) 6.5 mt IFO380 4) 6 mt IFO380	1975 mt IFO380 100 mt MDO	BOWTHRUSTER ICE CLASS IB USDA FITTED CA PRE-PIPED
master.balticklipper@seatradefleet.com						tit: 137,986 / 1,444	tit: 175,759 / 1,884	tit: 182,245 / 2,035	tit: 165,646 / 1,755					
ATLANTIC KLIPPER DUTCH PCIU 9454761 2011	(580) 435 385 511 (870) 207 083 329 (31) 651 851 095	661.530 7.118 15.693 10.32	165.00 25.00 14.091 7.603	4 4 16 8	1) 7.00 x 10.50 2) 12.60 x 10.50 3) 12.60 x 10.50 4) 12.60 x 10.50 2.30	FC 55,656/574 A 33,217/347 B 26,365/285 C 22,541/238	A 52,410/535 B 46,162/513 C 41,606/464 D 35,636/372	A 52,659/544 B 48,194/547 C 47,038/541 D 34,397/403	A 48,111/486 B 43,397/485 C 40,114/441 D 34,027/343	1) 267FEU+9TEU OR 552TEU 2) 247FEU+9TEU OR 503TEU 3) 242FEU+9TEU OR 434TEU 4) 48FEU+12TEU OR 108TEU 5) 200	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 21.5 knts @55.5 mt IFO380 2) 2.6 mt IFO380 3) 6.5 mt IFO380 4) 6 mt IFO380	1975 mt IFO380 75 mt MDO	BOWTHRUSTER ICE CLASS IB USDA FITTED CA PRE-PIPED
master.atlanticklipper@seatradefleet.com						tit: 137,779 / 1,444	tit: 175,814 / 1,884	tit: 182,288 / 2,035	tit: 165,649 / 1,755					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Country class														
SWEDISH REEFER BAHAMAS C6KD4 9030149 1992	(580) 430 812 610 (870) 783 903 095 (870) 773 166 646 (30) 694 912 1064	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.swedish.reefer@gtships.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
SCHWEIZ REEFER BAHAMAS C6KD9 9015216 1992	(580) 430 812 410 (870) 783 903 099 (870) 773 166 584 (30) 694 912 1049	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
schweiz.reefer@gtships.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
ITALIA REEFER BAHAMAS C6KD5 9030137 1992	(580) 430 843 810 (870) 783 903 093 (870) 773 166 657 (30) 694 912 1065	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
italia.reefer@gtships.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
HELLAS REEFER BAHAMAS C6KD8 9015187 1991	(870) 773 262 778	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 40/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.hellas.reefer@gtships.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
NEDERLAND REEFER BAHAMAS C6KD6 9015199 1991	(580) 430 812 211 (870) 773 166 913 (30) 694 912 1043	645.586 7.565 12.273 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
master.nederland.reefer@gtships.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
AUTUMN WIND BAHAMAS C6LF8 9038323 1993	(580) 430 831 510 (870) 773 262 822 (30) 694 912 1039	644.331 7.557 13.981 10.02	158.13 24.43 13.077 5.336	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 0.00	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,113/490 B 40,910/497 C 40,072/505 D 40,471/475 E 22,976/291	1) 149FEU OR 299TEU 2) 3) 4) 70FEU OR 140TEU 5) 108	2 CRANES x 36/8 mt	1) 20 knts @52 mt IFO380 2) 3 mt IFO380 3) 8.5 mt IFO380 4) 6 mt IFO380	1725 mt IFO380 125 mt MDO	USDA FITTED CA PRE-PIPED
autumn.wind@gtships.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 187.542 / 2.258					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Star First class														
BARRINGTON ISLAND BAHAMAS C6QK 9059614 1993	(580) 430 870 110 (870) 3 808 21 14	622.844 7.317 14.140 9.21	179.90 25.20 14.061 6.900	4 4 15 8	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.29	A 53,042/578 B 33,902/395 C 21,507/263 D 29,982/355	A 53,431/594 B 44,814/548 C 39,305/478 D 29,982/355	A 50,182/559 B 46,333/563 C 46,651/564 D 35,986/438	A 50,358/557 B 46,404/560 C 43,472/528 D 27,475/337	1) 156FEU OR 202TEU 2) 153FEU OR 202TEU 3) 153FEU OR 202TEU 4) 56FEU OR 112TEU 5) 163	4 PALLET CRANES x 8 mt	1) 20 knts @49 mt IFO380 2) 4.4 mt IFO380 3) 9 mt IFO380 4) 7.6 mt IFO380	1575 mt IFO380 400 mt MDO	USDA FITTED CA PRE-PIPED
barrington@barrington.tireme.commbox.com						ttl: 108,451 / 1,236	ttl: 167,532 / 1,975	ttl: 179,152 / 2,124	ttl: 167,709 / 1,982					
STAR STRATOS SINGAPORE 9V9356 9350991 2007	(580) 456 602 910 (870) 316 398 48	617.571 6.878 13.186 9.72	162.50 26.00 14.030 6.724	4 4 15 8	1) 12.60 x 10.30 2) 12.60 x 10.30 3) 12.60 x 10.30 4) 12.60 x 10.30 0.00	FC 55,931/591 A 30,374/326 B 18,455/212	A 54,028/559 B 43,557/495 C 37,190/444 D 30,586/352	A 54,159/561 B 49,557/563 C 45,927/550 D 33,842/390	A 52,460/541 B 45,499/517 C 37,253/445 D 28,753/332	1) 220FEU OR 324TEU+58FEU 2) 171FEU 3) 171FEU 4) 56FEU OR 112TEU 5) 200	2 CRANES x 8 mt	1) 21 knts @47 mt IFO380 2) 2.5 mt IFO380 AND 0.1 mt MDO 3) 6.5 mt IFO380 AND 0.3 mt MDO 4) 6.5 mt IFO380 AND 0.3 mt MDO	2025 mt IFO380 250 mt MDO	BOWTHRUSTER CA PRE-PIPED
master.starstratos@amosconnect.com						ttl: 104,760 / 1,129	ttl: 165,361 / 1,850	ttl: 183,485 / 2,064	ttl: 163,965 / 1,835					
STAR BEST SINGAPORE 9V9357 9350989 2007	(580) 456 600 610 (870) 765 068 112 (870) 765 068 110	617.261 6.875 13.191 9.72	162.50 26.00 14.030 6.724	4 4 15 8	1) 12.60 x 10.30 2) 12.60 x 10.30 3) 12.60 x 10.30 4) 12.60 x 10.30 0.00	FC 55,857/590 A 30,406/326 B 18,402/212	A 54,024/559 B 43,434/494 C 37,232/445 D 30,533/351	A 54,106/561 B 49,575/563 C 45,863/549 D 33,842/390	A 52,499/542 B 45,468/517 C 37,239/445 D 28,781/332	1) 220FEU OR 324TEU+58FEU 2) 171FEU 3) 171FEU 4) 56FEU OR 112TEU 5) 200	2 CRANES x 8 mt	1) 21 knts @48 mt IFO380 2) 2.5 mt IFO380 AND 0.3 mt MDO 3) 6.7 mt IFO380 AND 0.3 mt MDO 4) 6 mt IFO380 AND 0.3 mt MDO	2025 mt IFO380 250 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.starbest@amosconnect.com						ttl: 104,665 / 1,128	ttl: 165,223 / 1,849	ttl: 183,386 / 2,063	ttl: 163,987 / 1,836					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m ²) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD 2	HOLD 3	HOLD 4						
L-Strait class															
LOMBOK STRAIT	(580) 463 791 020	626.011	167.00	4	1) 3.30 x 6.00	FC 47,441/555	A 52,133/615	A 57,199/674	A 48,589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21.5 knts @58 mt IFO380	1850 mt IFO380	BOWTHRUSTER	
MALTA	(870) 783 255 418	7.341	25.00	4	2) 3.30 x 6.00	A 27,797/328	B 45,853/543	B 56,447/669	B 48,239/572	2) 206FEU OR 440TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED	
9HA3797	(870) 773 238 760	15.917	14.413	15	3) 3.30 x 6.00	B 14,693/174	C 38,542/441	C 57,100/653	C 43,309/496	3) 206FEU OR 440TEU		3) 6 mt IFO380		CA PLANT	
9204958	(49) 152 549 276 21	10.00	7.536	8	4) 3.30 x 6.00	D 24,048/284	D 42,221/499	D 22,400/264	D 22,400/264	4) 206		4) 6 mt IFO380		MA PLANT	
2002	master.lombokstrait@tritonfleet.net					2.25	tll: 89,931 / 1,057 tll: 160,576 / 1,883 tll: 212,967 / 2,495 tll: 162,537 / 1,905								
LUZON STRAIT	(580) 425 606 411	626.011	167.00	4	1) 3.30 x 6.00	FC 47,441/555	A 52,133/615	A 57,199/674	A 48,589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21.5 knts @58 mt IFO380	1850 mt IFO380	BOWTHRUSTER	
MALTA	(870) 783 255 328	7.341	25.00	4	2) 3.30 x 6.00	A 27,797/328	B 45,853/543	B 56,447/669	B 48,239/572	2) 206FEU OR 440TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED	
9HA3803	(870) 773 238 658	15.917	14.413	15	3) 3.30 x 6.00	B 14,693/174	C 38,542/441	C 57,100/653	C 43,309/496	3) 206FEU OR 440TEU		3) 6 mt IFO380		CA PLANT	
9204960	(49) 152 549 276 22	10.02	7.536	8	4) 3.30 x 6.00	D 24,048/284	D 42,221/499	D 22,400/264	D 22,400/264	4) 206		4) 6 mt IFO380		MA PLANT	
2002	master.luzonstrait@tritonfleet.net					2.25	tll: 89,931 / 1,057 tll: 160,576 / 1,883 tll: 212,967 / 2,495 tll: 162,537 / 1,905								

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD 2	HOLD 3	HOLD 4						
Ocean class															
ATLANTIC REEFER	(580) 463 715 320	597.139	175.72	4	1) 8.10 x 6.00	A 35,432/399	A 18,457/202	A 18,445/203	A 18,219/202	1) 102FEU OR 136TEU+34FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	1150 mt IFO380	USDA FITTED	
LIBERIA	(870) 783 154 643	6.804	22.60	4	2) 8.10 x 6.00	B 26,435/269	B 36,430/433	B 36,037/431	B 39,374/467	2) 82FEU OR 80TEU+26FEU	2 CRANES x 36 mt	2) 2 mt IFO380	50 mt MDO	CA PRE-PIPED	
D5FE2	(870) 773 152 571	17.322	13.055	19	3) 8.10 x 6.00	C 17,273/183	C 37,816/453	C 41,793/497	C 41,631/478	3) 82FEU OR 80TEU+26FEU	1 CRANE x 8 mt	3) 6 mt IFO380			
9179256 1998	(31) 620 493 150	9.72	7.580	8	4) 8.10 x 6.00	D 14,038/157	D 33,862/391	D 40,443/479	D 36,454/408	4) 200		4) 6 mt IFO380			
master.atlanticreefer@seatradefleet.com						ttd: 93,178 / 1,008 ttd: 157,632 / 1,818 ttd: 179,262 / 2,093 ttd: 167,067 / 1,885									
PACIFIC REEFER	(580) 463 715 295	596.925	175.72	4	1) 8.10 x 6.00	A 35,352/398	A 18,457/202	A 18,445/203	A 18,274/202	1) 102FEU OR 136TEU+34FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	1150 mt IFO380	USDA FITTED	
LIBERIA	(870) 773 159 697	6.803	22.60	4	2) 8.10 x 6.00	B 26,282/268	B 36,430/433	B 36,037/431	B 39,435/467	2) 82FEU OR 80TEU+26FEU	2 CRANES x 36 mt	2) 2 mt IFO380	50 mt MDO	CA PRE-PIPED	
D5FE3	(870) 773 156 506	17.322	13.055	19	3) 8.10 x 6.00	C 17,316/181	C 37,816/453	C 41,793/497	C 41,655/480	3) 82FEU OR 80TEU+26FEU	1 CRANE x 8 mt	3) 6 mt IFO380			
9179268 1999	(31) 653 445 603	9.72	7.624	8	4) 8.10 x 6.00	D 14,007/157	D 33,862/391	D 40,443/479	D 36,378/410	4) 200		4) 6 mt IFO380			
master.pacificreefer@seatradefleet.com						ttd: 92,957 / 1,004 ttd: 157,632 / 1,818 ttd: 179,262 / 2,093 ttd: 167,074 / 1,888									

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Maxi Stream class														
ROYAL KLIPPER DUTCH PCIH 9172959 2000	(580) 424 642 810 (870) 873 155 012 (870) 773 152 841 (31) 620 493 151 master.royalklipper@seatradefleet.com	580.754 6.613 12.902 10.12	155.00 24.00 11.382 6.408	4 4 19 8	1) 8.00 x 10.60 2) 13.50 x 10.60 3) 13.50 x 10.60 4) 13.50 x 10.60 2.30	UPI 7,108/86 A 41,565/420 B 25,347/290 C 15,994/191 D 25,214/300 ttd: 90,014 / 987	UPI 11,890/144 A 47,759/532 B 44,219/500 C 37,734/436 D 25,214/300 ttd: 166,816 / 1,912	UPI 11,890/144 A 46,537/517 B 46,162/522 C 44,962/516 D 28,588/338 ttd: 178,139 / 2,037	UPI 11,890/144 A 41,308/469 B 38,373/437 C 32,098/368 D 22,116/259 ttd: 145,785 / 1,677	1) 207FEU OR 390TEU 2) 180FEU OR 240TEU+60FEU 3) 180FEU OR 240TEU+60FEU 4) 60FEU+12TEU OR 132TEU 5) 185	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @48 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1850 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
COMOROS STREAM LIBERIA A8IP4 9167801 2000	(580) 463 791 016 (870) 783 158 465 (870) 773 239 060 (49) 152 549 276 04 master.comorosstream@tritonfleet.net	580.754 6.613 12.902 10.12	155.00 24.00 11.382 6.408	4 4 19 8	1) 8.00 x 10.60 2) 13.50 x 10.60 3) 13.50 x 10.60 4) 13.50 x 10.60 2.30	UPI 7,108/86 A 41,565/420 B 25,347/290 C 15,994/191 D 25,214/300 ttd: 90,014 / 987	UPI 11,890/144 A 47,759/532 B 44,219/500 C 37,734/436 D 25,214/300 ttd: 166,816 / 1,912	UPI 11,890/144 A 46,537/517 B 46,162/522 C 44,962/516 D 28,588/338 ttd: 178,139 / 2,037	UPI 11,890/144 A 41,308/469 B 38,373/437 C 32,098/368 D 22,116/259 ttd: 145,785 / 1,677	1) 207FEU OR 390TEU 2) 180FEU OR 240TEU+60FEU 3) 180FEU OR 240TEU+60FEU 4) 60FEU+12TEU OR 132TEU 5) 185	2 CRANES x 40 mt 2 PALLET CRANES x 8 mt	1) 21 knts @48 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1850 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED CA PRE-PIPED

NAME FLAG CALL SIGN IMOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
E- class														
LADY ROSEBAY PANAMA 3FJA8 9412751 2010 ladyrosebay@amosconnect.com	(580) 437 009 510	552.613 6.062	143.00 22.70	4 4	1) 6.50 x 7.40 2) 6.50 x 7.40	A 41,410/422 B 30,432/310	A 41,162/488 B 40,147/452	A 38,646/459 B 38,341/439	A 41,094/491 B 40,368/451	1) 100FEU OR 152TEU+24FEU 2) 100FEU OR 152TEU+24FEU	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 2)	1350 mt IFO380 100 mt MDO	USDA FITTED
EMERALD MALTA 9HA3770 9202857 2000 master.emerald@tritonfleet.net	(580) 422 998 110 (870) 783 158 847 (870) 773 239 061 (49) 152 549 276 10	548.718 6.244 12.734 9.67	151.99 23.00 10.532 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85	A 45,347/489 B 25,886/307 C 20,176/215 D 8,608/107	A 43,758/463 B 37,499/435 C 30,996/380 D 26,242/283	A 45,055/480 B 40,029/481 C 38,722/476 D 37,203/434	A 44,964/478 B 39,529/474 C 35,026/432 D 29,678/309	1) 106FEU OR 212TEU 2) 106FEU OR 212TEU 3) 106FEU OR 212TEU 4) 36FEU OR 72TEU 5) 106	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20.5 knts @42 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1425 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
ELVIRA LIBERIA A8IP2 9202869 2000 master.elvira@tritonfleet.net	(580) 463 791 024 (870) 783 255 308 (870) 773 238 640 (49) 152 549 276 09	548.666 6.244 12.734 9.67	151.99 23.00 10.532 5.406	4 4 16 8	1) 13.00 x 7.85 2) 13.00 x 7.85 3) 13.00 x 7.85 4) 13.00 x 7.85	A 45,265/488 B 25,978/308 C 20,234/215 D 8,595/107	A 43,548/462 B 37,352/436 C 31,000/381 D 26,323/283	A 44,965/479 B 39,924/480 C 38,749/476 D 37,271/434	A 44,996/479 B 39,681/476 C 35,093/432 D 29,692/308	1) 106FEU OR 212TEU 2) 106FEU OR 212TEU 3) 106FEU OR 212TEU 4) 36FEU OR 72TEU 5) 106	2 CRANES x 36 mt 2 CRANES x 8 mt	1) 20.5 knts @42 mt IFO380 2) 2.5 mt IFO380 3) 5.5 mt IFO380 4) 6 mt IFO380	1425 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxtm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Mermaid class														
PACIFIC MERMAID	(580) 463 791 599	540.572	141.80	4	1) 7.60 x 7.10	UPI 6,938/69	UPI 6,862/69	UPI 6,862/69	UPI 6,862/69	1) 73FEU OR 140TEU+13FEU	2 CRANES x 30 mt	1) 19 knts @33.5 mt IFO380	1350 mt IFO380	USDA FITTED
LIBERIA	(870) 783 255 523	6.075	22.80	4	2) 7.60 x 7.10	A 37,211/416	A 35,358/418	A 35,598/426	A 39,718/475	2) 65FEU OR 80TEU+9FEU	2 CRANES x 10 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
A&JJS	(870) 773 238 899	10.461	9.820	20	3) 7.60 x 7.10	B 31,028/306	B 34,353/401	B 35,770/429	B 39,910/475	3) 65FEU OR 80TEU+9FEU		3) 5.5 mt IFO380		
9045924	(49) 152 549 276 24	8.82	3.538	8	4) 7.60 x 7.10	C 20,420/213	C 32,628/355	C 35,661/427	C 33,663/383	4)		4) 6 mt IFO380		
1992					2.20	D 14,864/161	D 25,573/269	D 34,006/378	D 27,287/267	5) 65				
	master.pacificmermaid@seatradefleet.com					tti: 110.461 / 1.165	tti: 134.774 / 1.512	tti: 147.897 / 1.729	tti: 147.440 / 1.669					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/2 CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Hope Bay class														
EASTERN BAY	(580) 463 791 037	533.899	143.00	4	1) 7.00 x 8.00	A 42,407/430	A 39,164/449	A 39,685/452	A 43,104/471	1) 93FEU OR 138TEU+24FEU	1 CRANE x 40 mt	1) 19.5 knts @35.5 mt IFO380	1175 mt IFO380	USDA FITTED
LIBERIA	(870) 783 255 300	5.915	22.00	4	2) 7.00 x 8.00	B 29,513/307	B 37,204/430	B 37,220/434	B 38,585/439	2) 93FEU OR 110TEU+18FEU	8 DERRICKS x 6 mt or 4 x 6 mt IN UP	2) 2.5 mt IFO380	100 mt MDO	CA PRE-PIPED
A8IO9	(870) 773 238 633	12.101	8.917	15	3) 7.00 x 8.00	C 22,668/246	C 36,823/416	C 38,437/455	C 35,465/390	3) 60FEU OR 96TEU+12FEU		3) 5.5 mt IFO380		
9143752 1997	(49) 152 549 276 07	9.32	4.366	8	4) 7.00 x 8.00 2.20	D 29,838/313	D 29,838/313	D 35,333/395	D 28,453/288	4) 42TEU 5) 93		4) 5.5 mt IFO380		
master.easternbay@tritonfleet.net						tot: 94,588 / 983	tot: 143,029 / 1,608	tot: 150,675 / 1,736	tot: 145,607 / 1,588					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/16 CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD 2	HOLD 3	HOLD 4						
Ivory class															
REGAL BAY	(580) 431 190 710	526.250	150.01	4	1) 13.20 x 8.50	A 38,787/375	A 43,081/440	A 43,960/459	A 45,539/464	1) 67FEU OR 154TEU	2 CRANES x 35 mt	1) 20 knts @39.5 mt IFO380	1325 mt IFO380	USDA FITTED	
BAHAMAS	(870) 783 158 863	5.851	22.50	4	2) 13.20 x 10.50	B 26,712/261	B 35,361/419	B 38,642/462	B 37,367/444	2) 46FEU OR 92TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED	
C6UG6	(870) 773 238 249	10.520	10.375	15	3) 13.20 x 10.50	C 16,993/178	C 31,610/379	C 38,271/461	C 34,873/413	3) 46FEU OR 92TEU		3) 5.5 mt IFO380			
9053658	(31) 612 588 249	9.07	5.253	8	4) 13.20 x 10.50	D 27,768/314	D 36,456/434	D 30,830/348	D 30,830/348	4) 54FEU OR 108TEU		4) 5.5 mt IFO380			
1993	master.regalbay@seatradefleet.com					2.20	tft: 82,492 / 814 ttt: 137,820 / 1,552 ttt: 157,329 / 1,816 ttt: 148,609 / 1,669				5) 46				
FEGULUS	(580) 431 400 510	526.141	150.01	4	1) 13.20 x 8.90	FC 38,907/375	A 42,960/440	A 43,960/459	A 45,524/462	1) 67FEU OR 154TEU	2 CRANES x 36 mt	1) 20 knts @39.5 mt IFO380	1325 mt IFO380	USDA FITTED	
BARBADOS	(870) 31 33 44 775	5.849	22.50	4	2) 13.20 x 10.50	A 26,754/261	B 35,333/419	B 38,631/462	B 37,360/444	2) 46FEU OR 92TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED	
BPTX	(870) 31 33 44 775	10.545	10.374	15	3) 13.20 x 10.50	B 16,994/178	C 31,582/379	C 38,254/461	C 34,842/413	3) 46FEU OR 92TEU		3) 5.5 mt IFO380			
9055709	(31) 620 315 417	9.07	5.253	8	4) 13.20 x 10.50	D 27,744/314	D 36,438/434	D 30,858/348	D 30,858/348	4) 54FEU OR 108TEU		4) 5.5 mt IFO380			
1993	Master.Fegulus@Seatradefleet.com					2.20	tft: 82,655 / 814 ttt: 137,619 / 1,552 ttt: 157,283 / 1,816 ttt: 148,584 / 1,667				5) 46				
ATLANTIC ACANTHUS	(580) 431 100 830	504.511	144.52	4	1) 8.10 x 6.00	A 35,388/379	A 35,942/401	A 36,223/407	A 36,081/406	1) 88FEU OR 120TEU+28FEU	2 CRANES x 36 mt	1) 20 knts @34.5 mt IFO380	1175 mt IFO380	USDA FITTED	
BAHAMAS	(870) 331 100 121	5.759	21.80	4	2) 8.10 x 6.60	B 27,011/302	B 34,141/401	B 35,862/428	B 35,605/423	2) 88FEU OR 120TEU+28FEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	100 mt MDO	CA PRE-PIPED	
C6ZG7	(870) 773 188 945	11.788	9.649	16	3) 8.10 x 6.60	C 20,256/229	C 30,424/355	C 34,748/416	C 32,344/372	3) 88FEU OR 120TEU+28FEU		3) 6.5 mt IFO380			
9189897		9.18	5.349	8	4) 8.10 x 6.60	D 17,494/210	D 23,071/320	D 35,736/417	D 28,185/293	4) 54FEU OR 108TEU		4) 5.5 mt IFO380			
1999	Master.acanthus@gships.com					2.20	tft: 100,149 / 1,120 ttt: 129,578 / 1,477 ttt: 142,569 / 1,668 ttt: 132,215 / 1,494				5) 80				

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Cold Stream class														
COLD STREAM	(580) 430 621 610	456.785	140.00	4	1) 7.00 x 11.00	A <u>36,059/352</u>	A 37,941/431	A 35,880/409	A 38,024/434	1) 117FEU+12TEU OR 238TEU	4 CRANES x 20 mt or 2 x 40 mt IN TWIN	1) 20.5 knts @41.5 mt IFO380	1000 mt IFO380	BOWTHRUSTER
DUTCH	(870) 783 156 302	5.217	22.00	4	2) 7.00 x 11.00	B <u>24,246/264</u>	B <u>34,930/411</u>	B <u>33,565/398</u>	B <u>34,945/399</u>	2) 114FEU+8TEU OR 180TEU		2) 2 mt IFO380	125 mt MDO	USDA FITTED
PJRH	(870) 773 153 745	10.086	8.414	15	3) 7.00 x 11.00	C 15,413/159	C 33,080/389	C 34,333/412	C 31,960/364	3) 114FEU+8TEU OR 180TEU		3) 4.5 mt IFO380		CA PRE-PIPED
9051791	(31) 651 081 462	9.32	4.542	9	4) 7.00 x 11.00		D 21,236/254	D 25,347/303	D 19,826/237	4) 57TEU		4) 4.5 mt IFO380		
1994					2.20					5) 106				
	master.coldstream@seatradefleet.com					ttl: 75,718 / 775	ttl: 127,187 / 1,485	ttl: 128,125 / 1,522	ttl: 124,755 / 1,434					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWTAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/M E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Bay class														
RUNAWAY BAY RUSSIAN FEDERATION UBGP6 9019640 1992	(580) 427 309 643 (870) 783 200 803 (870) 773 157 486 (31) 651 513 344	516.227 5.852 11.581 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34,068/350 B 22,700/210 C 12,377/142 D 11,890/140	UPI 8,706/104 A 35,501/427 B 33,719/377 C 31,079/371 D 27,817/288	UPI 8,593/104 A 37,219/454 B 38,627/434 C 38,729/457 D 35,837/409	UPI 8,251/104 A 36,030/438 B 36,816/409 C 32,770/378 D 25,498/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 4) 5) 29	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	750 mt IFO380 100 mt MDO	USDA FITTED
master.runawaybay@seatradefleet.com						ttt: 81,035 / 842	ttt: 136,822 / 1,567	ttt: 159,005 / 1,858	ttt: 139,365 / 1,584					
ACONCAGUA BAY LIBERIA A8KY9 9019652 1992	(580) 463 792 396 (870) 783 200 908 (870) 773 157 569 (31) 622 557 852	512.361 5.894 11.581 9.42	148.50 20.60 9.074 5.844	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34,096/364 B 22,703/211 C 12,401/145 D 11,750/142	UPI 8,815/109 A 36,070/429 B 33,005/378 C 30,961/368 D 25,941/285	UPI 8,833/103 A 37,515/458 B 37,100/437 C 38,387/461 D 35,763/412	UPI 8,739/103 A 36,205/442 B 36,090/412 C 32,513/381 D 25,474/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 4) 5) 19	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	825 mt IFO380 100 mt MDO	USDA FITTED
master.aconcaguabay@seatradefleet.com						ttt: 80,950 / 862	ttt: 134,792 / 1,569	ttt: 157,598 / 1,871	ttt: 139,021 / 1,593					
HUMBOLDT BAY LIBERIA A8OL4 8907888 1990	(580) 463 701 316 (870) 783 154 293 (870) 773 152 296 (31) 620 493 147	508.551 5.854 11.633 9.42	148.50 20.63 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33,896/341 B 22,586/210 C 13,148/145 D 11,417/133	UPI 8,835/106 A 35,221/432 B 32,716/379 C 31,691/376 D 26,853/288	UPI 8,421/103 A 37,304/455 B 36,663/434 C 38,211/458 D 36,115/407	UPI 8,294/105 A 35,055/440 B 34,789/410 C 33,177/382 D 24,159/251	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 4) 5)	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380	825 mt IFO380 100 mt MDO	USDA FITTED
master.humboldt@seatradefleet.com						ttt: 81,047 / 829	ttt: 135,316 / 1,581	ttt: 156,714 / 1,857	ttt: 135,474 / 1,588					
FUJI BAY LIBERIA A8OL6 8920141 1990	(580) 463 701 537 (870) 783 201 055 (870) 773 157 696 (31) 651 081 458	502.514 5.858 11.540 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33,333/350 B 21,737/206 C 12,056/141 D 10,934/135	UPI 8,402/101 A 34,447/421 B 32,335/377 C 31,075/369 D 25,970/286	UPI 8,541/103 A 37,115/460 B 36,526/438 C 38,431/462 D 35,368/414	UPI 8,541/103 A 35,258/443 B 35,107/417 C 32,878/379 D 24,460/252	1) 14TEU 2) 14TEU 3) 4) 5) 14	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380	775 mt IFO380 100 mt MDO	USDA FITTED
master.fujibay@seatradefleet.com						ttt: 78,060 / 832	ttt: 132,229 / 1,554	ttt: 155,981 / 1,877	ttt: 136,244 / 1,594					
EVEREST BAY LIBERIA A8KZ3 8911073 1989	(580) 463 792 240 (870) 783 202 036 (870) 773 158 571 (31) 651 294 346	449.201 5.219 9.687 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6,457/70 A 25,494/277 B 18,572/201 C 15,629/179 D 26,063/285	UPI 7,737/85 A 32,634/401 B 31,630/373 C 30,027/353 D 29,021/339	UPI 7,777/85 A 29,856/370 B 29,492/350 C 30,775/371 D 29,021/339	UPI 7,824/85 A 31,808/395 B 31,858/374 C 31,956/369 D 24,591/257	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	825 mt IFO380 175 mt MDO	USDA FITTED
master.everestbay@seatradefleet.com						ttt: 66,152 / 727	ttt: 128,091 / 1,497	ttt: 126,921 / 1,515	ttt: 128,037 / 1,480					
WHITNEY BAY LIBERIA A8KZ8 8911085 1990	(580) 463 792 236 (870) 783 208 722 (870) 773 235 380 (31) 653 526 904	449.175 5.208 9.687 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6,421/70 A 25,417/275 B 18,687/201 C 15,596/176 D 26,011/284	UPI 7,778/85 A 32,767/401 B 31,765/373 C 30,114/353 D 28,904/339	UPI 7,812/85 A 29,907/370 B 29,517/350 C 30,728/370 D 28,904/339	UPI 7,771/85 A 31,791/395 B 31,808/373 C 31,914/367 D 24,467/255	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	700 mt IFO380 25 mt MDO	USDA FITTED
master.whitneybay@seatradefleet.com						ttt: 66,121 / 722	ttt: 128,435 / 1,496	ttt: 126,868 / 1,514	ttt: 127,751 / 1,475					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
GSC														
LAGOON PHOENIX LIBERIA A8OE4 9047245 1993	(580) 463 701 564 (870) 783 208 880 (870) 773 236 016 (31) 612 512 549	400.884 4.544 8.044 7.57	134.02 20.80 7.313 4.808	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A 30,048/341 B 19,090/227 C 13,966/163 D 23,189/270	A 20,569/228 B 30,875/346 C 28,378/341 D 23,189/270	A 20,438/230 B 34,494/371 C 32,265/391 D 30,328/355	A 23,714/267 B 38,662/422 C 31,418/355 D 23,449/237	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED
master.lagoonphoenix@seatradefleet.com						ttt: 63,104 / 731	ttt: 103,011 / 1,185	ttt: 117,525 / 1,347	ttt: 117,243 / 1,281					
WATER PHOENIX LIBERIA A8OE3 9045168 1992	(580) 463 701 616 (870) 783 205 766 (870) 773 238 949 (31) 630 363 392	400.884 4.544 8.075 7.57	134.02 20.80 7.303 4.812	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A 30,048/341 B 19,090/227 C 13,966/163 D 23,189/270	A 20,569/228 B 30,875/346 C 28,378/341 D 23,189/270	A 20,438/230 B 34,494/371 C 32,265/391 D 30,328/355	A 23,714/267 B 38,662/422 C 31,418/355 D 23,449/237	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED
master.waterphoenix@seatradefleet.com						ttt: 63,104 / 731	ttt: 103,011 / 1,185	ttt: 117,525 / 1,347	ttt: 117,243 / 1,281					
SIERRA QUEEN LIBERIA DS1V7 9127928 1996	(580) 463 718 565 (870) 783 254 675 (870) 773 157 805 (31) 651 081 437	398.470 4.736 7.947 7.91	133.92 16.31 5.918 3.177	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A 27,165/302 B 23,256/270 C 18,568/213 D 15,778/177	A 30,217/352 B 28,702/351 C 27,896/346 D 27,511/326	A 27,932/323 B 26,458/324 C 25,987/324 D 26,246/313	A 28,344/328 B 26,589/325 C 23,579/287 D 14,242/174	1) 45FEU OR 90TEU 2) 27FEU OR 54TEU 3) 4) 40TEU 5) 25	4 CRANES x 7 mt	1) 17.5 knts @27.5 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.6 mt MGO	875 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.sierraqueen@seatradefleet.com						ttt: 84,767 / 962	ttt: 114,326 / 1,375	ttt: 106,623 / 1,284	ttt: 92,754 / 1,114					
GREEN CHILE BAHAMAS C6WH7 8912156 1992	(580) 431 105 110 (870) 783 201 736 (870) 773 158 314 (48) 506 367 860	375.477 4.497 7.721 8.85	131.25 19.60 7.743 3.726	3 3 12 7	1) 8.33 x 4.68 2) 8.33 x 4.68 3) 8.33 x 4.68 4) 8.33 x 4.68 2.20	A 38,741/442 B 30,442/355 C 21,966/263 D 10,842/137	A 38,883/453 B 37,823/454 C 33,338/421 D 28,147/339	A 38,671/451 B 38,070/458 C 30,725/390 D 27,829/334		1) 45FEU OR 89TEU+4FEU 2) 30FEU OR 54TEU+4FEU 3) 30FEU OR 54TEU+4FEU 4) 5) 29	1 CRANE x 34/17 mt 3 PALLET CRANES x 8 mt	1) 19 knts @31 mt IFO380 2) 2.5 mt IFO380 3) 5 mt IFO380 4) 4.5 mt IFO380	950 mt IFO380 100 mt MDO	USDA FITTED CA PRE-PIPED
bridge@chile.greenfleet.no						ttt: 101,991 / 1,197	ttt: 138,191 / 1,667	ttt: 135,295 / 1,633	ttt: 0 / 0					
PRINCE OF SEAS LIBERIA A8J15 9014444 1993	(580) 463 791 365 (870) 783 255 293 (870) 773 238 609 (31) 630 363 473	371.412 4.121 7.387 7.77	130.50 19.00 6.363 4.297	4 4 15 8	1) 6.20 x 7.40 2) 6.20 x 7.40 3) 6.20 x 7.40 4) 6.20 x 7.40 2.20	A 30,348/331 B 23,755/240 C 18,304/196 D 25,429/265	A 15,355/184 B 31,218/340 C 29,276/338 D 25,429/265	A 13,568/166 B 29,630/330 C 28,000/331 D 27,993/297	A 15,309/187 B 31,135/355 C 28,510/320 D 23,582/241	1) 49FEU+2TEU OR 60TEU+3FEU 2) 45FEU OR 42TEU 3) 28FEU OR 28TEU 4) 5) 47	1 CRANE x 36 mt 8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	800 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED
master.princeofseas@seatradefleet.com						ttt: 72,407 / 767	ttt: 101,278 / 1,127	ttt: 99,191 / 1,124	ttt: 98,536 / 1,103					
COOL EXPRESO DUTCH PDKK 9085479 1994	(580) 424 531 712 (870) 783 151 342 (870) 773 252 116 (31) 651 920 359	362.351 4.313 7.505 8.01	126.29 16.31 5.471 2.978	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A 23,274/266 B 20,856/232 C 16,400/186 D 13,528/153	A 27,723/327 B 26,964/327 C 25,986/320 D 25,115/301	A 26,416/310 B 25,739/313 C 25,244/314 D 25,001/301	A 24,521/287 B 23,687/288 C 20,539/248 D 11,357/140	1) 31FEU+4TEU OR 66TEU 2) 20FEU+2TEU OR 42TEU 3) 4) 40TEU 5) 20	2 CRANES x 7 mt	1) 17.3 knts @24 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.5 mt MGO	825 mt IFO380 75 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.coolexpreso@seatradefleet.com						ttt: 74,058 / 837	ttt: 105,788 / 1,275	ttt: 102,400 / 1,238	ttt: 80,104 / 963					
ORANGE STREAM DUTCH 9795983 2019		312.038 3.408 7.158 7.50	115.10 18.00 6.045 3.269	4 4 12 8	1) 7.00 x 8.40 2) 7.00 x 8.40 3) 7.00 x 8.40 4) 7.00 x 8.40 2.40	A 31,924/313 B 25,250/318 C 20,129/238	A 28,252/287 B 25,038/292 C 24,720/296	A 27,828/287 B 25,038/292 C 25,285/296	A 30,123/315 B 27,333/272 C 21,118/202	1) 72FEU OR 149TEU 2) 63FEU OR 149TEU 3) 4) 5) 52	8 DERRICKS x 7 mt or 4 x 7 mt IN UP	1) 2) 3) 4)	625 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED
master.OrangeStream@Seatradefleet.com						ttt: 77,303 / 869	ttt: 78,010 / 875	ttt: 78,151 / 875	ttt: 78,574 / 789					
ORANGE STRAIT DUTCH PJDE 9795995 2019		312.038 3.408 7.158 7.50	115.10 18.00 6.045 3.269	4 4 12 8	1) 7.00 x 8.40 2) 7.00 x 8.40 3) 7.00 x 8.40 4) 7.00 x 8.40 2.40	A 31,924/313 B 25,250/318 C 20,129/238	A 28,252/287 B 25,038/292 C 24,720/296	A 27,828/287 B 25,038/292 C 25,285/296	A 30,123/315 B 27,333/272 C 21,118/202	1) 72FEU OR 149TEU 2) 63FEU OR 149TEU 3) 4) 5) 52	8 DERRICKS x 7 mt or 4 x 7 mt IN UP	1) 2) 3) 4)	625 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED
master.OrangeStrait@Seatradefleet.com						ttt: 77,303 / 869	ttt: 78,010 / 875	ttt: 78,151 / 875	ttt: 78,574 / 789					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIDES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTRIES ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) SELF SUSTAINED LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
ORANGE SPIRIT BAHAMAS C6DL6 9795969 2018	master.OrangeSpirit@Seatradefleet.com	310.468	115.10	4	1) 7.00 x 8.40 2) 7.00 x 8.40 3) 7.00 x 8.40 4) 7.00 x 8.40 2.40	A 31,793/312 B 24,720/272 C 20,229/202	A 27,903/283 B 24,672/289 C 25,191/283	A 27,867/284 B 24,627/290 C 25,402/288	A 29,943/308 B 26,752/314 C 21,367/237	1) 72FEU OR 149TEU 2) 63FEU OR 149TEU 3) 4) 5) 52	8 DERRICKS x 7 mt or 4 x 7 mt IN UP	1) 625 mt IFO380 2) 50 mt MGO	BOWTHRUSTER USDA FITTED	
ORANGE SEA BAHAMAS C6DL7 9795971 2019	master.OrangeSea@Seatradefleet.com	310.028	115.10	4	1) 7.00 x 8.40 2) 7.00 x 8.40 3) 7.00 x 8.40 4) 7.00 x 8.40 2.40	A 31,757/315 B 24,586/274 C 20,254/204	A 27,993/286 B 24,410/290 C 25,258/284	A 27,900/286 B 24,603/289 C 25,341/290	A 29,928/310 B 26,664/315 C 21,336/239	1) 72FEU OR 149TEU 2) 63FEU OR 149TEU 3) 4) 5) 52	8 DERRICKS x 7 mt or 4 x 7 mt IN UP	1) 625 mt IFO380 2) 50 mt MGO	BOWTHRUSTER USDA FITTED	
NOVA FLORIDA DUTCH PJJP 8813635 1989	master.novafiorida@seatradefleet.com	(580) 430 675 210 (870) 783 155 868 3.512 6.729 (31) 651 512 609	298.320 124.70 17.80 5.476 3.559	4 4 16 8	1) 6.20 x 7.30 2) 6.20 x 7.30 3) 6.20 x 7.30 4) 6.20 x 7.30 2.20	A 13,382/158 B 18,440/205 C 15,157/173 D 12,033/131	A 12,024/140 B 22,684/277 C 23,062/275 D 20,320/235	A 11,148/129 B 20,945/261 C 21,813/268 D 21,389/257	A 13,583/160 B 25,596/315 C 25,093/299 D 21,051/228	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17 knts @18 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 3 mt IFO380	700 mt IFO380 75 mt MDO	USDA FITTED
BREIZ KLIPPER DUTCH PJQV 8917211 1991	master.breizklipper@seatradefleet.com	(580) 430 679 610 (870) 761 133 849 3.144 5.935 (870) 761 133 848 (31) 622 929 655	265.246 110.93 16.20 4.263 2.796	4 4 16 8	1) 8.75 x 8.50 2) 8.75 x 8.50 3) 8.75 x 8.50 4) 8.75 x 8.50 2.20	A 13,106/154 B 16,976/189 C 14,102/154 D 10,747/120	A 12,128/149 B 20,408/254 C 21,288/251 D 18,733/222	A 11,633/143 B 19,707/248 C 21,225/254 D 18,985/228	A 14,993/186 B 19,480/243 C 18,089/202 D 13,646/146	1) 16FEU+20TEU OR 52TEU 2) 8FEU OR 16TEU 3) 4) 5) 6	4 CRANES x 5 mt	1) 16 knts @18 mt IFO380 2) Shaft generator 3) Shaft generator 4) 1.5 mt IFO380 AND 1.3 mt MGO	475 mt IFO380 50 mt MGO	BOWTHRUSTER
SIERRA KING DUTCH PESF 8810786 1989	master.sierraking@seatradefleet.com	(580) 424 454 210 (870) 764 895 079 2.961 5.415 (870) 764 895 078 (31) 651 239 646	261.262 107.65 16.20 3.999 2.619	4 4 16 8	1) 8.79 x 8.50 2) 8.79 x 8.50 3) 8.79 x 8.50 4) 8.79 x 8.50 2.20	A 12,653/154 B 18,309/191 C 13,924/155 D 11,654/120	A 11,232/136 B 20,409/234 C 19,253/228 D 18,516/201	A 10,711/130 B 19,603/227 C 18,966/230 D 19,654/207	A 15,140/185 B 21,075/240 C 16,108/188 D 14,055/135	1) 16FEU+20TEU OR 52TEU 2) 8FEU OR 16TEU 3) 4) 5) 6	4 CRANES x 5 mt	1) 15 knts @16 mt IFO380 2) Shaft generator 3) Shaft generator 4) 1.5 mt IFO380 AND 1.3 mt MGO	450 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED
SIERRA LARA BAHAMAS C6DI3 9120205 1996	master.sierralara@seatradefleet.com	(580) 431 103 336 (870) 783 159 637 2.925 5.970 (870) 773 235 161 (31) 611 323 955	260.050 117.50 17.50 5.110 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155	B 25,540/273 C 22,350/260 D 21,900/254	B 25,880/277 C 22,960/267 D 23,280/270	B 25,170/268 C 21,760/252 D 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	1100 mt IFO380 375 mt MGO	BOWTHRUSTER USDA FITTED
SIERRA LAUREL DUTCH PJBQ 9163403 1998	master.sierralaurel@seatradefleet.com	(580) 430 600 093 (870) 783 155 451 2.925 5.972 (870) 773 231 904 (31) 611 322 387	260.050 117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155	B 25,540/273 C 22,350/260 D 21,900/254	B 25,880/277 C 22,960/267 D 23,280/270	B 25,170/268 C 21,760/252 D 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 500 mt MGO	BOWTHRUSTER USDA FITTED
SIERRA LEYRE BAHAMAS C6DL3 9135822 1997	master.sierraleyre@seatradefleet.com	(580) 431 103 490 (870) 764 877 251 2.925 5.972 (870) 765 138 568 (31) 611 323 077	260.050 117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155	B 25,540/273 C 22,350/260 D 21,900/254	B 25,880/277 C 22,960/267 D 23,280/270	B 25,170/268 C 21,760/252 D 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 650 mt MGO	BOWTHRUSTER USDA FITTED

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/M E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
SIERRA LOBA DUTCH PJYS 9120217 1997	(580) 430 687 211 (870) 764 850 923 (870) 764 850 921 (31) 611 325 143 master.sierraloba@seatradefleet.com	260.050 2.925 5.972 6.70	117.27 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155 D 21,900/254	B 25,540/273 C 22,350/260 D 23,280/270	B 25,880/277 C 21,960/267 D 23,280/270	B 25,170/268 C 21,780/252 D 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 775 mt MGO	BOWTHRUSTER USDA FITTED
NOVA ZEELANDIA RUSSIAN FEDERATION UBSR2 8514784 1986	(580) 427 312 840 (870) 763 224 266 (870) 763 224 264 (31) 651 585 328 master.novazeelandia@seatradefleet.com	238.985 2.684 5.509 7.31	115.00 16.80 4.440 2.655	3 3 9 6	1) 8.00 x 6.00 2) 8.00 x 6.00 3) 8.00 x 6.00 2.20	A 26,874/284 B 19,305/216 C 14,999/164	A 32,174/365 B 29,825/352 C 26,633/289	A 32,257/367 B 30,179/354 C 26,739/293		1) 4FEU OR 4TEU+2FEU 2) 4FEU OR 4TEU+2FEU 3) 4) 5) 6	6 DERRICKS x 4 mt or 3 x 4 mt IN UP	1) 16 knts @14 mt IFO380 2) 1 mt IFO380 AND 0.5 mt MDO 3) 2.5 mt IFO380 AND 0.5 mt MDO 4) 1.9 mt IFO380 AND 0.6 mt MDO	725 mt IFO380 100 mt MDO	USDA FITTED
NEW TAKATSUKI PANAMA 3EFN9 9015838 1991	(580) 435 580 210 (870) 783 405 239 (870) 773 156 794 (81) 80 3535 2986 Newtakatsuki@amosconnect.com	237.136 2.552 5.248 6.91	120.70 16.60 4.446 2.287	3 3 9 6	1) 7.10 x 6.40 2) 7.10 x 6.40 3) 7.10 x 6.40 2.20	A 28,557/265 B 17,171/187 C 13,881/130	A 32,513/348 B 28,909/343 C 28,333/315	A 32,323/346 B 28,572/340 C 26,877/278		1) 2) 3) 4) 5)	6 DERRICKS x 5 mt or 3 x 3 mt IN UP	1) 15 knts @13.5 mt IFO380 2) 1.5 mt IFO380 AND 0.1 mt MDO 3) 3 mt IFO380 AND 0.1 mt MDO 4) 2.5 mt IFO380 AND 0.3 mt MDO	650 mt IFO380 75 mt MDO	USDA FITTED
COPPENNAME DUTCH PJYM 8807636 1990	(580) 430 686 211 (870) 783 154 580 (870) 764 846 083 (31) 651 081 602 master.coppenname@seatradefleet.com	212.102 2.453 4.797 6.75	108.80 16.40 4.666 2.145	3 3 10 6	1) 7.50 x 5.20 2) 7.50 x 5.20 3) 7.50 x 5.20 2.20	FC 21,613/258 A 23,096/250 B 17,940/213 C 12,148/138	A 23,025/265 B 22,001/261 C 21,860/248	A 24,509/284 B 23,767/284 C 22,143/252		1) 4FEU+6TEU OR 14TEU 2) 4FEU+6TEU OR 14TEU 3) 4) 18TEU 5) 14	3 CRANES x 5 mt	1) 15 knts @12.5 mt IFO380 2) 1.5 mt IFO380 3) 3 mt IFO380 4) 2 mt IFO380	575 mt IFO380 450 mt MDO	USDA FITTED

General remarks

Not to be used for time charter description. Particulars believed to be correct but not guaranteed.
Speed and consumptions figures are based on banana laden condition without containers on deck in fair weather conditions.
Consumptions are in metric tons per 24 hours.

Fuel according ISO 8217:2005 norm
IFO380 - RMG380
IFO180 - RME180
IFO30 - RMA30
MDO - DMB
MGO - DMA

Compartment breakdown

Dashed underline stands for a 'spar' or 'fruit' deck.
Single underline stands for a deck with independent air circulation, but not insulated
Double underline stands for an insulated deck.

Containers

Laden container intake is based on maximum stackweights and forty-foot units of 26 mt and twenty-foot units of 14 mt.
Self-sustained containers stands for the maximum amount of 'laden' containers that can be lifted with own gear.
Total number of containers on deck remains subject to master's approval depending on lashing, stability and visibility rules.

E-mail

Sending e-mail to ships cab be subjected to:
- The size of the message (inc. attachments).
- Sender's e-mail address being white listed.
- Having an account with a service provider.